



**Global Glove**  
& Safety Manufacturing, Inc.

Hand and Arm Protection

Protective Clothing



INDUSTRIAL DISTRIBUIDORA


**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Independent  
Growing  
Innovating**

# Innovative Personal Protection for the Working World





# Table of Contents

Looking for something? Find it here.

## Hand and Arm Protection

|                                       |     |
|---------------------------------------|-----|
| Cut Resistant.....                    | 7   |
| Tuffalene® Platinum.....              | 10  |
| Tuffalene® .....                      | 12  |
| Aralene® .....                        | 17  |
| Aramid Fiber.....                     | 25  |
| TuffKut® .....                        | 26  |
| Resistance with Alycore® inside ..... | 27  |
| General Purpose .....                 | 28  |
| Nitrile Dip.....                      | 31  |
| PU Dip .....                          | 35  |
| Rubber and PVC Dip.....               | 36  |
| Disposables.....                      | 38  |
| Panther-Guard® .....                  | 40  |
| Medical/Exam Grade.....               | 43  |
| Unsupported.....                      | 44  |
| Chemical Handling.....                | 48  |
| Low Temperature .....                 | 57  |
| Anti-Vibration .....                  | 67  |
| Arc Flash .....                       | 69  |
| Oil, Gas, Construction .....          | 72  |
| Mechanics/Sport Styles.....           | 78  |
| Leather.....                          | 85  |
| Deerskin Drivers.....                 | 86  |
| Goatskin Drivers.....                 | 87  |
| Cowhide Drivers.....                  | 88  |
| Welders .....                         | 90  |
| High-Visibility.....                  | 91  |
| Leather Palm.....                     | 93  |
| Terrycloth.....                       | 98  |
| Hot Mill and Jersey .....             | 100 |
| Cotton and Canvas .....               | 101 |
| String Knits.....                     | 102 |
| Vend-Pack Gloves.....                 | 104 |
| Utility Clips .....                   | 104 |
| Sleeves .....                         | 105 |
| <b>Head Protection</b>                |     |
| Hard Hat Accessories.....             | 108 |
| Hard Hats .....                       | 109 |
| Winter Liners .....                   | 139 |
| Balaclavas .....                      | 140 |

## Protective Clothing

|                             |     |
|-----------------------------|-----|
| FrogWear® HV.....           | 112 |
| Vests.....                  | 113 |
| Shirts .....                | 120 |
| Jackets and Outerwear ..... | 122 |
| Pants and Gaiters.....      | 124 |
| Hats, Shades, and More..... | 125 |
| Rainwear.....               | 126 |
| Disposable Clothing .....   | 129 |

## Knee Protection..... 131

## Hearing Protection..... 134

|                |     |
|----------------|-----|
| Earmuffs ..... | 136 |
| Earplugs ..... | 137 |

## Ice Traction..... 138

## Cooling

|                                      |     |
|--------------------------------------|-----|
| Neck Gaiters.....                    | 141 |
| Headbands, Head Shades, Towels ..... | 142 |

## Aprons .....

143

## Foot Protection..... 143

## Index..... 144

## Guides


|                                     |     |
|-------------------------------------|-----|
| Hand and Arm Protection Icons ..... | 2   |
| ANSI Cut Standards.....             | 2   |
| Glove Measuring Guide.....          | 4   |
| Polymer Dips.....                   | 5   |
| Finish Guide .....                  | 6   |
| Cut Resistant Fibers .....          | 9   |
| Disposable Glove Icons .....        | 38  |
| Choosing Disposable Gloves .....    | 38  |
| Chemical Handling Chart.....        | 48  |
| Safety Wear Icons .....             | 110 |
| Hearing Protection Icons .....      | 110 |
| Choosing Hearing Protection .....   | 134 |

# Icon Guide

## Hand and Arm Protection

|  |   |  |  |
|--|---|--|--|
|  ANSI Cut Level           |  Honeycomb Grip          |  Waffle Finish          |  Touchscreen Compatible |
|  NFPA 70E Arc Flash Level |  Adjustable Fit          |  Solid Finish           |  Retail Hang-Tagged     |
|  ANSI Abrasion Level      |  Safety Cuff             |  Mach Finish            |  Double Dipped          |
|  ANSI Puncture Level      |  Washable Cuff           |  Rough Finish           |  Double Palm            |
|  Max Temperature          |  Gauntlet Cuff           |  Foam                   |  Palm Padding           |
|  Fingerless               |  Hook & Loop Wrist       |  New Foam Technology    |  FDA Compliant          |
|  Flame Resistant          |  Knit Wrist              |  Xtreme Foam Technology |  Reversible             |
|  High-Visibility          |  Chevron Pattern         |  Anti-Vibration         |  Glove Length           |
|  Insulated               |  Brick Pattern          |  Dotted Pattern        |  Impact Protection     |
|  Water Repellent        |  Etched/Wrinkle Finish |  |  |

## ANSI Cut Resistance Standards Comparison





# Hand and Arm Protection



(686) 568-3210, (686) 568-3105  
y (686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

# Glove Measuring Guide

The proper size will provide the best protection and performance.

**It is important to properly measure your hand so that gloves fit correctly.**

- Wrap a soft cloth measuring tape entirely around your dominant hand, just below the knuckles. For reference, your dominant hand would be your right if you are right-handed and left if you are left-handed.
- If you don't have a soft cloth measuring tape you can wrap a piece of string around your hand and measure the length of the string using a ruler.
- Take the full circumference measurement and compare it to the chart for the recommended glove size\*.



This example shows a circumference measurement of 9 inches.

The recommended glove size for this user would be Large (9).

\* Estimate size to the closest fit

\*\* Hand proportions may vary

| Numeric Size | Letter Size | Inches** |
|--------------|-------------|----------|
| 5            | XXS         | 5        |
| 6            | XS          | 6        |
| 7            | S           | 7        |
| 8            | M           | 8        |
| 9            | L           | 9        |
| 10           | XL          | 10       |
| 11           | 2XL         | 11       |

# Choosing The Right Dip Polymer

The dip polymer is important for the job at hand.

## Nitrile

Nitrile is a synthetic polymer that is unusually resistant to chemicals, oils and fuels. Due to the superior strength of nitrile, gloves dipped with this polymer also have a higher abrasion resistance compared to other polymers.



## Polyurethane

Polyurethane dipped gloves offer a high level of dexterity to the user. The dip also adheres through the entire glove liner, which prevents flakiness and peeling gloves.

## Rubber

Rubber dipped gloves have an inherently strong grip ability and are the most elastic polymer. They perform well under extreme temperatures and do not tear easily. Rubber dipped gloves are not recommended for use with petroleum-based organic solvents.



## Neoprene

Neoprene was invented to replace natural rubber in chemical handling situations. It is not susceptible to most hazardous chemicals and can be used safely. It also holds up well to UV light.

## PVC

PVC is a low cost, liquid resistant polymer that performs well in petrochemical situations because of good abrasion resistance and flexibility at low temperatures.



[industrialnansa.com.mx](http://industrialnansa.com.mx)



# Glove Finish Guide

The finish is what makes the glove unique.



## Solid

Solid dip resists penetration of liquids and has an excellent dry grip.




## Mach Finish

The Mach Finish dip has a higher grip rating, better wear resistance and more protection than solid or foam dipped gloves.




## Dotted

Dotted gloves provide an extra level of grip and extra abrasion resistance when compared to standard dipped gloves, ensuring a better user experience.




## Rough Finish

Rough finish gloves have an added level of grip and better wear resistance than solid dipped gloves.




## Etched

The grip factor of etched gloves is not reduced by either wet or cold conditions.




## Foam

While the wear resistance of air-injected foam may not be as high as other finish types, it offers enhanced dexterity and outstanding grip in wet/oily situations.



## Engineered Foam

When compared to other foam dipped gloves, engineered foam has an increased level of wear resistance, good dexterity and a lower cost.



## New Foam Technology

With a high degree of dexterity and grip in wet or oily conditions, New Foam Technology dipped gloves offer the user a comfortable, effective option.



## Xtreme Foam Technology

A performance blended foam dip, Xtreme Foam Technology offers excellent dexterity and grip in wet or oily conditions.



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)



**Cut Resistant**

# Cut Resistance At Its Finest



# Choosing The Right Cut Resistant Fiber

Not all cut resistant fibers are created equal, choosing the right fiber is essential for safety and superior performance.




## Tuffalene® Platinum

- Free of fiberglass and steel
- Silky smooth feeling
- Typically 20% lighter when comparing to other products of the same ANSI cut level
- Washable and bleachable
- Abrasion resistance
- Monofilament
- Highly dexterous
- Lint-free
- Not recommended for heat applications



## Tuffalene® UHMWPE

- Abrasion resistance
- Washable and bleachable
- Often enhanced with glass fiber or steel
- Monofilament
- Highly dexterous
- Lint-free
- Not recommended for heat applications



ARALENE®

## Aralene®

- Aramid fiber enhanced with glass fiber or steel
- Heat resistant
- Sensitive to UV light
- Not bleachable



## TuffKut®

- Abrasion resistance
- Heat resistance
- Lint-free
- Washable and bleachable

## Aramid Fiber

- Nonconductive
- Heat resistant
- Washable/dry clean
- Sensitive to UV light
- Not bleachable



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

[industrialnansa.com.mx](http://industrialnansa.com.mx)

Cut Resistant Fibers



Made with  
**Tuffalene®**  
PLATINUM

## FREE from steel and glass fiber FREE from allergies and discomfort

A revolutionary solution for comfort on the job, Samurai Gloves® made with Tuffalene® Platinum fiber provide impressive cut resistance without the uncomfortable additions of glass fiber or steel.



PUG-913



### Salt-and-Pepper Cut Resistant

- Shell is cut resistant without metal or glass fiber enhancements
- Smooth finish provides liquid protection
- Coating adheres to the liner to prevent flakiness



PUG-915



### High-Visibility Cut Resistant

- Lightweight shell is cut resistant without metal or glass fiber enhancements
- Smooth finish provides liquid protection
- Coating adheres to the liner to prevent flakiness



PUG-918



### Lightweight PU Coated Cut Resistant

- Offers cut resistance without metal or glass fiber enhancements
- Smooth finish provides liquid protection
- 18-gauge shell ensures bare-hand sensitivity
- Coating adheres to the liner to prevent flakiness

| Products | Sizes         | Shell                      | Shell Color                  | Gauge    | Coating      | Finish | ANSI Cut | EN 388 Levels |
|----------|---------------|----------------------------|------------------------------|----------|--------------|--------|----------|---------------|
| PUG-913  | 5(XXS)-10(XL) | Tuffalene® Platinum UHMWPE | Salt-and-Pepper              | 13-Gauge | Polyurathane | Smooth | Level A4 | 4X43D         |
| PUG-915  | 6(XS)-10(XL)  | Tuffalene® Platinum UHMWPE | High-Visibility Yellow/Green | 15-Gauge | Polyurethane | Smooth | Level A3 | 4X43C         |
| PUG-918  | 5(XXS)-10(XL) | Tuffalene® Platinum UHMWPE | Light Blue                   | 18-Gauge | Polyurethane | Smooth | Level A2 | 3X42B         |



CIA388XFT



#### High-Visibility Cut and Impact Resistant Gloves

- Comfortable Tuffalene® Platinum shell
- Offers cut resistance without metal or glass fiber enhancements
- Flexible Xtreme Foam Technology coating

Achieving high cut levels, without using glass fiber or steel, gloves made with Tuffalene® Platinum are safe for workers who have allergic reactions to fiberglass and offer none of the discomfort of steel.



CR913MF



#### Comfortable Cut, Abrasion Resistance

- Comfortable cut resistance
- Offers cut resistance without metal or glass fiber enhancements
- Mach Finish nitrile palm coating is excellent for grip in wet or oily situations



CR915MF



#### High-Visibility Lightweight

- Soft, comfortable cut resistance
- Offers cut resistance without metal or glass fiber enhancements
- Mach Finish nitrile palm coating is excellent for grip in wet or oily situations



CR918MF



#### Lightweight Comfort

- Flexible cut resistance
- Offers cut resistance without metal or glass fiber enhancements
- 18-gauge shell ensures bare-hand sensitivity
- Mach Finish nitrile palm coating is excellent for grip in wet or oily situations

| Products  | Sizes          | Shell                      | Shell Color                  | Gauge    | Coating | Finish                 | ANSI Cut | EN 388 Levels |
|-----------|----------------|----------------------------|------------------------------|----------|---------|------------------------|----------|---------------|
| CIA388XFT | 7(S)-11(2XL)   | Tuffalene® Platinum UHMWPE | High-Visibility Orange       | 13-Gauge | Nitrile | Xtreme Foam Technology | Level A4 | 4X43D         |
| CR913MF   | 5(XXS)-10(XL)  | Tuffalene® Platinum UHMWPE | Salt-and-Pepper              | 13-Gauge | Nitrile | Mach Finish            | Level A4 | 4X43D         |
| CR915MF   | 6(XS)-10(XL)   | Tuffalene® Platinum UHMWPE | High-Visibility Yellow/Green | 15-Gauge | Nitrile | Mach Finish            | Level A3 | 4X43C         |
| CR918MF   | 5(XXS)-11(2XL) | Tuffalene® Platinum UHMWPE | Light Blue                   | 18-Gauge | Nitrile | Mach Finish            | Level A2 | 4X42B         |



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

[industrialnansa.com.mx](http://industrialnansa.com.mx)

Cut Resistant



CR488  
 ANSI CUT A4  
 ANSI ABRASION 5  
 ANSI PUNCTURE 4  
 FOAM FINISH  
 HIGH VISIBILITY



CR788



#### Lightweight Cut Resistance

- Enhanced Tuffalene® shell
- Reinforced thumb crotch
- Touch-screen compatible fingers
- Flexible 18-gauge shell

#### High-Visibility Cut Resistance

- Enhanced Tuffalene® shell
- Flexible 18-gauge shell



CR18NFT



#### Lightweight High-Visibility

- Comfortable 18-gauge shell



CR183NFT



#### High-Visibility Three-Quarter Dipped

- Comfortable 18-gauge shell
- Three-quarter dipped to extend protection



CR18NFT-R



#### Lightweight High-Visibility

- Comfortable 18-gauge shell
- Reinforced thumb crotch



CR183NFT-RD



#### High-Visibility Dotted

- Comfortable 18-gauge shell
- Reinforced thumb crotch
- Three-quarter dipped to extend protection

| Products    | Sizes         | Shell             | Shell Color                  | Gauge    | Coating | Coating Type | Finish              | ANSI Cut | EN 388 Levels |
|-------------|---------------|-------------------|------------------------------|----------|---------|--------------|---------------------|----------|---------------|
| CR488       | 6(XS)-11(2XL) | Tuffalene® UHMWPE | High-Visibility Orange       | 18-Gauge | Nitrile | Palm         | Foam                | Level A4 | 3X43D         |
| CR788       | 6(XS)-11(2XL) | Tuffalene® UHMWPE | Salt-and-Pepper              | 18-Gauge | Nitrile | Palm         | Foam                | Level A4 | 3X43D         |
| CR18NFT     | 5(XXS)-10(XL) | Tuffalene® UHMWPE | High-Visibility Yellow/Green | 18-Gauge | Nitrile | Palm         | New Foam Technology | Level A2 | 4X42B         |
| CR183NFT    | 7(S)-10(XL)   | Tuffalene® UHMWPE | High-Visibility Yellow/Green | 18-Gauge | Nitrile | 3/4          | New Foam Technology | Level A2 | 4X42B         |
| CR18NFT-R   | 6(XS)-10(XL)  | Tuffalene® UHMWPE | High-Visibility Yellow/Green | 18-Gauge | Nitrile | Palm         | New Foam Technology | Level A2 | 4X42B         |
| CR183NFT-RD | 7(S)-10(XL)   | Tuffalene® UHMWPE | High-Visibility Yellow/Green | 18-Gauge | Nitrile | 3/4          | New Foam Technology | Level A2 | 4X42B         |



CR919



#### Reinforced, Touch Screen

- Three touch screen compatible fingers
- Polyurethane palm dipped
- Reinforced thumb crotch



CRX7



#### Lightweight Cut Resistant XFT Coated

- Lightweight 18-gauge Tuffalene® UHMWPE shell
- Flexible Xtreme Foam Technology coating
- Reinforced thumb crotch



CRX6



#### Enhanced Tuffalene® Shell, Foam Nitrile Coated

- Enhanced Tuffalene® shell
- Foam nitrile palm dipped



CIA998MF



#### High-Visibility Impact Protection

- Silicone impact protection
- High-visibility yellow/green shell



CR998MF



#### High-Visibility Cut Resistant

- High-visibility yellow/green shell



CR999MFF



#### Double-Dipped Protection

- High-visibility liner
- Mach Finish nitrile palm



CR898MF



#### Cut and Puncture Resistant, ESD Compliant

- Comfortable, dexterous shell

| Products | Sizes         | Shell             | Shell Color                  | Gauge    | Coating        | Coating Color          | Finish                 | ANSI Cut | ANSI Puncture | EN 388 Levels |
|----------|---------------|-------------------|------------------------------|----------|----------------|------------------------|------------------------|----------|---------------|---------------|
| CR919    | 7(S)-11(2XL)  | Tuffalene® UHMWPE | High-Visibility Orange       | 13-Gauge | Polyurethane   | Gray                   | Smooth                 | Level A4 | Level 4       | 3X43D         |
| CRX7     | 7(S)-11(2XL)  | Tuffalene® UHMWPE | Blue/White                   | 18-Gauge | Nitrile        | Black                  | Xtreme Foam Technology | Level A7 | Level 4       | 4X42F         |
| CRX6     | 7(S)-10(XL)   | Tuffalene® UHMWPE | Salt-and-Pepper              | 10-Gauge | Nitrile        | Black                  | Foam                   | Level A6 | Level 5       | 4X43F         |
| CIA998MF | 7(S)-10(XL)   | Tuffalene® UHMWPE | High-Visibility Yellow/Green | 13-Gauge | Nitrile        | High-Visibility Orange | Mach Finish            | Level A4 | Level 4       | 4X43DP        |
| CR998MF  | 7(S)-10(XL)   | Tuffalene® UHMWPE | High-Visibility Yellow/Green | 13-Gauge | Double Nitrile | High-Visibility Orange | Mach Finish            | Level A5 | Level 4       | 4X43E         |
| CR999MFF | 7(S)-11(2XL)  | Tuffalene® UHMWPE | High-Visibility Yellow/Green | 13-Gauge | Double Nitrile | Blue, Black            | Mach Finish            | Level A4 | Level 4       | 4X44D         |
| CR898MF  | 6(XS)-11(2XL) | Tuffalene® UHMWPE | High-Visibility Green        | 13-Gauge | Double Nitrile | Black                  | Mach Finish            | Level A5 | Level 4       | 4X43E         |



CR611MF



CR344



PUG-788



#### Mach Finish Nitrile Double-Coated

- Abrasion resistant double-coated palm
- Excellent grip and dexterity

#### Uncoated Cut Resistant

- Sanitized® antimicrobial treated shell
- Comfortable, dexterous shell

#### Touch Screen Cut Resistant

- Flexible 18-gauge shell
- Polyurethane palm dipped

| Products | Sizes          | Shell             | Shell Color      | Gauge    | Coating      | Finish      | ANSI Cut | EN 388 Levels |
|----------|----------------|-------------------|------------------|----------|--------------|-------------|----------|---------------|
| CR611MF  | 6(XS)-10(XL)   | HPPE              | Salt-and-Pepper  | 13-Gauge | Nitrile      | Mach Finish | Level A4 | 4X43D         |
| CR344    | 5(XXS)-10(XL)  | Tuffalene® UHMWPE | White/Light Blue | 13-Gauge | NA           | NA          | Level A4 | 2X42C         |
| PUG-788  | 5(XXS)-11(2XL) | Tuffalene® UHMWPE | Salt-and-Pepper  | 18-Gauge | Polyurethane | Smooth      | Level A5 | 3X42E         |



CR900LF



CR336G



CR377



CR492



#### Premium Leather Palm

- Grain cowhide palm
- Double layered, split palm
- Sewn with aramid fiber

#### Medium-Weight Food Grade

- Cut resistant liner
- Ambidextrous
- Sold by individual glove

#### Lightweight Food Grade

- Cut resistant liner
- Ambidextrous
- Sold by individual glove

#### Cut Resistant Chemical Handling

- 18-gauge Tuffalene® liner
- Xtreme Foam Technology palm dipped
- Flexible palm coating

| Products | Sizes        | Shell             | Shell Color     | Gauge    | Palm          | Coating    | Finish                 | ANSI Cut | EN 388 Levels |
|----------|--------------|-------------------|-----------------|----------|---------------|------------|------------------------|----------|---------------|
| CR900LF  | 6(XS)-10(XL) | Tuffalene® UHMWPE | Blue/White      | 7-Gauge  | Grain Cowhide | NA         | NA                     | Level A6 | NA            |
| CR336G   | 6(XS)-10(XL) | Tuffalene® UHMWPE | Gray            | 10-Gauge | NA            | Uncoated   | NA                     | Level A6 | NA            |
| CR377    | 6(XS)-10(XL) | Tuffalene® UHMWPE | Salt-and-Pepper | 13-Gauge | NA            | NA         | NA                     | Level A4 | 3541          |
| CR492    | 8(M)-11(2XL) | NA                | NA              | 18-Gauge | NA            | Nitrile/PU | Xtreme Foam Technology | Level A4 | 4X32C         |



PUG-511



#### PU Coated High-Visibility Cut Resistant

- Lightweight cut resistant shell
- Polyurethane dip for grip and comfort
- High-visibility yellow/green
- Individually packaged



PUG-118



#### Ultra-Light High-Visibility

- Polyurethane palm dipped
- 18-gauge liner ensures bare-hand sensitivity



PUG-313



#### Lightweight and Flexible

- Polyurethane palm dipped
- White stretch-broken shell
- Individually packaged



PUG-411



#### Cut Resistant Dexterity

- Polyurethane palm dipped
- Individually packaged



PUG-611



#### Cut Resistant Dexterity

- Polyurethane palm dipped
- Individually packaged



PUG-111



#### Lightweight and Flexible

- Polyurethane palm dipped
- Individually packaged



PUG-417



#### Salt-and-Pepper Gray

- Polyurethane palm dipped
- Individually packaged



PUG-617



#### Cut Resistant Dexterity

- Polyurethane palm dipped
- Individually packaged

Also available vend-packed: PUG-111-VP

| Products   | Sizes          | Shell             | Shell Color                  | Gauge    | Coating      | Coating Color | ANSI Cut | EN 388 Levels |
|------------|----------------|-------------------|------------------------------|----------|--------------|---------------|----------|---------------|
| PUG-511    | 6(XS)-10(XL)   | HPPE              | High-Visibility Yellow/Green | 13-Gauge | Polyurethane | White         | Level A4 | 4X42D         |
| PUG-118    | 5(XXS)-10(XL)  | Tuffalene® UHMWPE | High-Visibility Yellow/Green | 18-Gauge | Polyurethane | White         | Level A2 | 4X42B         |
| PUG-313    | 6(XS)-11(2XL)  | Tuffalene® UHMWPE | White                        | 13-Gauge | Polyurethane | Gray          | Level A2 | 4X42B         |
| PUG-411    | 7(S)-11(2XL)   | Tuffalene® UHMWPE | White                        | 13-Gauge | Polyurethane | Black         | Level A3 | 4X43C         |
| PUG-611    | 5(XXS)-11(2XL) | HPPE              | Salt-and-Pepper              | 13-Gauge | Polyurethane | Gray          | Level A4 | 4X42D         |
| PUG-111    | 6(XS)-11(2XL)  | HPPE              | Salt-and-Pepper              | 13-Gauge | Polyurethane | Gray          | Level A2 | 3242X         |
| PUG-111-VP | 6(XS)-11(2XL)  | HPPE              | Salt-and-Pepper              | 13-Gauge | Polyurethane | Gray          | Level A2 | 3242X         |
| PUG-417    | 6(XS)-11(2XL)  | Tuffalene® UHMWPE | Salt-and-Pepper              | 13-Gauge | Polyurethane | Gray          | Level A2 | 4X42B         |
| PUG-617    | 6(XS)-11(2XL)  | Tuffalene® UHMWPE | Blue and White               | 13-Gauge | Polyurethane | Gray          | Level A4 | 4X42D         |



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

[industrialnansa.com.mx](http://industrialnansa.com.mx)



CR330INT



#### Cut Resistant, Double-Coated with Rubber

- Cut resistant shell with soft, brushed interior
- Flexible, double-dipped latex coating



CIA300INT



#### Cut/Impact Resistant, Foam Rubber Coated

- Cut resistant shell with soft, brushed interior
- Palm foam rubber coating
- Flexible TPU impact protection



CR617



#### Enhanced Cut Resistant Shell

- 13-gauge Tuffalene® shell
- Abrasion resistant palm
- Foam nitrile palm dipped



CIA617V



#### Cut and Impact Resistant Gloves

- Flexible TPU impact protection
- Mach Finish nitrile palm dipped
- Reinforced thumb crotch



CIA417V



#### Cut and Impact Resistant Gloves

- Flexible TPU impact protection
- Reinforced thumb crotch
- Mach Finish nitrile palm dipped

**DISCONTINUED**

CR317INT



#### Cut and Puncture Resistant Gloves

- Two-layer terry cloth insulated liner
- Water repellent
- Foam latex palm dipped



CIA317INT



#### Cut and Impact Resistant Gloves

- Flexible TPU impact protection
- Water repellent
- Two-layer terry cloth insulated liner

| Products  | Sizes        | Shell             | Gauge              | Coating        | Coating Type  | Finish           | ANSI Cut | ANSI Puncture | EN 388 Levels |
|-----------|--------------|-------------------|--------------------|----------------|---------------|------------------|----------|---------------|---------------|
| CR330INT  | 8(M)-10(XL)  | Tuffalene® UHMWPE | 10-Gauge           | Rubber Latex   | Palm over 3/4 | Foam over Smooth | Level A4 | Level 3       | 2X42D         |
| CIA300INT | 7(S)-10(XL)  | Tuffalene® UHMWPE | 10-Gauge           | Rubber Latex   | Palm          | Foam             | Level A4 | Level 3       | 2X42DP        |
| CR617     | 7(S)-11(2XL) | Tuffalene® UHMWPE | 13-Gauge           | Nitrile        | Palm          | Foam             | Level A4 | Level 4       | 4X43D         |
| CIA617V   | 7(S)-11(2XL) | Tuffalene® UHMWPE | 13-Gauge           | Double Nitrile | Palm          | Mach Finish      | Level A5 | Level 4       | 4X43D         |
| CIA417V   | 8(M)-11(2XL) | Tuffalene® UHMWPE | 13-Gauge           | Nitrile        | Palm          | Mach Finish      | Level A2 | Level 4       | 4242X         |
| GR317INT  | 8(M)-9(L)    | Double Layer      | 13-Gauge, 10-Gauge | Rubber Latex   | Palm          | Foam             | Level A5 | Level 5       | 2X44E         |
| CIA317INT | 8(M)-11(2XL) | Two Layers        | 13-Gauge, 10-Gauge | Rubber Latex   | Palm          | Foam             | Level A5 | Level 5       | 2X44E         |

# Stay-Clean Cut Resistance with Enhanced Grip



INDUSTRIAL DISTRIBUIDORA

# NANSA

[industrialnansa.com.mx](http://industrialnansa.com.mx)

## Cut Resistant

17



# ARALENE®



355KV



#### Latex Coated Cut Resistant

- Unique waffle finish improves grip in wet conditions
- Enhanced Aralene® shell offers cut resistance, heat resistance and dexterity
- Puncture resistant latex coated palm



K500LF



#### Cut Resistant Leather Palm

- Enhanced Aralene® shell offers cut resistance, heat resistance and dexterity
- Premium split cowhide leather palm
- Reinforced thumb crotch provides wear protection
- Sewn with aramid fiber

| Products | Sizes       | Shell    | Shell Color | Gauge    | Palm          | ANSI Cut | EN 388 Levels |
|----------|-------------|----------|-------------|----------|---------------|----------|---------------|
| 355KV    | 8(M)-10(XL) | Aralene® | Black       | 10-Gauge | NA            | Level A6 | 3X43F         |
| K500LF   | 8(M)-10(XL) | Aralene® | Black       | 7-Gauge  | Split Cowhide | Level A6 | 4X43E         |



CR399

**Cut, Liquid and Heat Resistant**

- Fully dipped rubber latex coating
- Foam rubber palm dipped second coating
- Enhanced Aralene® (enhanced aramid fiber) shell offers cut resistance, heat resistance, and dexterity

# Cut and Heat Resistance That Stays Clean

Offering heat and cut resistance with dexterity, these gloves retain their color during use. Black seamless shells hide dirt for a continually clean appearance.



CR588MF

**Lightweight Cut, Heat Resistant**

- Black shell, palm present clean appearance
- Enhanced Aralene® (enhanced aramid fiber) shell offers cut resistance, heat resistance, and dexterity
- Abrasion-resistant Mach Finish nitrile coated palm improves wet/oily grip



CR588MFY

**Yellow Lightweight Cut, Heat Resistant**

- Enhanced Aralene® (enhanced aramid fiber) shell offers cut resistance, heat resistance, and dexterity
- Abrasion-resistant Mach Finish nitrile coated palm improves wet/oily grip



CR600MF

**Heavyweight Cut Resistant**

- High cut resistance with impressive dexterity
- Enhanced Aralene® (enhanced aramid fiber) shell offers cut resistance, heat resistance, and dexterity
- Black shell, palm present clean appearance
- Abrasion-resistant Mach Finish nitrile coated palm improves wet/oily grip

| Products | Sizes          | Shell    | Shell Color | Gauge    | Coating             | Finish          | ANSI Cut | EN 388 Levels |
|----------|----------------|----------|-------------|----------|---------------------|-----------------|----------|---------------|
| CR399    | 7(S)-11(2XL)   | Aralene® | Yellow      | 10-Gauge | Double Rubber Latex | Smooth and Foam | Level A4 | 3X42D         |
| CR588MF  | 6(XS)-10(XL)   | Aralene® | Black       | 13-Gauge | Nitrile             | Mach Finish     | Level A3 | 3X31C         |
| CR588MFY | 5(XXS)-11(2XL) | Aralene® | Yellow      | 13-Gauge | Nitrile             | Mach Finish     | Level A3 | 3X31C         |
| CR600MF  | 6(XS)-10(XL)   | Aralene® | Black       | 10-Gauge | Nitrile             | Mach Finish     | Level A6 | 3X43F         |



**ARALENE®**



CIA609MFV



#### Cut and Impact Resistant Gloves

- Reinforced thumb crotch
- Vibration dampening padded palm



CIA609MF



#### Cut and Impact Protection Gloves

- Reinforced thumb crotch
- Vibration dampening padded palm
- Flexible TPU impact protection
- Mach Finish nitrile palm dipped



CR609



#### Cut, Puncture Resistant

- Composite Aralene® fiber shell
- Foam nitrile palm dipped



CR609-VP



#### Cut, Puncture Resistant

- Composite Aralene® fiber shell
- Foam nitrile palm dipped



CR639



#### Cut, Puncture Resistant

- Foam nitrile three-quarter dipped palm protects from liquids

| Products  | Sizes        | Shell    | Gauge    | Coating | Coating Type | Finish      | ANSI Cut | ANSI/SEA Impact | EN 388 Levels |
|-----------|--------------|----------|----------|---------|--------------|-------------|----------|-----------------|---------------|
| CIA609MFV | 8(M)-11(2XL) | Aralene® | 13-Gauge | Nitrile | Palm         | Mach Finish | Level A5 | Level 1         | 4X31E         |
| CIA609MF  | 7(S)-11(2XL) | Aralene® | 13-Gauge | Nitrile | Palm         | Mach Finish | Level A5 | Level 1         | 4X31E         |
| CR609     | 7(S)-11(2XL) | Aralene® | 13-Gauge | Nitrile | Palm         | Foam        | Level A4 | NA              | 4X21D         |
| CR609-VP  | 7(S)-11(2XL) | Aralene® | 13-Gauge | Nitrile | Palm         | Foam        | Level A4 | NA              | 4X21D         |
| CR639     | 7(S)-11(2XL) | Aralene® | 13-Gauge | Nitrile | 3/4          | Foam        | Level A4 | NA              | 4X21D         |



**ARALENE®**



AC600KV



CIA600KV



600KV



#### Cut Resistant with Alycore® palm

- Aralene® cut resistant shell
- Hypodermic needle resistant palm
- High-visibility shell and coating
- Etched rubber palm coating is puncture resistant

#### Cut, Puncture, Impact Resistant

- Flexible TPU impact protection
- Vibration dampening palm
- Etched rubber palm

#### Heavyweight Cut and Puncture Resistant Gloves

- Puncture resistant palm
- Etched rubber palm

| Products | Sizes        | Shell    | Gauge    | Coating | Finish | ANSI Cut    | EN 388 Levels |
|----------|--------------|----------|----------|---------|--------|-------------|---------------|
| AC600KV  | 8(M)-10(XL)  | Aralene® | 10-Gauge | Rubber  | Etched | Level A9/A6 | 4544F         |
| CIA600KV | 7(S)-10(XL)  | Aralene® | 10-Gauge | Rubber  | Etched | Level A6    | 2X44F         |
| 600KV    | 7(S)-11(2XL) | Aralene® | 10-Gauge | Rubber  | Etched | Level A6    | 2X44F         |



CIA677



CR677



CR309



#### High Cut Resistance

- High-performance palm coating
- Flexible TPU impact protection

#### High Cut Resistance

- Lightweight cut resistant shell
- High-performance palm coating

#### Rubber Palm Coating

- Lightweight cut resistant shell

| Products | Sizes        | Shell    | Gauge    | Coating      | Finish                 | ANSI/ISEA Impact | ASTM F2992-15 Results | ANSI Cut | EN 388 Levels |
|----------|--------------|----------|----------|--------------|------------------------|------------------|-----------------------|----------|---------------|
| CIA677   | 7(S)-11(2XL) | Aralene® | 13-Gauge | Nitrile/PU   | Xtreme Foam Technology | Level 1          | 4,120 Grams           | Level A7 | 4X42FP        |
| CR677    | 7(S)-11(2XL) | Aralene® | 13-Gauge | Nitrile/PU   | Xtreme Foam Technology | NA               | 4,120 Grams           | Level A7 | 4X42F         |
| CR309    | 8(M)-11(2XL) | Aralene® | 13-Gauge | Rubber/Latex | Etched                 | NA               | 4,834 Grams           | Level A4 | 3X31E         |



**Leather**  
**ARALENE®**



### Impact, Oil, Water, and Cut Resistant Insulated Gloves

- Aralene® (enhanced aramid fiber) cut resistant liner
- Proprietary oil/water resistant manufacturing process
- 100 grams 3M™ Thinsulate™ insulation
- Sewn with aramid fiber



### Cut Resistant Goatskin Leather Drivers

- Lightweight Aralene® liner provides cut and heat resistance
- Premium grain goatskin leather shell

Tested to ASTM F2675  
Arc Rating (ATPV) = 50 Cal/cm<sup>2</sup>  
Heat Attenuation Factor (HAF) = 95%  
NFPA 70E Arc Flash PPE Category: 4



### Impact, Oil, Water Resistant Double Palmed Goatskin

- Proprietary oil/water resistant manufacturing process
- Soft, flexible, TPR impact protection
- Sewn with aramid fiber
- Double palm with gel padding



### Impact, Oil, Water, Cut, Flame Resistant Goatskin

- Aralene® (enhanced aramid fiber) cut resistant liner
- Proprietary oil/water resistant manufacturing process
- Sewn with aramid fiber
- Soft, flexible, TPR impact protection

Tested to ASTM F2675  
Arc Rating (ATPV) = 50 Cal/cm<sup>2</sup>  
Heat Attenuation Factor (HAF) = 95%  
NFPA 70E Arc Flash PPE Category: 4

| Products   | Sizes        | Shell          | Cuff | Grade   | ANSI/SEA Impact | ASTM F2992-15 Results | ANSI Cut | EN 388 Levels |
|------------|--------------|----------------|------|---------|-----------------|-----------------------|----------|---------------|
| CIA3800INT | 7(S)-11(2XL) | Grain Goatskin | Open | Premium | Level 2         | 2,558 Grams           | Level A5 | 3X33EP        |
| CR3800     | 7(S)-11(2XL) | Grain Goatskin | Open | Premium | NA              | 2,558 Grams           | Level A5 | 3X23E         |
| CIA3600    | 9(L)-11(2XL) | Grain Goatskin | Open | Premium | Level 2         | NA                    | NA       | 3121XP        |
| CIA3800    | 7(S)-11(2XL) | Grain Goatskin | Open | Premium | Level 2         | 2,558 Grams           | Level A5 | 3X23EP        |



**ARALENE®**



CIA200MTG



#### Cut, Impact, Flame Resistant Grain Goatskin MIG/TIG

- Aralene® (enhanced aramid fiber) cut resistant liner
- Proprietary oil/water resistant manufacturing process
- Sewn with black DuPont™ Kevlar® fiber
- Soft, flexible, TPR impact protection



CR2100



#### Premium Split Cowhide

- Sewn with aramid fiber
- Washable dual layer duck cuff
- 9-oz canvas back
- Cut resistant liner



CR1200



#### Premium Split Cowhide

- Aralene® (enhanced aramid fiber) cut resistant liner
- Reinforced thumb crotch
- Welting in vulnerable seams
- Reinforced wing thumb



CR100MTC



#### Premium Cowhide MIG/TIG

- Aralene® (enhanced aramid fiber) cut resistant liner
- Four-inch split leather gauntlet cuff
- Sewn with aramid fiber



CR100MTG



#### Premium Grain Goatskin MIG/TIG

- Aralene® (enhanced aramid fiber) cut resistant liner
- Five-inch split leather gauntlet cuff
- Sewn with aramid fiber
- Keystone thumb

| Products  | Sizes        | Shell          | Shell Color | Palm          | ANSI Cut | NFPA 70E Arc-Flash PPE Category | ASTM F2992-15 Results | EN 388 Levels |
|-----------|--------------|----------------|-------------|---------------|----------|---------------------------------|-----------------------|---------------|
| CIA200MTG | 8(M)-11(2XL) | Grain Goatskin | Black       | NA            | Level A8 | 3                               | 5,225 Grams           | 3X43F         |
| CR2100    | 8(M)-10(XL)  | Canvas         | Natural     | Split Cowhide | Level A4 | NA                              | 1,524 Grams           | NA            |
| CR1200    | 7(S), 9(L)   | Split Cowhide  | Russet      | NA            | Level A4 | NA                              | 1,555 Grams           | NA            |
| CR100MTC  | 7(S)-10(XL)  | Grain Cowhide  | Beige       | NA            | Level A4 | 3                               | 1,704 Grams           | NA            |
| CR100MTG  | 7(S)-11(2XL) | Grain Goatskin | White       | NA            | Level A5 | 4                               | 2,210 Grams           | 3X23E         |

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.



**ARALENE®**



HR8200KEV



#### Cut and Impact Resistant, Performance Mechanics Style Gloves

- Aralene® (enhanced aramid fiber) cut resistant liner
- AireFlex® synthetic leather



CR3900



#### Cut Resistant Grain Goatskin Gloves

- Standard-grade grain goatskin leather shell
- Aralene® (enhanced aramid fiber) cut resistant liner



K300LF



#### Heavyweight Leather Palm

- Split cowhide over grain leather
- Reinforced thumb crotch
- Leather wrapped forefinger



KS300LF



#### Premium Split Leather Palm

- Reinforced thumb crotch
- Leather knuckle strap
- Reinforced knuckles

| Products  | Sizes        | Shell            | Shell Color | Gauge    | Liner    | Impact Protection | ASTM F2992-15 Results | ANSI Cut | EN 388 Levels |
|-----------|--------------|------------------|-------------|----------|----------|-------------------|-----------------------|----------|---------------|
| HR8200KEV | 8(M)-11(2XL) | Stretchable Mesh | Black       | NA       | Aralene® | TPR               | 2,240 Grams           | Level A5 | 2X33D         |
| CR3900    | 7(S)-11(2XL) | Grain Goatskin   | White       | NA       | Aralene® | NA                | 2,604 Grams           | Level A5 | 3X23E         |
| K300LF    | 7(S)-10(XL)  | Aralene®         | Yellow      | 7-Gauge  | NA       | NA                | 3,700 Grams           | Level A6 | 3X44F         |
| KS300LF   | 7(S)-10(XL)  | Aralene®         | Dark Green  | 10-Gauge | NA       | NA                | 4,118 Grams           | Level A7 | 3X43F         |



CR3200



#### Cowhide Cut, Heat Resistant

- Aralene® (enhanced aramid fiber) cut resistant liner

Tested to ASTM F2675  
Arc Rating(ATPV) = 35 Cal/cm<sup>2</sup>  
Heat Attenuation Factor, HAF = 94%



CIA3200



#### Cut, Impact and Heat Resistant Gloves

- Flexible TPU impact protection
- Enhanced Aralene® (enhanced aramid fiber) liner

Tested to ASTM F2675  
Arc Rating(ATPV) = 35 Cal/cm<sup>2</sup>  
Heat Attenuation Factor, HAF = 94%



CIA3300



#### Golden Goatskin + Impact

- Sewn-in palm padding
- Enhanced Aralene® (enhanced aramid fiber) liner

Tested to ASTM F2675  
Arc Rating(ATPV) = 43 Cal/cm<sup>2</sup>  
Heat Attenuation Factor, HAF = 93%



CR292



#### Cut Resistant PVC-Nitrile

- 15-gauge Aralene® cut resistant inner liner
- Double-dipped PVC and nitrile coating
- 12-inches long
- EN 374: AJKL

| Products | Sizes                     | Shell          | Shell Color | Liner    | Thumb    | Impact Protection | Arc Rating (ATPV)      | ANSI Cut | EN 388 Levels |
|----------|---------------------------|----------------|-------------|----------|----------|-------------------|------------------------|----------|---------------|
| CR3200   | 6(XS)-11(2XL)             | Grain Cowhide  | Beige       | Aralene® | Keystone | NA                | 35 Cal/cm <sup>2</sup> | Level A4 | NA            |
| CIA3200  | 7(S)-11(2XL)              | Grain Cowhide  | Gold        | Aralene® | Keystone | TPU               | 35 Cal/cm <sup>2</sup> | Level A4 | XXXXXP        |
| CIA3300  | 7(S)-8(M), 10(XL)-11(2XL) | Grain Goatskin | Gold        | Aralene® | Keystone | TPU               | 43 Cal/cm <sup>2</sup> | Level A6 | NA            |
| CR292    | 8(M)-10(XL)               | NA             | NA          | Aralene® | NA       | NA                | NA                     | Level A3 | 3X31C         |



300KV

**Cut, Heat Resistant**

- Made with DuPont™ Kevlar® fiber
- Naturally puncture resistant palm
- Etched rubber palm dipped



500KV

**Cut Resistant**

- Made with DuPont™ Kevlar® fiber
- Lightweight
- Rough nitrile palm dipped



K300LFE

**Heavyweight Leather Palm**

- Split cowhide leather palm
- Leather wrapped forefinger
- Reinforced thumb crotch



PUG-88

**Coated Aramid Cut Resistant**

- Shell made with DuPont™ Kevlar® fiber
- Polyurethane palm dipped

Also available vend-packed: PUG-88-VP



802

**High-Visibility, Heat Resistant**

- Nitrile dotted palm
- Mach Finish nitrile palm dipped
- EN 407 Contact Heat Level 3



515KEV

**Cut Resistant Chemical Handling**

- Liner adheres to shell
- Liner made with DuPont™ Kevlar® fiber
- Raised diamond pattern grip

| Products  | Sizes         | Shell            | Gauge    | Coating      | Finish         | Cuff       | ANSI Cut | ANSI Puncture | EN 388 Levels |
|-----------|---------------|------------------|----------|--------------|----------------|------------|----------|---------------|---------------|
| 300KV     | 6(XS)-11(2XL) | Aramid           | 10-Gauge | Rubber       | Etched         | Knit Wrist | Level A3 | Level 5       | 4X42D         |
| 500KV     | 6(XS)-11(2XL) | Aramid           | 13-Gauge | Nitrile      | Rough          | Knit Wrist | Level A2 | Level 2       | 4X23B         |
| K300LFE   | 7(S)-10(XL)   | Aramid           | 7-Gauge  | NA           | NA             | Knit Wrist | Level A3 | NA            | 3X42F         |
| PUG-88    | 6(XS)-11(2XL) | Aramid           | 13-Gauge | Polyurethane | Smooth         | Knit Wrist | Level A2 | Level 2       | 4X42B         |
| PUG-88-VP | 7(S)-11(2XL)  | Aramid           | 13-Gauge | Polyurethane | Smooth         | Knit Wrist | Level A2 | Level 2       | 4X42B         |
| 802       | 7(S)-10(XL)   | Aramid/Polyester | 10-Gauge | Nitrile      | Mach Finish    | Knit Wrist | Level A4 | Level 4       | 4X43E         |
| 515KEV    | 7(S)-10(XL)   | NA               | 10-Gauge | Nitrile      | Raised Diamond | Straight   | Level A2 | Level 3       | XXX2          |

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.



PUG-555TS



PUG-517TS



#### High-Visibility Touch Screen

- High-visibility green shell
- Heat resistant

#### Touch Screen Compatible

- Dark shell, palm hide dirt
- Heat resistant



**CR411G**  
ANSI CUT A3  
FDA COMPLIANT



**TAK515**  
ANSI CUT A5  
FDA COMPLIANT



**TAK515-D2**  
ANSI CUT A5  
DOTTED PATTERN

#### Lightweight Food Grade

- Sold by individual glove

#### Heavyweight Liner

- Bleachable
- Reinforced thumb crotch

#### Heavyweight Liner

- Bleachable
- PVC dotted on both sides
- Reinforced thumb crotch


| Products  | Sizes              | Shell   | Shell Color     | Weight   | Coating      | Finish | ANSI Cut | EN 388 Levels | EN 407 Levels |
|-----------|--------------------|---------|-----------------|----------|--------------|--------|----------|---------------|---------------|
| PUG-555TS | 6(XS)-11(2XL)      | TuffKut | Black           | 13-Gauge | Polyurethane | Solid  | Level A4 | 4X42D         | X1XXXX        |
| PUG-517TS | 7(S)-11(2XL)       | TuffKut | HV Green        | 13-Gauge | Polyurethane | Solid  | Level A4 | 4X42D         | X1XXXX        |
| CR411G    | 6(XS)-11(2XL)      | TuffKut | Salt and Pepper | 13-Gauge | NA           | NA     | Level A3 | 3X42C         | NA            |
| TAK515    | 7(S), 9(L), 10(XL) | TuffKut | Yellow          | 10-Gauge | NA           | NA     | Level A5 | NA            | NA            |
| TAK515-D2 | 7(S), 9(L)         | TuffKut | Yellow          | 10-Gauge | NA           | NA     | Level A5 | NA            | NA            |

# RESISTANCE

**Puncture • Cut • Needle • Abrasion**

with  
**Alycore**  
inside

Alycore® delivers unparalleled results in the world of cut, puncture and needle resistance. With test results above ANSI Cut Level A9 and ANSI hypodermic needle puncture resistance level 5, gloves made with Alycore® are still lightweight, flexible, breathable and washable.



| AC3200<br>AC2008SC | AC600KV         |
|--------------------|-----------------|
| No Cut Protection  | ANSI Cut - A6   |
| ANSI Cut - A7      | ANSI Cut - A9   |
| ANSI Needle - 3    | ANSI Needle - 3 |
| ANSI Cut - A9      | ANSI Cut - A9   |
| ANSI Needle - 5    | ANSI Needle - 5 |



AC2008SC



#### **Mechanics Style with Alycore® palm**

- Premium-grade goatskin grain leather
  - Hypodermic needle resistant palm
  - Heavily reinforced Armortex® thumb crotch
  - TPU impact protection on back of fingers



AC3200



#### **Cowhide Drivers with Alycore® palm**

- Premium-grade cowhide grain leather
  - Hypodermic needle resistant palm
  - Keystone thumb
  - Sewn with DuPont™ KEVLAR®



AC600KV



#### **Cut Resistant with Alycore® palm**

- Aralene® cut resistant shell
  - Hypodermic needle resistant palm
  - High-visibility shell and coating
  - Etched rubber palm coating is puncture resistant

| Products | Sizes        | Shell         | Palm                | Coating | Finish | Cuff       | ANSI Cut | ANSI Needle |
|----------|--------------|---------------|---------------------|---------|--------|------------|----------|-------------|
| AC2008SC | 8(M)-11(2XL) | Spandex       | Reinforced Alycore® | NA      | NA     | Open       | Level A9 | Level 5     |
| AC3200   | 7(S)-11(2XL) | Grain Cowhide | Reinforced Alycore® | NA      | NA     | Open       | Level A9 | Level 5     |
| AC600KV  | 8(M)-10(XL)  | Aralene       | Reinforced Alycore® | Rubber  | Etched | Knit Wrist | Level A9 | Level 5     |

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company

# Cut Resistant

# Grip and Liquid Protection For Tough Jobs





INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**General Purpose**

# Flexible, Comfortable Protection for Gripping Power



# Nitrile Dip



801



## High-Visibility Heat Resistant

- Nitrile palm with dots
- EN 407 Contact Heat Level 2

508XFT



## Lightweight XFT Bare-Hand Sensitivity

- Flexible Xtreme Foam Technology coating
- Bare-hand sensitivity

550XFT



## Lightweight Nitrile/PU Coating

- Flexible Xtreme Foam Technology coating



500



## Foam Nitrile Coating

- Air-injected foam palm



550



## Ultra-Lite Nitrile Coating

- Liquid-resistant palm



550B



## Ultra-Lite Nitrile Coating

- Foam nitrile enhances wet grip



550E



## Ultra-Lite Nitrile Coating

| Products | Sizes        | Shell                     | Shell Color            | Gauge    | Coating    | Coating Type | Finish                 | EN 388 Levels | EN 407 Levels |
|----------|--------------|---------------------------|------------------------|----------|------------|--------------|------------------------|---------------|---------------|
| 801      | 7(S)-10(XL)  | Acrylic/Polyester/Spandex | High-Visibility Orange | 13-Gauge | Nitrile    | Palm         | Mach Finish            | 4X21X         | X2XXXX        |
| 508XFT   | 7(S)-10(XL)  | Nylon/Spandex             | Cobalt Blue            | 15-Gauge | Nitrile/PU | Palm         | Xtreme Foam Technology | 4131X         | NA            |
| 550XFT   | 6(XS)-10(XL) | Polyester/Spandex         | Purple                 | 13-Gauge | Nitrile/PU | Palm         | Xtreme Foam Technology | 4121X         | NA            |
| 500      | 6(XS)-10(XL) | Nylon                     | White                  | 15-Gauge | Nitrile    | Palm         | Air-Injected Foam      | 4121          | NA            |
| 550      | 6(XS)-10(XL) | Nylon                     | White                  | 13-Gauge | Nitrile    | Palm         | Smooth                 | 4121          | NA            |
| 550B     | 7(S)-10(XL)  | Nylon                     | Black                  | 15-Gauge | Nitrile    | Palm         | Foam                   | 4121X         | NA            |
| 550E     | 7(S)-10(XL)  | Polyester                 | White                  | 13-Gauge | Nitrile    | Palm         | Smooth                 | NA            | NA            |



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

[industrialnansa.com.mx](http://industrialnansa.com.mx)

General Purpose

# Nitrile



500MF



## Light Cut Resistance

- Double-dipped palm coating

Also available hang-tagged: 500MF-T



500NFT



## New Foam Technology Nitrile

- Comfortable nylon and spandex shell

Also available hang-tagged: 500NFT-T



500G



## Mach Finish Palm

- Lightweight nylon shell

Also available hang-tagged: 500G-T  
Also available vend-packed: 500G-VP



508NFT-TS



## New Foam Technology Nitrile

- Touch screen fingertips
- Reinforced thumb crotch



500NFTD



## New Foam Technology Nitrile

- Nitrile dots improve grip



530NFTD



## New Foam Technology Nitrile

- Nitrile dots improve grip



530MFG



## Mach Finish Coating

- Double-dipped nitrile coating

| Products  | Sizes         | Shell         | Shell Color | Gauge    | Coating        | Coating Type | Finish              | ANSI Cut | EN 388 Levels |
|-----------|---------------|---------------|-------------|----------|----------------|--------------|---------------------|----------|---------------|
| 500MF     | 6(XS)-11(2XL) | Nylon         | Red         | 13-Gauge | Double Nitrile | Palm         | Mach Finish         | Level A1 | 4131X         |
| 500MF-T   | 7(S)-10(XL)   | Nylon         | Red         | 13-Gauge | Double Nitrile | Palm         | Mach Finish         | Level A1 | 4131X         |
| 500NFT    | 6(XS)-11(2XL) | Nylon/Spandex | Gray        | 15-Gauge | Nitrile        | Palm         | New Foam Technology | Level A1 | 4131X         |
| 500NFT-T  | 7(S)-10(XL)   | Nylon/Spandex | Gray        | 15-Gauge | Nitrile        | Palm         | New Foam Technology | Level A1 | 4131X         |
| 500G      | 6(XS)-11(2XL) | Nylon         | Gray        | 13-Gauge | Nitrile        | Palm         | Mach Finish         | Level A1 | 3131X         |
| 500G-T    | 7(S)-10(XL)   | Nylon         | Gray        | 13-Gauge | Nitrile        | Palm         | Mach Finish         | Level A1 | 3131X         |
| 500G-VP   | 7(S)-11(2XL)  | Nylon         | Gray        | 13-Gauge | Nitrile        | Palm         | Mach Finish         | Level A1 | 3131X         |
| 508NFT-TS | 6(XS)-10(XL)  | Nylon/Spandex | Green/Black | 15-Gauge | Nitrile        | Palm         | New Foam Technology | Level A1 | 4131X         |
| 500NFTD   | 7(S)-10(XL)   | Nylon/Spandex | Gray        | 15-Gauge | Nitrile        | Palm         | New Foam Technology | Level A1 | 4131X         |
| 530NFTD   | 6(XS)-10(XL)  | Nylon/Spandex | Gray        | 15-Gauge | Nitrile        | 3/4          | New Foam Technology | Level A1 | 4131X         |
| 530MFG    | 7(S)-10(XL)   | Nylon         | Gray        | 15-Gauge | Double Nitrile | 3/4          | Mach Finish         | Level A1 | 4131X         |

# Nitrile and Rubber Dip



540



## Foam Nitrile Dipped

- Open cuff



510MFV



## High-Visibility Flexibility

- Hook and loop cuff



590



## Double Nitrile Dipped

- Full solid nitrile coating
- Three-quarter foam nitrile coating



590MF



## Double Nitrile Dipped

- Full solid nitrile coating
- Full Mach Finish nitrile coating
- Waterproof

| Products | Sizes         | Shell                  | Shell Color            | Gauge    | Coating        | 1st Coating Finish | 2nd Coating Finish | Coating Type | Finish      | EN 388 Levels |
|----------|---------------|------------------------|------------------------|----------|----------------|--------------------|--------------------|--------------|-------------|---------------|
| 540      | 8(M)-10(XL)   | Nylon                  | Black                  | 15-Gauge | Nitrile        | NA                 | NA                 | Full         | Foam        | 4121          |
| 510MFV   | 7(S)-10(XL)   | Nylon                  | High-Visibility Orange | 13-Gauge | Nitrile        | NA                 | NA                 | Palm         | Mach Finish | 3131X         |
| 590      | 6(XS)-11(2XL) | Nylon                  | White                  | 15-Gauge | Double Nitrile | Smooth             | Foam               | NA           | NA          | 4121A         |
| 590MF    | 8(M)-10(XL)   | Polyester/Cotton/Nylon | Black                  | NA       | Double Nitrile | Smooth             | Mach Finish        | NA           | Mach Finish | 4121X         |



S988

## Purple Rubber Coated



S966

## Rubber Coated String Knit



S966E

| Products | Sizes       | Shell                        | Shell Color | Weight | Coating | Coating Color | Finish |
|----------|-------------|------------------------------|-------------|--------|---------|---------------|--------|
| S988     | 8(M)-9(L)   | Polyester/Cotton String Knit | Navy Blue   | Medium | Rubber  | Purple        | Smooth |
| S966     | 7(S)-10(XL) | Polyester/Cotton String Knit | Natural     | Medium | Rubber  | Blue          | Smooth |
| S966E    | One Size    | Cotton/Polyester String Knit | Natural     | Medium | Rubber  | Blue          | Smooth |

# Nitrile Dip



400



**Three-Quarter Dipped Nitrile**

400FC



**Fully Dipped Nitrile**

600



**Three-Quarter Dipped Blue Nitrile**

600FC



**Premium Solid Nitrile Coated Two-Piece Jersey**



607



**Three-Quarter Dipped Blue Nitrile**

607R



**Three-Quarter Dipped Nitrile**

617



**Fully Dipped Blue Nitrile**

617R



**Fully Dipped Nitrile**

| Products | Sizes        | Shell                      | Coating | Coating Type | Finish | Cuff       |
|----------|--------------|----------------------------|---------|--------------|--------|------------|
| 400      | 7(S)-11(2XL) | Polyester/Cotton Interlock | Nitrile | 3/4          | Smooth | Knit Wrist |
| 400FC    | 7(S)-10(XL)  | Polyester/Cotton Interlock | Nitrile | Full         | Smooth | Knit Wrist |
| 600      | 8(M)-10(XL)  | Two-Piece Jersey           | Nitrile | 3/4          | Smooth | Knit Wrist |
| 600FC    | 8(M)-10(XL)  | Two-Piece Jersey           | Nitrile | Full         | Smooth | Knit Wrist |
| 607      | 8(M)-11(2XL) | Two-Piece Jersey           | Nitrile | 3/4          | Smooth | Safety     |
| 607R     | 10(XL)       | Two Piece Jersey           | Nitrile | 3/4          | Rough  | Safety     |
| 617      | 10(XL)       | Two-Piece Jersey           | Nitrile | Full         | Smooth | Safety     |
| 617R     | 10(XL)       | Two-Piece Jersey           | Nitrile | Full         | Rough  | Safety     |

# PU Dip



PUG-10



PUG-11



PUG-13



PUP-27

## Bare-Hand Sensitivity

- Individually packaged

## High-Visibility Bare-Hand Sensitivity

- Individually packaged

## Bare-Hand Sensitivity

- Individually packaged

## Polyurethane Performance

- Improved grip over standard PU

| Products | Sizes          | Shell         | Shell Color                  | Gauge    | Coating      | Coating Type | Coating Color | EN 388 Levels |
|----------|----------------|---------------|------------------------------|----------|--------------|--------------|---------------|---------------|
| PUG-10   | 5(XXS)-11(2XL) | Polyester     | Black                        | 13-Gauge | Polyurethane | Palm         | Gray          | 3131X         |
| PUG-11   | 6(XS)-11(2XL)  | Nylon         | High-Visibility Yellow/Green | 13-Gauge | Polyurathane | Palm         | White         | 4131          |
| PUG-13   | 6(XS)-11(2XL)  | Nylon         | Gray                         | 13-Gauge | Polyurethane | Palm         | Gray          | 4131          |
| PUP-27   | 7(S)-10(XL)    | Nylon/Spandex | Black                        | 15-Gauge | PU/Nitrile   | Palm         | Black         | 4121X         |



PUG-14TS



PUG-12



PUG-17

## Bare-Hand Sensitivity

- Touch screen compatible

## Electrostatic Compliant

- ANSI/ESD S20.20-2014 compliant
- Individually packaged

## Electrostatic Compliant

- ANSI/ESD anti-static/electrostatic compliant
- Individually packaged

Also available vend-packed for vending machines: PUG-17-VP

| Products  | Sizes          | Shell | Shell Color | Gauge    | Coating      | Coating Type | Coating Color | EN 388 Levels |
|-----------|----------------|-------|-------------|----------|--------------|--------------|---------------|---------------|
| PUG-14TS  | 6(XS)-10(XL)   | Nylon | Green/Black | 13-Gauge | Polyurethane | Palm         | Black         | 4131          |
| PUG-12    | 6(XS)-11(2XL)  | Nylon | White       | 13-Gauge | Polyurethane | Palm         | White         | 4131          |
| PUG-17    | 5(XXS)-12(3XL) | Nylon | Black       | 13-Gauge | Polyurethane | Palm         | Black         | 4131X         |
| PUG-17-VP | 6(XS)-11(2XL)  | Nylon | Black       | 13-Gauge | Polyurethane | Palm         | Black         | 4131X         |

# Rubber and PVC Dip



300P



## Premium Etched Rubber

- Ergonomic hand shape
- Puncture resistant palm

Also available hang-tagged: 300PT



300



## Flexible Rubber Palm

- Puncture resistant palm

Also available vend-packed: 300-VP



300NB



## Comfortable High-Visibility

- Puncture resistant palm



300NBE



## Comfortable High-Visibility

- Puncture resistant palm



300E



## Economy Rubber Palm

- Dark shell hides dirt



330



## Premium Etched Rubber

- Puncture resistant palm
- Three-quarter coating protects from liquids

| Products | Sizes         | Shell            | Shell Color                  | Gauge    | Coating | Coating Type | Coating Color | Finish | EN 388 Levels |
|----------|---------------|------------------|------------------------------|----------|---------|--------------|---------------|--------|---------------|
| 300P     | 7(S)-11(2XL)  | Polyester/Cotton | Gray                         | 10-Gauge | Rubber  | Palm         | Blue          | Etched | 3142X         |
| 300PT    | 7(S)-10(XL)   | Polyester/Cotton | Gray                         | 10-Gauge | Rubber  | Palm         | Blue          | Etched | 3142X         |
| 300      | 6(XS)-11(2XL) | Polyester        | Gray                         | 10-Gauge | Rubber  | Palm         | Blue          | Etched | 2143X         |
| 300-VP   | 7(S)-10(XL)   | Polyester        | Gray                         | 10-Gauge | Rubber  | Palm         | Blue          | Etched | 2143X         |
| 300NB    | 6(XS)-10(XL)  | Acrylic          | High-Visibility Yellow/Green | 10-Gauge | Rubber  | Palm         | Black         | Etched | 2242X         |
| 300NBE   | 7(S)-10(XL)   | Polyester        | High-Visibility Yellow/Green | 10-Gauge | Rubber  | Palm         | Blue          | Etched | 2142X         |
| 300E     | 7(S)-10(XL)   | Polyester/Cotton | Dark Gray                    | 10-Gauge | Rubber  | Palm         | Blue          | Etched | NA            |
| 330      | 8(M)-10(XL)   | Polyester        | Gray                         | 10-Gauge | Rubber  | 3/4          | Blue          | Etched | 2143X         |

# Rubber and PVC Dip



440



## Fully Dipped All-Weather

- Excellent grip and dexterity
- Flexible, double-dipped latex coating



660E



## Economy Wrinkle Finish

- Five-piece cotton flannel shell
- Stiff safety cuff protects wrists



660



## Premium Wrinkle Finish

- Five-piece cotton flannel shell
- Stiff safety cuff protects wrists



2740D



## PVC Chemical Handling

- 10.5-inches long
- Fully-dipped for chemical resistance

| Products | Sizes       | Shell                    | Shell Color | Coating      | 1st Coating Type | 2nd Coating Type | Coating Color     | Finish    | Cuff              |
|----------|-------------|--------------------------|-------------|--------------|------------------|------------------|-------------------|-----------|-------------------|
| 440      | 7(S)-10(XL) | Nylon                    | NA          | Double Latex | Full             | 3/4              | NA                | Wrinkle   | Open              |
| 660E     | One Size    | Five-Piece Cotton Canvas | Natural     | Rubber       | NA               | NA               | Yellow            | Wrinkle   | Rubberized Safety |
| 660      | One Size    | Five-Piece Cotton Canvas | Natural     | Rubber       | NA               | NA               | Yellow            | Wrinkle   | Rubberized Safety |
| 2740D    | One Size    | Jersey                   | Natural     | Double PVC   | NA               | NA               | Black over Yellow | Sandpaper | Safety            |



300RV



## 10-Gauge Red

- Palm-dipped for grip



303RV



## 13-Gauge Blue Nylon

- Palm-dipped for grip
- Secured wrist



360



## 13-Gauge Green Nylon

- Soft, flexible and lightweight
- Palm-dipped for grip



360HV



## Lightweight High-Visibility

- Palm dipped for grip
- Soft and flexible

| Products | Sizes        | Shell                     | Shell Color            | Gauge    | Coating | Coating Color          | Finish | Cuff          | EN 388 Levels |
|----------|--------------|---------------------------|------------------------|----------|---------|------------------------|--------|---------------|---------------|
| 300RV    | 8(M)-10(XL)  | Polyester/Cotton          | Red                    | 10-Gauge | Rubber  | Black                  | Etched | Hook-and-Loop | 2143X         |
| 303RV    | 8(M)-10(XL)  | Nylon                     | Blue                   | 13-Gauge | Rubber  | Black                  | Etched | Hook-and-Loop | NA            |
| 360      | 7(S)-10(XL)  | Nylon                     | Green                  | 13-Gauge | Rubber  | Black                  | Foam   | Knit Wrist    | 2131          |
| 360HV    | 7(S)-11(2XL) | Proprietary Elastic Fiber | High-Visibility Yellow | 15-Gauge | Rubber  | High-Visibility Orange | Etched | Knit Wrist    | 2131X         |

# Choosing a Disposable Glove

Disposable gloves are available in several material options with a wide variety of grip styles.

## Nitrile

Highly versatile, allergy conscious alternative to latex with three times the puncture resistance.



## Latex

Standard disposable gloves. Elastic fitting, with comfort and dexterity advantage.



## Vinyl

Economic choice for short-term, low-risk situations

## Icon Guide

Disposable, Unsupported And Chemical Handling



Powdered



With Aloe



Honeycomb Grip



Powder-Free



Reusable



Sanded Bisque



Flocklined



Smooth Grip



Diamond Grip



Medical Grade



Textured Grip



Fishscale Grip



FDA Compliant



Retail Ready



Tractor Tread Grip



Wrinkle Finish



Micro-Diamond Grip



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Disposables**

# Disposable Gloves for the Job at Hand



# Panther-Guard® Disposables



675PF




695PF



775PF

| Product | Sizes | Material | Thickness | Length  | Powder-Free | Cuff          | Gloves per Dispenser |
|---------|-------|----------|-----------|---------|-------------|---------------|----------------------|
| 675PF   | S-L   | Nitrile  | 6 Mil     | 11 in.  | Yes         | Rolled/Beaded | 50                   |
| 695PF   | S-XL  | Nitrile  | 6 Mil     | 11 in.  | Yes         | Rolled/Beaded | 50                   |
| 775PF   | S-XL  | Nitrile  | 6 Mil     | 9.5 in. | Yes         | Rolled/Beaded | 100                  |



800F



600F



905PF


| Product | Sizes | Material | Thickness     | Length  | Powder-Free | Cuff          | Gloves per Dispenser |
|---------|-------|----------|---------------|---------|-------------|---------------|----------------------|
| 800F    | S-2XL | Nitrile  | 8-Mil Fingers | 11 in.  | Yes         | Rolled/Beaded | 50                   |
| 600F    | S-XL  | Nitrile  | 6-Mil Fingers | 9.5 in. | Yes         | Rolled/Beaded | 50                   |
| 905PF   | S-2XL | Nitrile  | 7 Mil         | 9.5 in. | Yes         | Rolled/Beaded | 100                  |



908BPF



965BPF



1005PF

| Product | Sizes | Material | Thickness | Length  | Powder-Free | Cuff          | Gloves per Dispenser |
|---------|-------|----------|-----------|---------|-------------|---------------|----------------------|
| 908BPF  | S-2XL | Nitrile  | 6 Mil     | 9.5 in. | Yes         | Rolled/Beaded | 100                  |
| 965BPF  | S-2XL | Nitrile  | 6 Mil     | 9.5 in. | Yes         | Rolled/Beaded | 100                  |
| 1005PF  | S-2XL | Nitrile  | 9 Mil     | 11 in.  | Yes         | Rolled/Beaded | 50                   |



INDUSTRIAL DISTRIBUIDORA

**NANSA**

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Disposable Gloves**



705PF.



705PFE



305PF

| Product | Sizes | Material     | Thickness     | Length  | Powder-Free | Cuff          | Gloves per Dispenser |
|---------|-------|--------------|---------------|---------|-------------|---------------|----------------------|
| 705PF   | S     | Nitrile      | 5-Mil Fingers | 9.5 in. | Yes         | Rolled/Beaded | 100                  |
| 705PFE  | XS-XL | Nitrile      | 3.5 Mil       | 9.5 in. | Yes         | Rolled/Beaded | 100                  |
| 305PF   | S-XL  | Rubber Latex | 5-Mil Fingers | 9.5 in. | Yes         | Rolled/Beaded | 100                  |



705BF

Also available in economy grade - 705BPFE



725PF



505PF

| Product | Sizes | Material | Thickness | Length  | Powder-Free | Cuff          | Gloves per Dispenser       |
|---------|-------|----------|-----------|---------|-------------|---------------|----------------------------|
| 705BPF  | S-2XL | Nitrile  | 5 Mil     | 9.5 in. | Yes         | Rolled/Beaded | 100                        |
| 705BPFE | S-XL  | Nitrile  | 3.5 Mil   | 9.5 in. | Yes         | Rolled/Beaded | 100                        |
| 725PF   | S-XL  | Nitrile  | 2.5 Mil   | 9.5 in. | Yes         | Rolled/Beaded | 300 (280 for size XL only) |
| 505PF   | S-XL  | Vinyl    | 5 Mil     | 9.5 in. | Yes         | Rolled/Beaded | 100                        |



405PF



8600PF



9600

| Product | Sizes | Material                         | Thickness | Length  | Powder-Free | Cuff          | Gloves per Dispenser |
|---------|-------|----------------------------------|-----------|---------|-------------|---------------|----------------------|
| 405PF   | S-XL  | Nitrile/Vinyl                    | 5 Mil     | 9.5 in. | Yes         | Rolled/Beaded | 100                  |
| 8600PF  | S-2XL | Thermoplastic Elastomer (TPE)    | 2 Mil     | 10 in.  | Yes         | Straight      | 200                  |
| 8605PF  | S-2XL | Thermoplastic Elastomer (TPE)    | 2 Mil     | 10 in.  | Yes         | Straight      | 200                  |
| 9600    | S-XL  | High Density Polyethylene (HDPE) | NA        | 11 in.  | Yes         | Straight      | 500                  |

# Medical/Exam Grade

These gloves meet the standard for medical/exam grade disposable gloves and may be used in medical offices, funeral homes, and childcare centers.



≤ 2.5 AQL



| Product | Sizes | Material | Thickness     | Length  | Powder-Free | Cuff          | Gloves per Dispenser |
|---------|-------|----------|---------------|---------|-------------|---------------|----------------------|
| 675PF   | S-L   | Nitrile  | 6 Mil         | 11 in.  | Yes         | Rolled/Beaded | 50                   |
| 695PF   | S-XL  | Nitrile  | 6-Mil         | 11 in.  | Yes         | Rolled/Beaded | 50                   |
| 775PF   | S-XL  | Nitrile  | 6-Mil         | 9.5 in. | Yes         | Rolled/Beaded | 100                  |
| 600F    | S-XL  | Nitrile  | 6-Mil Fingers | 9.5 in. | Yes         | Rolled/Beaded | 50                   |



| Product | Sizes  | Material | Thickness     | Length  | Powder-Free | Cuff          | Gloves per Dispenser |
|---------|--------|----------|---------------|---------|-------------|---------------|----------------------|
| 805PF   | S-2XL  | Nitrile  | 8-Mil Fingers | 11 in.  | Yes         | Rolled/Beaded | 50                   |
| 605PF   | S-XL   | Nitrile  | 6-Mil Fingers | 12 in.  | Yes         | Rolled/Beaded | 100                  |
| 705PF   | XS-2XL | Nitrile  | 5-Mil fingers | 9.5 in. | Yes         | Rolled/Beaded | 100                  |

# Ambidextrous Chemical Resistance





INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844


[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Unsupported**



# Frogwear® Unsupported

Up to your elbows in trouble? We've got a glove for that!



515



515F



515KEV




515CT



| Product | Sizes        | Coating | Thickness | Lining      | Length | Finish         | Cuff     | EN 388 Levels | EN 374 Levels |
|---------|--------------|---------|-----------|-------------|--------|----------------|----------|---------------|---------------|
| 515     | 7(S)-12(3XL) | Nitrile | 12 Mil    | None        | 13 in. | Raised Diamond | Straight | 3001X         | AJQLMNOPST    |
| 515F    | 7(S)-11(2XL) | Nitrile | 15 Mil    | Flock Lined | 13 in. | Raised Diamond | Straight | 3101X         | AJQLMNOPST    |
| 515KEV  | 7(S)-10(XL)  | Nitrile | 12 Mil    | Aramid      | 13 in. | Raised Diamond | Straight | XXX2          | NA            |
| 515CT   | 7(S)-10(XL)  | Nitrile | 12 Mil    | Cotton      | 13 in. | Raised Diamond | Straight | 4011X         | NA            |



511AMB



522



150



| Product | Sizes        | Coating      | Color     | Thickness | Length | Finish         | Cuff          | EN 388 Levels | EN 374 Levels   |
|---------|--------------|--------------|-----------|-----------|--------|----------------|---------------|---------------|-----------------|
| 511AMB  | 7(S)-10(XL)  | Nitrile      | Green     | 11 Mil    | 12 in. | Wave Pattern   | Rolled/Beaded | NA            | NA              |
| 522     | 8(M)-11(2XL) | Nitrile      | Sea Green | 22 Mil    | 18 in. | Raised Diamond | Straight      | 4102X         | ACEFGIJKLMNOPST |
| 150     | 7(S)-11(2XL) | Rubber Latex | Navy Blue | 17 Mil    | 12 in. | Diamond        | Straight      | NA            | NA              |

# FrogWear® Rubber

Rubber gloves: protecting hands for over 100 years.



190ETC



160



150F



150FE



| Product | Sizes        | Coating      | Color   | Thickness | Lining      | Finish            | Length | Cuff          |
|---------|--------------|--------------|---------|-----------|-------------|-------------------|--------|---------------|
| 190ETC  | 8(M)-11(2XL) | Rubber Latex | Natural | 22 Mil    | NA          | Wrinkle Pattern   | 13 in. | Straight      |
| 160     | 7(S)-10(XL)  | Rubber Latex | Natural | 16 Mil    | NA          | Fishscale         | 12 in. | Straight      |
| 150F    | 7(S)-10(XL)  | Rubber Latex | Yellow  | 18 Mil    | Flock-Lined | Diamond           | 12 in. | Rolled/Beaded |
| 150FE   | 7(S)-10(XL)  | Rubber Latex | Yellow  | Economy   | Flock-Lined | Honeycomb Pattern | 12 in. | Rolled/Beaded |



30FT



180F



244



140FB



411



| Product | Sizes        | Coating              | Color       | Thickness | Lining      | Finish         | Length | Cuff          |
|---------|--------------|----------------------|-------------|-----------|-------------|----------------|--------|---------------|
| 30FT    | 7(S)-11(2XL) | Rubber Latex         | Orange      | 30 Mil    | Flock-Lined | Honeycomb      | 13 in. | Straight      |
| 180F    | 7(S)-11(2XL) | Rubber Latex         | Orange      | 18 Mil    | Flock-Lined | Diamond        | 12 in. | Rolled/Beaded |
| 244     | 7(S)-10(XL)  | Neoprene over Rubber | Blue/Yellow | 26 Mil    | Flock-Lined | Raised Diamond | 13 in. | Straight      |
| 140FB   | 7(S)-10(XL)  | Rubber Latex         | Light Blue  | 18 Mil    | Flock-Lined | Diamond        | 12 in. | Pinked        |
| 411     | 7(S)-10(XL)  | Nitrile/PVA          | Blue        | 11 Mil    | NA          | Smooth         | 13 in. | Straight      |



INDUSTRIAL DISTRIBUIDORA


**NANSA**

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Unsupported**

# Chemical Handling Chart

| Chemical                        | 0 = Not recommended |       |     |          | Chemical                   | 4 = Excellent |       |     |          |
|---------------------------------|---------------------|-------|-----|----------|----------------------------|---------------|-------|-----|----------|
|                                 | Nitrile             | Latex | PVC | Neoprene |                            | Nitrile       | Latex | PVC | Neoprene |
| Acetaldehyde                    | 1                   | 2     | 0   | 4        | Iso-Octane                 | 4             | 0     | 1   | 4        |
| Acetic Acid                     | 3                   | 3     | 2   | 4        | Isopropyl Alcohol          | 4             | 4     | 3   | 4        |
| Acetone                         | 0                   | 3     | 0   | 3        | Kerosene                   | 4             | 1     | 2   | 4        |
| Acetonitrile                    | 0                   | 2     | 0   | 2        | Lactic Acid                | 4             | 4     | 4   | 4        |
| Ammonium Hydroxide < 30%        | 4                   | 3     | 4   | 4        | Lauric Acid                | 4             | 3     | 2   | 4        |
| Amyle Acetate                   | 4                   | 2     | 1   | 0        | Linoleic Acid              | 4             | 1     | 3   | 4        |
| Amyl Alcohol                    | 3                   | 3     | 0   | 1        | Linseed Oil                | 4             | 1     | 4   | 4        |
| Aniline                         | 0                   | 1     | 2   | 3        | Maleic Acid                | 4             | 1     | 3   | 4        |
| Animal Fats                     | 4                   | 1     | 3   | 4        | Methyl Acetate             | 1             | 1     | 0   | 3        |
| Battery Acids                   | 4                   | 3     | 4   | 4        | Methyl Alcohol             | 4             | 4     | 3   | 4        |
| Benzaldehyde                    | 0                   | 2     | 0   | 0        | Methylamine                | 4             | 4     | 4   | 3        |
| Benzene                         | 1                   | 0     | 0   | 0        | Methyl Bromide             | 0             | 0     | 0   | 0        |
| Benzoyl Chloride                | 0                   | 1     | 0   | 0        | Methylene Chloride         | 0             | 0     | 0   | 0        |
| Butane                          | 4                   | 1     | 1   | 2        | Methyl Ethyl Ketone(MEK)   | 0             | 3     | 0   | 3        |
| Butyl Acetate                   | 2                   | 1     | 0   | 0        | Methyl Isobutyl Ketone     | 1             | 2     | 0   | 0        |
| Butyl Alcohol                   | 1                   | 4     | 3   | 4        | Methyl Methacrylate        | 1             | 1     | 0   | 0        |
| Butyl Cellusolve                | 4                   | 4     | 0   | 4        | Mineral Oil                | 4             | 1     | 2   | 4        |
| Carbon Acid                     | 1                   | 1     | 3   | 4        | Mineral Spirits            | 4             | 0     | 2   | 3        |
| Carbon Disulfide                | 0                   | 0     | 0   | 0        | Monoethanolamine           | 4             | 3     | 4   | 4        |
| Carbon Tetrachloride            | 3                   | 0     | 0   | 1        | Morpholine                 | 0             | 3     | 0   | 1        |
| Castor Oil                      | 4                   | 4     | 4   | 4        | Muriatic Acids             | 3             | 3     | 3   | 4        |
| Cellosolve Acetate              | 3                   | 3     | 0   | 4        | Naphtha V.M & P.           | 4             | 0     | 1   | 3        |
| Cellosolve Solvent              | 3                   | 4     | 0   | 4        | Nitric Acid < 30%          | 1             | 3     | 3   | 4        |
| Chlorobenzene                   | 0                   | 0     | 0   | 0        | Nitric Acid 70%            | 0             | 2     | 2   | 3        |
| Chloroform                      | 2                   | 0     | 0   | 2        | Nitrile Acid Red Fuming    | 0             | 1     | 1   | 0        |
| Chloronaphthalens               | 2                   | 0     | 0   | 0        | Nitrile Acid White Fuming  | 0             | 1     | 1   | 0        |
| Chloroethene VG                 | 2                   | 0     | 1   | 0        | Nitrobenzene               | 0             | 1     | 0   | 0        |
| Chromic Acid                    | 2                   | 0     | 3   | 2        | Nitromethane               | 2             | 3     | 1   | 4        |
| Citric Acid                     | 4                   | 4     | 4   | 4        | Nitropropane               | 0             | 4     | 0   | 3        |
| Cottonseed Oil                  | 4                   | 1     | 3   | 4        | Octyl Alcohol              | 4             | 3     | 2   | 4        |
| Cresols                         | 3                   | 1     | 2   | 3        | Oleic Acid                 | 4             | 1     | 2   | 4        |
| Cutting oil                     | 4                   | 2     | 1   | 4        | Paint remove               | 3             | 2     | 1   | 3        |
| cyclohexane                     | 4                   | 1     | 1   | 2        | Palmitic Acid              | 3             | 3     | 3   | 4        |
| Cyclohexanol                    | 4                   | 1     | 3   | 4        | Pentachlorophenol          | 4             | 1     | 2   | 4        |
| Dibutyl Phthalate               | 3                   | 1     | 3   | 2        | Pentane                    | 4             | 1     | 0   | 4        |
| Diethylamie                     | 2                   | 0     | 0   | 1        | Perchloric Acid 60%        | 4             | 1     | 4   | 4        |
| Di-Isobutyl Ketone              | 4                   | 1     | 1   | 1        | Potassium Hydroxide < 50%  | 3             | 4     | 4   | 4        |
| Dimethyl Formamide(DMF)         | 0                   | 4     | 0   | 3        | Printing Ink               | 4             | 3     | 2   | 3        |
| Dimethyl Sulfoxide(DMSO)        | 4                   | 4     | 0   | 4        | Propyl Acetate             | 2             | 1     | 0   | 1        |
| Dicotyl Phthalate(DOP)          | 3                   | 1     | 0   | 3        | Propyl Alcohol             | 4             | 4     | 2   | 4        |
| Dioxane                         | 0                   | 0     | 0   | 0        | Perchloroethylene          | 3             | 0     | 0   | 0        |
| Ethyl Acetate                   | 0                   | 1     | 0   | 2        | Phenol                     | 0             | 3     | 3   | 4        |
| Ethyl Alcohol                   | 4                   | 4     | 3   | 4        | Phosphoric Acid            | 4             | 3     | 3   | 4        |
| Ethylene Dichloride             | 0                   | 1     | 0   | 0        | Picric Acid                | 4             | 3     | 4   | 4        |
| Ethylene Glycol                 | 4                   | 4     | 4   | 4        | Propylene Oxide            | 0             | 1     | 0   | 0        |
| Ethyl Ether                     | 4                   | 0     | 0   | 4        | Rubber Solvent             | 4             | 0     | 0   | 3        |
| Ethylene Trichloride            | 1                   | 1     | 0   | 1        | Sodium Hydroxide < 50%     | 3             | 4     | 3   | 4        |
| Formaldehyde                    | 4                   | 4     | 4   | 4        | Stoddard Solvent           | 4             | 1     | 0   | 4        |
| Formic Acid                     | 2                   | 4     | 4   | 4        | Styrene                    | 0             | 0     | 0   | 0        |
| Freon                           | 2                   | 0     | 0   | 3        | Sulfuric Acid 95%          | 3             | 0     | 0   | 2        |
| Furfural                        | 0                   | 4     | 0   | 3        | Tannic Acid                | 4             | 4     | 4   | 4        |
| Gasoline                        | 4                   | 0     | 1   | 1        | Tetrahydrofuran(THF)       | 0             | 0     | 0   | 0        |
| Glycerin                        | 4                   | 4     | 4   | 4        | Toluene                    | 3             | 0     | 0   | 1        |
| Hexane                          | 4                   | 0     | 0   | 4        | Toluene Di-Isocyanate(TDI) | 0             | 1     | 1   | 0        |
| Hydraulic Fluid Petroleum Based | 4                   | 1     | 3   | 2        | Trichloroethylene(TCE)     | 3             | 0     | 0   | 1        |
| Hydraulic Fluid Easter Based    | 1                   | 1     | 1   | 1        | Tricresyl Phosphate(TCP)   | 4             | 3     | 2   | 2        |
| Hydrazine 65%                   | 4                   | 3     | 4   | 4        | Triethanolamine 85%(TEA)   | 4             | 3     | 4   | 4        |
| Hydrochloric Acid               | 4                   | 4     | 4   | 3        | Tung Oil                   | 4             | 0     | 2   | 4        |
| Hydrofluoric Acid               | 4                   | 4     | 4   | 3        | Turbine Oil                | 3             | 1     | 2   | 4        |
| Hydrogen Peroxide               | 4                   | 4     | 4   | 4        | Turpentine                 | 4             | 1     | 1   | 3        |
| Hydroquinone                    | 4                   | 4     | 4   | 3        | Vegetable Oil              | 4             | 1     | 2   | 4        |
| Isobutyl Alcohol                | 4                   | 4     | 2   | 4        | Xylene                     | 3             | 0     | 0   | 1        |



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Chemical Handling**

# Anti-Vibration and Resistance to Chemicals



# Frogwear® Chemical Handling

FrogWear® chemical handling gloves are specially formulated for handling of chemical residues, oils, or greasy materials.



870-SC



## Cut Resistant, Rough Finish PVC

- Specially formulated PVC
- Jersey cotton liner with foam insulation



880-SC



## High-Visibility PVC

- Velvet-like foam interior
- Rough sandpaper finish



8450



## Extreme Cold Anti-Freeze Nitrile

- Flexible down to -50° F
- Reflective overcasting and logo
- Two-inch velvet cuff interior



CR492



## Cut Resistant Chemical Handling

- Double-dipped nitrile
- Xtreme Foam Technology palm dipped
- Flexible palm coating



8490



## Premium PVC

- Highly flexible down to -5°F
- Rough sandpaper finish

Also available hang-tagged: 8490-T



8490MT



## Premium PVC

- Highly flexible down to -5°F
- Rough sandpaper finish
- Heavy velvet interior



CR292



## Cut Resistant PVC-Nitrile

- Double-dipped PVC and nitrile coating
- 12-inches long
- EN 374: AJKL



590MF



## Double Nitrile Dipped

- Full solid nitrile coating
- Full Mach Finish nitrile coating
- Waterproof

| Products | Sizes        | Liner                        | Coating             | Coating Color          | Finish                 | Cuff        | ANSI Cut | EN 388 Levels | EN 511 Levels |
|----------|--------------|------------------------------|---------------------|------------------------|------------------------|-------------|----------|---------------|---------------|
| 870-SC   | One Size     | Jersey Cotton                | PVC                 | Orange                 | Rough                  | Safety Cuff | Level A2 | X2XXC         | NA            |
| 880-SC   | One Size     | Cotton                       | Double PVC          | High-Visibility Orange | Sandpaper              | Safety      | Level A3 | 3221          | 121           |
| 8450     | 8(M)-10(XL)  | Honeycomb Mesh               | Anti-Freeze Nitrile | High-Visibility Orange | Sandpaper              | Gauntlet    | NA       | 3221X         | 121           |
| CR492    | 8(M)-11(2XL) | Tuffalene® UHMWPE            | Nitrile/PU          | Dark Cyan              | Xtreme Foam Technology | Pinked      | Level A4 | 4X32C         | NA            |
| 8490     | 8(M)-10(XL)  | Dual: Cotton and Terry Cloth | Triple PVC          | Blue                   | Sandpaper              | Gauntlet    | NA       | 4221X         | 121           |
| 8490-T   | 8(M)-10(XL)  | Dual: Cotton and Terry Cloth | Triple PVC          | Blue                   | Sandpaper              | Gauntlet    | NA       | 4221X         | 121           |
| 8490MT   | One Size     | Brushed Terry Cloth          | Triple PVC          | Blue                   | Sandpaper              | Gauntlet    | NA       | 4221X         | NA            |
| CR292    | 8(M)-10(XL)  | Aralene®                     | PVC/Nitrile         | Black                  | Sandpaper              | Gauntlet    | Level A3 | 3X31C         | NA            |
| 590MF    | 8(M)-10(XL)  | NA                           | Double Nitrile      | Gray, Black            | Mach Finish            | Knit Wrist  | NA       | 4121X         | NA            |



# FrogWear® Chemical Handling

Flexible protection, some even in low temperatures.



212



282



2360

## Treated Rubber

- Sanitized® treated liner
- Interlock liner

## Mach Finish Nitrile Grip

- Waterproof
- 13-gauge polyester/cotton liner

## Premium PVC and Nitrile

- Sandpaper grip
- 18-gauge seamless nylon shell

| Products | Sizes        | Liner                 | Coating             | Coating Type  | Color | Finish      | Length | Cuff     | EN 388 Levels |
|----------|--------------|-----------------------|---------------------|---------------|-------|-------------|--------|----------|---------------|
| 212      | 7(S)-10(XL)  | Knit Cotton Interlock | Double Rubber Latex | Full          | Blue  | Suede       | 12 in. | Gauntlet | 4131X         |
| 282      | 7(S)-11(2XL) | Polyester/Cotton      | Double Nitrile      | 3/4 over Full | Green | Mach Finish | 12 in. | Pinked   | 4121X         |
| 2360     | 7(S)-10(XL)  | Nylon                 | Nitrile/PVC         | 3 Layers      | Blue  | Sandpaper   | 12 in. | Pinked   | 3131X         |



8620



8660



8481



8690



## Treated Orange PVC

- Treated with Actifresh®
- Flexible in temperatures down to -5°F

## Premium Treated Chemical Handling

- Triple dipped PVC
- Antimicrobial treated
- Flexible in temperatures down to -5°F

## Triple-Dipped PVC

- Flexible in temperatures down to -5°F
- Soft brushed interior

## Premium Extra Long PVC

- Shoulder-length sleeve for added protection
- Triple-dipped PVC
- Flexible in temperatures down to -5°F

| Products | Sizes        | Liner          | Coating    | Coating Type | Finish    | Length | Cuff            | EN 388 Levels | EN 374 Levels |
|----------|--------------|----------------|------------|--------------|-----------|--------|-----------------|---------------|---------------|
| 8620     | 9(L)-10(XL)  | Cotton         | Double PVC | Full         | Sandpaper | 12 in. | Pinked          | 3121          | NA            |
| 8660     | 7(S)-11(2XL) | Cotton         | Triple PVC | Full         | Sandpaper | 12 in. | Gauntlet Pinked | 4121X         | NA            |
| 8481     | 8(M)-10(XL)  | Brushed Fleece | Triple PVC | Full         | Sandpaper | 12 in. | Pinked          | 4131          | AJKL          |
| 8690     | 9(L)-10(XL)  | Cotton         | Triple PVC | Full         | Sandpaper | 24 in. | Elastic End     | 4121X         | NA            |



# Chemical Protection

FrogWear® Chemical Handling gloves offer protection from a variety of chemicals.

Neoprene gloves safely resist chemicals including acids, caustics, oils and alcohols.

Chemical handling gloves with anti-vibration palms offer liquid, chemical and vibration protection. They are ergonomically shaped and feature a sandpaper finish to improve grip.



AV805



#### Anti-Vibration Nitrile Supported

- Anti-vibration padding in palm and thumb
- Ergonomic pre-cured construction
- Sandpaper finish for better grip



8772



#### Heavyweight Extra-Long Nitrile Supported

- 24 inches in length
- Resistant to abrasion and many oils and chemicals



245CT



#### Rough Grip Neoprene Supported

- Neoprene resists a wide range of chemicals
- Soft seamless cotton liner
- Rough finish for great wet grip



9913R



#### Premium Rough Finish Neoprene

- Double-dipped neoprene
- Seamless 15-gauge nylon liner
- Resistant to abrasion and many oils and chemicals

| Products | Sizes       | Liner            | Coating         | Color | Finish    | Length | Cuff     | EN 388 Levels | EN ISO 10819 |
|----------|-------------|------------------|-----------------|-------|-----------|--------|----------|---------------|--------------|
| AV805    | 9(L)-10(XL) | Cotton           | Nitrile         | Blue  | Sandpaper | 12 in. | Pinked   | 3122X         | Meets        |
| 8772     | 9(L)-10(XL) | Interlock Cotton | Nitrile         | Green | Sandpaper | 24 in. | Straight | 4121X         | NA           |
| 245CT    | One Size    | Cotton           | Neoprene        | Black | Rough     | 15 in. | Straight | 2132X         | NA           |
| 9913R    | 8(M)-10(XL) | Nylon            | Double Neoprene | Black | Rough     | 13 in. | Pinked   | 3X21A         | NA           |



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

[industrialnansa.com.mx](http://industrialnansa.com.mx)

Chemical Handling 53



## 9900 Series

Heavy wall neoprene gloves are multi-dipped in premium-grade neoprene for superior quality and durability. All FrogWear® neoprene gloves are treated with antimicrobial protection.



9900



9912



9912R



9914R



9918RINT



9918RMIT



9918R



9932



9932R

| Products | Sizes    | Coating  | Finish       | Length | Cuff                  | Antimicrobial Protection | FDA Food Contact | EN 407 Levels |
|----------|----------|----------|--------------|--------|-----------------------|--------------------------|------------------|---------------|
| 9900     | One Size | Neoprene | Smooth       | 10 in. | Knit Wrist            | Yes                      | NA               | NA            |
| 9912     | One Size | Neoprene | Smooth       | 12 in. | Gauntlet              | Yes                      | NA               | NA            |
| 9912R    | One Size | Neoprene | Rough Etched | 12 in. | Gauntlet              | Yes                      | NA               | NA            |
| 9914R    | One Size | Neoprene | Rough Etched | 14 in. | Gauntlet              | Yes                      | NA               | NA            |
| 9918RINT | One Size | Neoprene | Rough Etched | 18 in. | Gauntlet with Loop    | Yes                      | Compliant        | X3XXXX        |
| 9918RMIT | One Size | Neoprene | Rough Etched | 18 in. | Gauntlet with Loop    | Yes                      | Compliant        | X3XXXX        |
| 9918R    | One Size | Neoprene | Rough Etched | 18 in. | Gauntlet              | Yes                      | NA               | NA            |
| 9932     | One Size | Neoprene | Smooth       | 32 in. | Gauntlet with Grommet | Yes                      | NA               | NA            |
| 9932R    | One Size | Neoprene | Rough Etched | 32 in. | Gauntlet with Grommet | Yes                      | NA               | NA            |

## 700R Series

These gloves feature a premium PVC coating on a jersey liner.  
They are double dipped for added protection.



700R



710R



712R



726R



712C



714R



718R



726R

| Products | Sizes  | Coating    | Finish       | Length | Cuff       |
|----------|--------|------------|--------------|--------|------------|
| 700R     | 10(XL) | Double PVC | Rough Sanded | 10 in  | Knit Wrist |
| 710R     | 10(XL) | Double PVC | Rough Sanded | 10 in  | Gauntlet   |
| 712R     | 10(XL) | Double PVC | Rough Sanded | 12 in  | Gauntlet   |
| 712C     | 10(XL) | Double PVC | PVC Chips    | 12 in  | Gauntlet   |
| 714R     | 10(XL) | Double PVC | Rough Sanded | 14 in  | Gauntlet   |
| 718R     | 10(XL) | Double PVC | Rough Sanded | 18 in  | Gauntlet   |
| 726R     | 10(XL) | Double PVC | Rough        | 26 in  | Gauntlet   |



INDUSTRIAL DISTRIBUIDORA

# NANSA

[industrialnansa.com.mx](http://industrialnansa.com.mx)

## Chemical Handling

55



## 600R Series

These economy chemical handling gloves feature a black PVC coating on a cotton interlock liner.



603R



610R



612R



612S



614R



618R

| Product | Sizes  | Liner  | Coating | Finish | Length | Cuff       |
|---------|--------|--------|---------|--------|--------|------------|
| 603R    | 10(XL) | Cotton | PVC     | Rough  | 10 in  | Knit Wrist |
| 610R    | 10(XL) | Cotton | PVC     | Rough  | 10 in  | Gauntlet   |
| 612R    | 10(XL) | Cotton | PVC     | Rough  | 12 in  | Gauntlet   |
| 612S    | 10(XL) | Cotton | PVC     | Smooth | 12 in  | Gauntlet   |
| 614R    | 10(XL) | Cotton | PVC     | Rough  | 14 in  | Gauntlet   |
| 618R    | 10(XL) | Cotton | PVC     | Rough  | 18 in  | Gauntlet   |



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Low Temperature**

# ice Gripster®



300INT



## High-Visibility Coated Acrylic Terry Cloth

- Soft brushed interior
- 7-gauge shell



380INT



## High-Visibility Double-Dipped Low Temperature Gloves

- Fully-dipped first coating
- Palm foam rubber coating
- 7-gauge shell



388INT



## Two-Layer Water Repellent

- Synthetic terry cloth shell
- Soft brushed interior



378INT



## Cut Resistant + Water Repellent

- Soft brushed interior
- 7-gauge shell



348INT



## Two-Layer Acrylic Terry Cloth

- Soft brushed interior
- Synthetic terry cloth shell



338INT



## Cut Resistant + Low Temperature

- Heavy napped interior



300IN



## Gray Rubber Dip

- Heavy napped interior
- 10-gauge shell
- ANSI/ISEA 105 Cut Level A2 (palm), Level A1 (back of hand)

| Products | Sizes        | Shell               | Shell Color            | Shell Layer 1       | Shell Layer 2       | Coating      | Coating Type | Finish | ANSI Cut |
|----------|--------------|---------------------|------------------------|---------------------|---------------------|--------------|--------------|--------|----------|
| 300INT   | 7(S)-10(XL)  | Acrylic Terry Cloth | High-Visibility Yellow | NA                  | NA                  | Rubber Latex | Palm         | Etched | Level A2 |
| 380INT   | 8(M)-11(2XL) | Two Layers          | Light Orange           | Acrylic Terry Cloth | Polyester           | Rubber Latex | Palm         | Foam   | Level A3 |
| 388INT   | 8(M)-10(XL)  | Two Layers          | High-Visibility Orange | Nylon               | Acrylic Terry Cloth | Rubber Latex | Palm         | Etched | Level A2 |
| 378INT   | 7(S)-10(XL)  | Acrylic Terry Cloth | High-Visibility Orange | NA                  | NA                  | Rubber Latex | Palm         | Foam   | Level A2 |
| 348INT   | 7(S)-10(XL)  | Two Layers          | Black                  | Acrylic Terry Cloth | Nylon               | PVC          | 3/4          | Foam   | Level A2 |
| 338INT   | 7(S)-10(XL)  | Acrylic Terry Cloth | High-Visibility Orange | NA                  | NA                  | Rubber Latex | 3/4          | Foam   | Level A2 |
| 300IN    | 7(S)-10(XL)  | Acrylic Terry Cloth | White                  | NA                  | NA                  | Rubber Latex | Palm         | Etched | Level A2 |



CIA317INT

**Cut and Impact Resistant Gloves**

- Flexible TPU impact protection
- Rubber latex coated palm
- Two-layer terry cloth insulated liner
- Foam latex palm dipped

CR317INT

**Cut and Puncture Resistant Gloves**

- Two-layer terry cloth insulated liner
- Water repellent

SG9001IN

**Insulated, Reinforced Synthetic Leather**

- PU and PVC reinforced in grip areas
- Waterproof bladder inside



SG9955INT

**High-Visibility Oil and Gas**

- TPU impact on back
- Reinforced thumb crotch
- Pull tab at wrist
- ID card on cuff

CR330INT

**Cut Resistant, Double-Coated with Rubber**

- Cut resistant shell with soft, brushed interior
- Flexible, double-dipped latex coating

CIA300INT

**Cut/Impact Resistant, Foam Rubber Coated**

- Cut resistant shell with soft, brushed interior
- Palm foam rubber coating
- Flexible TPU impact protection

| Products  | Sizes        | Shell             | Palm                        | Insulation                  | Insulation Amount | Cuff          | ANSI Cut | ANSI Puncture |
|-----------|--------------|-------------------|-----------------------------|-----------------------------|-------------------|---------------|----------|---------------|
| CIA317INT | 8(M)-11(2XL) | Two Layers        | Foam Rubber Latex           | Brushed Acrylic Terry Cloth | NA                | Knit Wrist    | Level A5 | Level 5       |
| CR317INT  | 8(M)-9(L)    | Double Layer      | Foam Rubber Latex           | Brushed Acrylic Terry Cloth | NA                | Knit Wrist    | Level A5 | Level 5       |
| SG9001IN  | 8(M)-10(XL)  | Spandex           | AireFlex® Synthetic Leather | 3M™ Thinsulate™             | 40 Grams          | Hook-and-Loop | NA       | NA            |
| SG9955INT | 8(M)-10(XL)  | Spandex and Nylon | Cotton Corded               | 3M™ Thinsulate™             | 40 Grams          | Neoprene      | NA       | NA            |
| CR330INT  | 8(M)-10(XL)  | Tuffalene® UHMWPE | Foam Rubber Latex           | Brushed Acrylic Terry Cloth | NA                | Knit Wrist    | Level A4 | Level 3       |
| CIA300INT | 7(S)-10(XL)  | Tuffalene® UHMWPE | Foam Rubber Latex           | Brushed Acrylic Terry Cloth | NA                | Knit Wrist    | Level A4 | Level 3       |



SG7200INT

SG5200INT

SG7700IN

HR2800INT

**Premium Deerskin Insulated**

- Waterproof barrier inside
- Griptex fingertips and palm
- Dual cuff

**Premium Split Leather**

- Waterproof barrier inside
- Griptex fingertips and palm
- Dual cuff

**Premium Deerskin Insulated**

- Reinforced knuckles and fingertips

**Insulated Goatskin Mechanics**

- Premium-grade goatskin grain leather
- 70 grams 3M™ Thinsulate™ insulation
- Reinforced backs of fingertips and index finger

| Products  | Sizes        | Shell   | Palm           | Insulation      | Insulation Amount | Waterproof | Cuff  |
|-----------|--------------|---------|----------------|-----------------|-------------------|------------|---|
| SG7200INT | 8(M)-11(2XL) | Spandex | Deerskin       | Cold Keep®      | 120 Grams         | Yes        | Dual Cuff                                   |
| SG5200INT | 8(M)-10(XL)  | Spandex | Split Cowhide  | Cold Keep®      | 120 Grams         | Yes        | Safety, Knit Wrist                          |
| SG7700IN  | 7(S)-11(2XL) | Spandex | Deerskin       | 3M™ Thinsulate™ | 100 Grams         | NA         | Elastic with Hook-and-Loop                  |
| HR2800INT | 7(S)-11(2XL) | Spandex | Grain Goatskin | 3M™ Thinsulate™ | 70 Grams          | NA         | Hook-and-Loop Closure with Nylon Storm Flap |



SG7300INT

SG7300MIT

HR3200INT

HR3222INT

**Premium Deerskin Palm**

- Pre-curved construction
- Adjustable wrist strap
- Waterproof barrier

**Premium Deerskin Palm**

- Pre-curved construction
- Adjustable wrist strap
- Waterproof barrier

**Performance Drivers Style**

- Reinforced back, thumb, and fingertips
- Open cuff with elastic
- Waterproof barrier

**Premium HV Insulated**

- Open cuff with elastic
- Reinforced thumb, back and fingertips
- Waterproof barrier

| Products  | Sizes        | Shell     | Shell Color | Palm                        | Insulation      | Insulation Amount | Waterproof | Cuff     |
|-----------|--------------|-----------|-------------|-----------------------------|-----------------|-------------------|------------|----------|
| SG7300INT | 8(M)-10(XL)  | Polyester | Black       | Deerskin                    | 3M™ Thinsulate™ | 150 Grams         | Yes        | Gauntlet |
| SG7300MIT | One Size     | Polyester | Black       | Deerskin                    | 3M™ Thinsulate™ | 150 Grams         | Yes        | Gauntlet |
| HR3200INT | 7(S)-11(2XL) | Spandex   | Black       | AireFlex® Synthetic Leather | Cold Keep®      | 100 Grams         | Yes        | Open     |
| HR3222INT | 7(S)-10(XL)  | Spandex   | HV Orange   | AireFlex® Synthetic Leather | Cold Keep®      | 100 Grams         | Yes        | Open     |

# Insulated Leather Palm Gloves



2900HVDC



## Premium Insulated Leather Palm

- 3M™ Scotchlite™ reflective
- Warm Cold Keep® insulation
- Waterproof bladder inside



2950HV



## HV Insulated Leather Palm

- 3M™ Scotchlite™ reflective
- Warm Cold Keep® insulation
- Lightweight nylon shell



2950HVKW



## HV Insulated Leather Palm

- 3M™ Scotchlite™ reflective
- Warm Cold Keep® insulation
- Lightweight nylon shell



2950



## Cowhide Insulated Leather Palm

- Warm Cold Keep® insulation
- Canvas back
- Gunn cut pattern construction



2950KW



## Cowhide Insulated Leather Palm

- Warm Cold Keep® insulation
- Canvas back
- Gunn cut pattern construction



2805



## Premium Split Leather Palm

- Heavy fleece pile lined
- Canvas back

| Products | Sizes        | Shell  | Shell Color                       | Palm          | Insulation        | Insulation Amount | Reflective                          | Thumb | Cuff               |
|----------|--------------|--------|-----------------------------------|---------------|-------------------|-------------------|-------------------------------------|-------|--------------------|
| 2900HVDC | 7(S)-9(L)    | Nylon  | High-Visibility Yellow/Green      | Grain Pigskin | Cold Keep®        | 140 Grams         | 3M™ Scotchlite™ Reflective Material | Wing  | Safety, Knit Wrist |
| 2950HV   | 8(M)-11(2XL) | Nylon  | High-Visibility Orange            | Grain Cowhide | Cold Keep®        | 140 Grams         | 3M™ Scotchlite™ Reflective Material | Wing  | Safety             |
| 2950HVKW | 7(S)-11(2XL) | Nylon  | High-Visibility Orange and Yellow | Grain Cowhide | Cold Keep®        | 140 Grams         | 3M™ Scotchlite™ Reflective Material | Wing  | Knit Wrist         |
| 2950     | 8(M)-11(2XL) | Canvas | Blue/Yellow                       | Grain Cowhide | Cold Keep®        | 140 Grams         | NA                                  | Wing  | Safety Cuff        |
| 2950KW   | 7(S)-11(2XL) | Canvas | Yellow and Blue Striped           | Grain Cowhide | Cold Keep®        | 140 Grams         | NA                                  | Wing  | Knit Wrist         |
| 2805     | 8(M)-10(XL)  | Canvas | Yellow                            | Split Cowhide | Heavy Fleece Pile | NA                | NA                                  | Wing  | Safety             |

# Leather Drivers



3100CTH



## Premium Insulated Cowhide

- Warm Cold Keep® insulation
- Keystone thumb



3200DSINT



## Standard Grain Deerskin Insulated

- Warm Cold Keep® insulation
- Straight thumb design



3200CTH



## Cowhide Insulated Driver Style

- Warm Cold Keep® insulation
- Open cuff with elastic back



3200GINT



## Premium-Grain Goatskin

- Warm Cold Keep® insulation
- Cotton binding



3200DTHB



## Premium Insulated Black Deerskin

- Warm 3M™ Thinsulate™ insulation
- Premium-grade black deerskin



3200DTH



## Premium Insulated Deerskin

- Warm 3M™ Thinsulate™ insulation
- Open cuff with elastic back



3300DSIN



## Premium Suede Deerskin Palm

- Warm Cold Keep® insulation
- Reinforced double palm



3200DSBRL



## Lined Split-Back Deerskin

- Red fleece lining
- Reinforced keystone thumb

| Products  | Sizes        | Shell                | Shell Color | Insulation      | Insulation Amount | Grade    | Thumb    |
|-----------|--------------|----------------------|-------------|-----------------|-------------------|----------|----------|
| 3100CTH   | 8(M)-11(2XL) | Grain Cowhide        | Gold        | Cold Keep®      | 120 Grams         | Premium  | Keystone |
| 3200DSINT | 7(S)-11(2XL) | Grain Deerskin       | Gold        | Cold Keep®      | 120 Grams         | Standard | Straight |
| 3200CTH   | 7(S)-11(2XL) | Grain Cowhide        | Beige       | Cold Keep®      | 140 Grams         | Standard | Keystone |
| 3200GINT  | 7(S)-11(2XL) | Grain Goatskin       | White       | Cold Keep®      | 120 Grams         | Premium  | Keystone |
| 3200DTHB  | 7(S)-10(XL)  | Grain Deerskin       | Black       | 3M™ Thinsulate™ | 40 Grams          | Premium  | Keystone |
| 3200DTH   | 7(S)-11(2XL) | Grain Deerskin       | Gold        | 3M™ Thinsulate™ | 100 Grams         | Premium  | Keystone |
| 3300DSIN  | 7(S)-10(XL)  | Fleece               | Gray        | Cold Keep®      | 100 Grams         | Premium  | Straight |
| 3200DSBRL | 7(S)-10(XL)  | Grain/Split Deerskin | Gold        | Red Fleece      | NA                | Premium  | Keystone |

# Freezer Gloves



2800GDC



2800GLP



2800F



## Premium Split Goatskin

- Extra long knit wrist

## Premium Latex-Coated Split Goatskin

- 3/4 dip waterproof coating

## Heavy Split Cowhide

- Elastic wrist back



591F



524



594MIT



624



## Premium Split Cowhide

- Double tanned
- Split index finger
- Reinforced palm

## Premium Split Cowhide

- Reinforced palm
- Double tanned

## Premium Split Cowhide

- Reinforced palm
- Double tanned

## Economy Split Cowhide

| Products | Sizes       | Shell          | Shell Color | Insulation      | Insulation Amount | Coating | Thumb | Cuff                  |
|----------|-------------|----------------|-------------|-----------------|-------------------|---------|-------|-----------------------|
| 2800GDC  | 7(S)-10(XL) | Split Goatskin | Gray        | 3M™ Thinsulate™ | 150 Grams         | NA      | Wing  | Extra Long Knit Wrist |
| 2800GLP  | 8(M)-10(XL) | Split Goatskin | Gray        | 3M™ Thinsulate™ | 150 Grams         | Latex   | Wing  | Extra Long Knit Wrist |
| 2800F    | 9(L)-10(XL) | Split Cowhide  | Gray        | Cold Keep®      | 110 Grams         | NA      | Wing  | Extra Long Knit Wrist |
| 591F     | 8(M)-10(XL) | Split Cowhide  | Russet      | 3M™ Thinsulate™ | 150 Grams         | NA      | Wing  | Knit Wrist            |
| 524      | 8(M)-10(XL) | Split Cowhide  | Russet      | 3M™ Thinsulate™ | 150 Grams         | NA      | Wing  | Knit Wrist            |
| 594MIT   | 7(S)-10(XL) | Split Cowhide  | Russet      | 3M™ Thinsulate™ | 150 Grams         | NA      | Wing  | Knit Wrist            |
| 624      | 9(L)        | Split Cowhide  | Red         | 3M™ Thinsulate™ | 100 Grams         | NA      | Wing  | Knit Wrist            |

# Extreme Cold Protection





870-SC

**Cut Resistant, Rough Finish PVC**

- Specially formulated PVC
- Jersey cotton liner with foam insulation



8450

**Extreme Cold Anti-Freeze Nitrile**

- Flexible down to -50° F
- Reflective overcasting and logo
- Two-inch velvet cuff interior



880-SC

**High-Visibility PVC**

- Velvet-like foam interior
- Rough sandpaper finish



880KW

**High-Visibility PVC**

- Velvet-like foam interior
- Rough sandpaper finish



8490

**Premium PVC**

- Highly flexible down to -5°F
- Rough sandpaper finish



8490MT

**Premium PVC**

- Highly flexible down to -5°F
- Rough sandpaper finish
- Heavy velvet interior

| Products | Sizes       | Liner                        | Liner Color | Insulation          | Coating             | Finish    | Cuff        | EN 388 Levels |
|----------|-------------|------------------------------|-------------|---------------------|---------------------|-----------|-------------|---------------|
| 870-SC   | One Size    | Jersey Cotton                | Beige       | Foam                | PVC                 | Rough     | Safety Cuff | X2XXC         |
| 8450     | 8(M)-10(XL) | Honeycomb Mesh               | Yellow      | Cold Keep®          | Anti-Freeze Nitrile | Sandpaper | Gauntlet    | 3221X         |
| 880-SC   | One Size    | Cotton                       | Beige       | Foam                | Double PVC          | Sandpaper | Safety      | 3221          |
| 880KW    | One Size    | Cotton                       | Black       | Foam                | Double PVC          | Sandpaper | Knit Wrist  | 3221          |
| 8490     | 8(M)-10(XL) | Dual: Cotton and Terry Cloth | Yellow      | Brushed Terry Cloth | Triple PVC          | Sandpaper | Gauntlet    | 4221X         |
| 8490MT   | One Size    | Brushed Terry Cloth          | Yellow      | Heavy Velvet        | Triple PVC          | Sandpaper | Gauntlet    | 4221X         |



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

[industrialnansa.com.mx](http://industrialnansa.com.mx)

Low Temperature 65



520INT



519INT



C10BJINT



### Heating Pack Flip-Up Mitten

- Palm reinforced with synthetic leather
- Flip-up finger cover
- Space for heating packs

### Fleece Flip-Up Mitten

- Palm dots
- Flip-up finger cover
- Insulation and tricot foam

### Brown Jersey

| Products | Sizes         | Shell  | Shell Color | Insulation      | Insulation Amount | Cuff       |
|----------|---------------|--------|-------------|-----------------|-------------------|------------|
| 520INT   | 7(S)-10(XL)   | Fleece | Black       | 3M™ Thinsulate™ | 40 Grams          | Knit Wrist |
| 519INT   | 6(XS)-11(2XL) | Fleece | Black       | 3M™ Thinsulate™ | 40 Grams          | Knit Wrist |
| C10BJINT | 8(M)-10(XL)   | Jersey | Brown       | Foam            | NA                | Knit Wrist |



51MIT



52MIT



S70RWMT



S77RW

### Split Cowhide Leather Mitten

- Open cuff with elastic

### Unlined Split Cowhide Mitten

- Open cuff with elastic

### Rag Wool

- May be used as mitten liner

### Rag Wool

- May be used as glove liner

| Products | Sizes       | Shell         | Shell Color | Lining      | Thumb    | Thumb    |
|----------|-------------|---------------|-------------|-------------|----------|----------|
| 51MIT    | 8(M)-10(XL) | Split Cowhide | Gray        | Cotton Pile | Straight | Straight |
| 52MIT    | 9(L)        | Split Cowhide | Gray        | NA          | Straight | Straight |
| S70RWMT  | 9(L)        | Rag Wool      | Army Green  | NA          | NA       | NA       |
| S77RW    | 7(S)-9(L)   | Rag Wool      | Army Green  | NA          | NA       | NA       |



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:

(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Anti-Vibration**



AV1121

**Ergonomic Patented Anti-Vibration Gloves**

- 7-gauge cotton/nylon shell



AV1160

**Ergonomic Lightweight Anti-Vibration**

- Lightweight 10-gauge cotton/nylon shell
- Tacky finish, individual pods on palm reduce vibration
- Meets EN ISO 10819 Anti-Vibration standards



AV805

**Anti-Vibration Nitrile Supported**

- Anti-vibration padding in palm and thumb
- Ergonomic pre-cured construction
- Sandpaper finish for better grip



AV4900

**Premium Anti-Vibration**

- Navy blue spandex back
- Anti-shock/vibration palm and thumb
- Extra long padded wrist wrap



AV3008

**Anti-Shock/Vibration Palm Gloves**

- Reinforced palm
- Reinforced thumb crotch



AV2000

**Fingerless Anti-Shock/Vibration**

- Anti-shock/vibration palm and fingers
- Reinforced thumb crotch

| Products | Sizes        | Shell         | Shell Color | Length | Palm                            | Padded Palm                     | Cuff          | EN 388 Levels | EN ISO 10819 |
|----------|--------------|---------------|-------------|--------|---------------------------------|---------------------------------|---------------|---------------|--------------|
| AV1121   | 8(M)         | Cotton/Nylon  | Black       | NA     | Anti-Vibration Synthetic Rubber | NA                              | Knit Wrist    | 3243X         | NA           |
| AV1160   | 8(M)-10(XL)  | Cotton/Nylon  | Black       | NA     | Anti-Vibration Synthetic Rubber | NA                              | Knit Wrist    | 3242X         | Pass         |
| AV805    | 9(L)-10(XL)  | NA            | NA          | 12 in. | NA                              | Anti-Vibration Synthetic Rubber | Pinked        | 3122X         | Pass         |
| AV4900   | 9(L)-10(XL)  | Spandex       | Navy Blue   | NA     | Grain Goatskin                  | Anti-Vibration                  | Hook-and-Loop | NA            | NA           |
| AV3008   | 8(M)-10(XL)  | Nylon/Spandex | Black       | NA     | Grain Goatskin Leather          | Anti-Shock/Vibration            | Hook-and-Loop | NA            | NA           |
| AV2000   | 7(S)-11(2XL) | Spandex       | Black       | NA     | Grain Goatskin                  | Anti-Shock/Vibration            | Hook-and-Loop | NA            | NA           |



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

Arc Flash

# Protection Against Arc Flash and Flame

Cut, Impact, Flame Resistant Grain Goatskin MIG/TIG



DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.



CR100MTG

**Premium Grain Goatskin MIG/TIG**

- Aralene® (enhanced aramid fiber) cut resistant liner
- Five-inch split leather gauntlet cuff
- Sewn with aramid fiber

Tested to ASTM F2675  
 Arc Rating (ATPV) = 46 Cal/cm<sup>2</sup>  
 Heat Attenuation Factor (HAF) = 94%  
 NFPA 70E Arc Flash PPE Category: 4



CR3800

**Cut Resistant Goatskin Leather Drivers**

- Lightweight Aralene® liner provides cut and heat resistance
- Premium grain goatskin leather shell

Tested to ASTM F2675  
 Arc Rating (ATPV) = 50 Cal/cm<sup>2</sup>  
 Heat Attenuation Factor (HAF) = 95%  
 NFPA 70E Arc Flash PPE Category: 4



CIA3800

**Impact, Oil, Water, Cut, Flame Resistant Goatskin**

- Aralene® (enhanced aramid fiber) cut resistant liner
- Proprietary oil/water resistant manufacturing process
- Sewn with aramid fiber

Tested to ASTM F2675  
 Arc Rating (ATPV) = 50 Cal/cm<sup>2</sup>  
 Heat Attenuation Factor (HAF) = 95%  
 NFPA 70E Arc Flash PPE Category: 4



CIA3300

**Golden Goatskin + Impact**

- Enhanced Aralene® (enhanced aramid fiber) liner
  - Sewn-in palm padding
- Tested to ASTM F2675  
 Arc Rating (ATPV) = 43 Cal/cm<sup>2</sup>  
 Heat Attenuation Factor (HAF) = 93%  
 NFPA 70E Arc Flash PPE Category: 4



CR3200

**Cowhide Cut, Heat Resistant**

- Aralene® (enhanced aramid fiber) cut resistant liner
- Tested to ASTM F2675  
 Arc Rating(ATPV) = 35 Cal/cm<sup>2</sup>  
 Heat Attenuation Factor, HAF = 94%



CR100MTC

**Premium Cowhide MIG/TIG**

- Aralene® (enhanced aramid fiber) cut resistant liner
  - Four-inch split leather gauntlet cuff
  - Sewn with aramid fiber
- Tested to ASTM F2675  
 Arc Rating(ATPV) = 35 Cal/cm<sup>2</sup>  
 Heat Attenuation Factor, HAF = 94%



CIA3200

**Cut, Impact and Heat Resistant Gloves**

- Flexible TPU impact protection
- Enhanced Aralene® (enhanced aramid fiber) liner
- High-Visibility orange back of hand visibility

Tested to ASTM F2675  
 Arc Rating(ATPV) = 35 Cal/cm<sup>2</sup>  
 Heat Attenuation Factor, HAF = 94%  
 NFPA 70E Arc Flash PPE Category: 3

| Products  | Sizes                     | Shell          | Palm   | Thumb    | ANSI Cut | NFPA 70E Arc-Flash PPE Category | ANSI/ISEA Impact | EN 388 Levels |
|-----------|---------------------------|----------------|--------|----------|----------|---------------------------------|------------------|---------------|
| CIA200MTG | 8(M)-11(2XL)              | Grain Goatskin | NA     | Straight | Level A8 | 3                               | Level 2          | 3X43F         |
| CR100MTG  | 7(S)-11(2XL)              | Grain Goatskin | NA     | Keystone | Level A5 | 4                               | NA               | 3X23E         |
| CR3800    | 7(S)-11(2XL)              | Grain Goatskin | NA     | Keystone | Level A5 | 4                               | NA               | 3X23E         |
| CIA3800   | 7(S)-11(2XL)              | Grain Goatskin | NA     | Keystone | Level A5 | 4                               | Level 2          | 3X23EP        |
| CIA3300   | 7(S)-8(M), 10(XL)-11(2XL) | Grain Goatskin | Padded | Keystone | Level A6 | 4                               | Level 4          | NA            |
| CR3200    | 6(XS)-11(2XL)             | Grain Cowhide  | NA     | Keystone | Level A4 | 3                               | NA               | NA            |
| CR100MTC  | 7(S)-10(XL)               | Grain Cowhide  | NA     | Wing     | Level A4 | 3                               | NA               | NA            |
| CIA3200   | 7(S)-11(2XL)              | Grain Cowhide  | NA     | Keystone | Level A4 | 3                               | Level 2          | XXXXXP        |



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

industrialnansa.com.mx

Arc Flash

# Protection From Impact, Abrasion and Cut Hazards

Impact protection provides flexible protection to back of hands and fingers, helping to prevent injuries from falling objects.

Reinforced thumb crotch extends the life of gloves by supporting common wear areas.

CIA417V

Padded palm protects hands from vibration damage and impact injuries.

Hook and loop closure customizes fit for optimal safety and protection





INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:

(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Oil, Gas, Construction**



Vice Gripster cut, impact, and abrasion gloves are significantly more comfortable when compared to oil, gas and construction gloves.



CIA995MFV



#### High-Visibility Cut and Impact Resistant Gloves

- High-visibility yellow/green shell
- High-visibility orange palm
- Reinforced thumb crotch



CIA609MFV



#### Cut and Impact Resistant Gloves

- Reinforced thumb crotch
- Vibration dampening padded palm
- Flexible TPU impact protection



CIA609MF



#### Cut and Impact Protection Gloves

- Reinforced thumb crotch
- Vibration dampening padded palm
- Flexible TPU impact protection



CIA998MF



#### High-Visibility Impact Protection

- High-visibility yellow/green shell
- High-visibility orange palm



CIA520MF



#### High-Visibility Cut and Impact Protection Gloves

- High-visibility orange shell
- Reinforced thumb crotch



CIA501MF



#### High-Visibility with Impact Protection

- High-visibility yellow/green shell

| Products  | Sizes        | Shell             | Coating        | Finish      | Impact Protection | Cuff                          | ANSI Cut | ANSI Puncture | EN 388 Levels |
|-----------|--------------|-------------------|----------------|-------------|-------------------|-------------------------------|----------|---------------|---------------|
| CIA995MFV | 7(S)-11(2XL) | Tuffalene® UHMWPE | Nitrile        | Mach Finish | TPU               | Knit Wrist with Hook-and-Loop | Level A5 | Level 4       | 4X43E         |
| CIA609MFV | 8(M)-11(2XL) | Aralene®          | Nitrile        | Mach Finish | TPU               | Knit Wrist with Hook-and-Loop | Level A5 | Level 3       | 4X31E         |
| CIA609MF  | 7(S)-11(2XL) | Aralene®          | Nitrile        | Mach Finish | TPU               | Knit Wrist                    | Level A5 | Level 3       | 4X31E         |
| CIA998MF  | 7(S)-10(XL)  | Tuffalene® UHMWPE | Nitrile        | Mach Finish | Silicone          | Knit Wrist                    | Level A4 | Level 4       | 4X43DP        |
| CIA520MF  | 8(M)-11(2XL) | Nylon             | Double Nitrile | Mach Finish | TPU               | Knit Wrist                    | Level A1 | Level 3       | 4131X         |
| CIA501MF  | 8(M)-11(2XL) | Nylon             | Double Nitrile | Mach Finish | TPU               | Knit Wrist                    | Level A1 | Level 3       | 4131X         |



CIA600KV

**Cut, Puncture, Impact Resistant**

- Flexible TPU impact protection
- Vibration dampening palm
- Etched rubber palm



CIA388XFT

**HV Cut and Impact Resistant Gloves**

- Comfortable Tuffalene® Platinum shell
- Flexible Xtreme Foam Technology coating



CIA417V

**Cut and Impact Resistant Gloves**

- Flexible TPU impact protection
- Mach Finish nitrile palm dipped
- Reinforced thumb crotch

CIA617V

**Cut and Impact Resistant Gloves**

- Flexible TPU impact protection
- Mach Finish nitrile palm dipped
- Reinforced thumb crotch

CIA677

**High Cut Resistance**

- Flexible TPU impact protection
- High-performance palm coating

| Products  | Sizes        | Shell                      | Gauge    | Coating        | Coating Type | Finish                 | ANSI Cut | ANSI Puncture | EN 388 Levels |
|-----------|--------------|----------------------------|----------|----------------|--------------|------------------------|----------|---------------|---------------|
| CIA600KV  | 7(S)-10(XL)  | Aralene®                   | 10-Gauge | Rubber         | Palm         | Etched                 | Level A6 | Level 4       | 2X44F         |
| CIA388XFT | 7(S)-11(2XL) | Tuffalene® Platinum UHMWPE | 13-Gauge | Nitrile        | Palm         | Xtreme Foam Technology | Level A4 | Level 4       | 4X43D         |
| CIA417V   | 8(M)-11(2XL) | Tuffalene® UHMWPE          | 13-Gauge | Nitrile        | Palm         | Mach Finish            | Level A2 | Level 4       | 4242X         |
| CIA617V   | 7(S)-11(2XL) | Tuffalene® UHMWPE          | 13-Gauge | Double Nitrile | Palm         | Mach Finish            | Level A5 | Level 4       | 4X43D         |
| CIA677    | 7(S)-11(2XL) | Aralene®                   | 13-Gauge | Nitrile/PU     | Palm         | Xtreme Foam Technology | Level A7 | Level 4       | 4X42FP        |



**ANSI CUT A2** **ANSI ABRASION 3** **ANSI PUNCTURE 2** **ANSI / ISEA 138 S1** **HIGH VISIBILITY**

SG9954



SG9944

#### Impact Protection

- Flexible TPU impact protection
- Reinforced thumb crotch
- Pull tab on wrist
- ID card on cuff



SG9955

**HIGH VISIBILITY** **IMPACT PROTECTION**



SG9955INT

**HIGH VISIBILITY** **IMPACT PROTECTION** **INSULATED** **WATER PROOF**



SG9966

**ANSI CUT A3** **ANSI / ISEA 138 S2** **ANSI ABRASION 6** **ANSI PUNCTURE 4** **HIGH VISIBILITY**

#### High-Contrast Gloves

- Flexible TPU impact protection
- Aralene® reinforced thumb crotch
- Pull tab at wrist
- ID card on cuff

#### High-Visibility Oil and Gas

- TPU impact on back
- Reinforced thumb crotch
- Pull tab at wrist
- ID card on cuff

#### High-Visibility Cut Resistant

- Flexible TPU impact protection
- Reinforced with synthetic leather
- Pull tab on wrist
- Cut resistant palm

| Products  | Sizes        | Shell             | Shell Color                  | Palm                         | Cuff     | ANSI Cut             | ANSI/ISEA Impact | ANSI Puncture |
|-----------|--------------|-------------------|------------------------------|------------------------------|----------|----------------------|------------------|---------------|
| SG9954    | 8(M)-11(2XL) | Nylon             | High-Visibility Orange       | Cotton Corded                | Neoprene | Level A2             | Level 1          | Level 2       |
| SG9944    | 8(M)-11(2XL) | Spandex and Nylon | High-Visibility Yellow/Green | Cotton Corded                | Neoprene | NA                   | NA               | NA            |
| SG9955    | 8(M)-11(2XL) | Spandex and Nylon | High-Visibility Yellow/Green | Cotton Corded                | Neoprene | NA                   | NA               | NA            |
| SG9955INT | 8(M)-10(XL)  | Spandex and Nylon | High-Visibility Yellow/Green | Cotton Corded                | Neoprene | NA                   | NA               | NA            |
| SG9966    | 8(M)-12(3XL) | Spandex and Nylon | High-Visibility Yellow/Green | Synthetic Leather Reinforced | Neoprene | Level A3 - Palm Only | Level 2          | Level 4       |



C190CPB

**High-Visibility Impact Resistant Cotton/Polyester Corded**

- 18-oz corded cotton
- Soft, flexible, TPR impact protection
- Wing thumb design



C180CPB

**Cotton/Poly with Impact**

- Flexible TPU impact protection
- 18-oz corded cotton/polyester
- Wing thumb design



C180C

**Cotton Corded**

- 18-oz corded cotton
- Straight thumb design



C19GCPB

**High-Visibility Impact Resistant Cotton/Polyester Corded**

- 18-oz corded cotton
- Soft, flexible, TPR impact protection
- Wing thumb design



C18GRCPB

**Cotton/Poly with Impact**

- Flexible TPU impact protection
- 18-oz corded cotton/polyester
- Straight thumb design



C18GRC


**Cotton Corded**

- 18-oz corded cotton
- Straight thumb design

| Products | Sizes             | Shell            | Shell Color            | Finish | Cuff       | Thumb    | ANSI Cut | ANSI/ISEA Impact |
|----------|-------------------|------------------|------------------------|--------|------------|----------|----------|------------------|
| C190CPB  | One Size          | Polyester        | High-Visibility Orange | Corded | Knit Wrist | Wing     | Level A2 | Level 1          |
| C180CPB  | One Size          | Cotton/Polyester | Orange                 | Corded | Knit Wrist | Wing     | Level A2 | Level 1          |
| C180C    | 7(S), 9(L)-10(XL) | Cotton           | Orange                 | Corded | Knit Wrist | Straight | NA       | NA               |
| C19GCPB  | One Size          | Polyester        | High-Visibility Green  | Corded | Knit Wrist | Wing     | Level A2 | Level 1          |
| C18GRCPB | One Size          | Cotton/Polyester | Green                  | Corded | Knit Wrist | Straight | Level A2 | Level 2          |
| C18GRC   | One Size          | Cotton           | Green                  | Corded | Knit Wrist | Straight | NA       | NA               |

# Mechanics Styles with Grip for Every Job





INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:

(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Mechanics/Sport Styles**



HR8200



#### Impact Resistant, Performance

- AireFlex® synthetic leather
- Padding sewn into palm
- Reinforced thumb crotch, palm and fingertips



HR8200KEV



#### Cut and Impact Resistant, Performance Mechanics Style Gloves

- Aralene® (enhanced aramid fiber) cut resistant liner
- AireFlex® synthetic leather
- Padding sewn into palm



HR9000VIS



#### HV Performance

- 3M™ Scotchlite™ reflective
- Griptex fingertips
- G-pattern padded palm



HR3200



#### Performance Drivers Style

- Reinforced back, thumb and fingertips
- Open cuff with elastic



HR3200INT



#### Performance Drivers Style

- Reinforced back, thumb and fingertips
- Open cuff with elastic
- Waterproof barrier



HR3222INT



#### Premium HV Insulated

- Reinforced thumb, back and fingertips
- Open cuff with elastic
- Waterproof barrier

| Products  | Sizes        | Shell            | Shell Color                      | Palm                        | Padded Palm | Cuff          |
|-----------|--------------|------------------|----------------------------------|-----------------------------|-------------|---------------|
| HR8200    | 7(S)-11(2XL) | Stretchable Mesh | Black                            | AireFlex® Synthetic Leather | Yes         | Hook-and-Loop |
| HR8200KEV | 8(M)-11(2XL) | Stretchable Mesh | Black                            | AireFlex® Synthetic Leather | Yes         | Hook-and-Loop |
| HR9000VIS | 8(M)-11(2XL) | Spandex          | High-Visibility Orange and Black | AireFlex® Synthetic Leather | G-Pattern   | Hook-and-Loop |
| HR3200    | 8(M)-11(2XL) | Spandex          | Black                            | AireFlex® Synthetic Leather | NA          | Open          |
| HR3200INT | 7(S)-11(2XL) | Spandex          | Black                            | AireFlex® Synthetic Leather | NA          | Open          |
| HR3222INT | 7(S)-10(XL)  | Spandex          | High-Visibility Orange           | AireFlex® Synthetic Leather | NA          | Open          |



HR9000

**Synthetic Leather Mechanics**

- G-pattern palm padding



HR8500

**HV Zebra-Strip Impact**

- Impact padding on palm
- Zebra-strip knuckle pads
- Wrap-around fingers



HR1008

**Ultra-Soft Calfskin**

- Double palm
- Extra protection on fingers



HR3008

**Abrasion Resistant**

- Reinforced palm, thumb
- Split/Rough side out palm



HR4008

**Ultra-Soft Goatskin**

- Double goatskin palm
- Leather knuckle strap
- Leather wraps around fingertips



SG7001

**Deerskin Mechanic**

- Knuckles, fingertip protection

| Products | Sizes        | Shell   | Shell Color | Palm                        | Palm Color     | Cuff                  |
|----------|--------------|---------|-------------|-----------------------------|----------------|-----------------------|
| HR9000   | 7(S)-11(2XL) | Spandex | Black       | AireFlex® Synthetic Leather | Black          | Elastic Hook-and-Loop |
| HR8500   | 8(M)-11(2XL) | Spandex | Black       | AireFlex® Synthetic Leather | Gray and Black | Hook-and-Loop         |
| HR1008   | 7(S)-11(2XL) | Spandex | Navy Blue   | Soft Calfskin               | Gold           | Elastic Hook-and-Loop |
| HR3008   | 7(S)-11(2XL) | Spandex | Black       | Grain Goatskin              | White/Gray     | Elastic Hook-and-Loop |
| HR4008   | 7(S)-11(2XL) | Spandex | Gray        | Double Goatskin             | White          | Open                  |
| SG7001   | 8(M)-11(2XL) | Spandex | Black       | Grain Deerskin              | Black          | Elastic Hook-and-Loop |

# Gripster® Sport



SG2008

## Precision Mechanics Style

### Precision Mechanics Style

- Reinforced Armortex® thumb crotch
- Flexible TPU impact protection
- Safety cuff + hook and loop

### Precision Mechanics Style

- Flexible TPU impact protection
- Leather wraps around fingertips
- Deerskin-like feel



SG2000

SG5308

### Precision Mechanics Style

- Fingerless
- Double palm, padding
- Sewn with DuPont™ Kevlar® fiber

### Premium Climbing Gloves

- Excellent for belaying and rappelling
- Neoprene stretch cuff
- Double leather palm, fingers
- Carabiner grommet on cuff

### High-Visibility Drivers

- Reflective striping on back
- Silicone fingers and palm pattern

| Products | Sizes        | Shell   | Shell Color            | Palm             | Palm Color      | Finish       | Impact Protection | Cuff                   |
|----------|--------------|---------|------------------------|------------------|-----------------|--------------|-------------------|------------------------|
| SG2008SC | 8(M)-11(2XL) | Spandex | Black                  | Goatskin Leather | Gold            | NA           | TPU               | Safety + Hook-and-Loop |
| SG2008   | 8(M)-11(2XL) | Spandex | Black                  | Goatskin Leather | Gold            | NA           | TPU               | Hook-and-Loop          |
| SG2000   | 7(S)-12(3XL) | Spandex | Black                  | Goatskin Leather | Gold            | NA           | Padded Palm       | Hook-and-Loop          |
| SG5308   | 7(S)-11(2XL) | Spandex | Tan                    | Goatskin Leather | Gold            | NA           | NA                | Hook-and-Loop          |
| SG8600   | 7(S)-10(XL)  | Spandex | Black and Yellow/Green | Silicone         | HV Yellow/Green | HV Honeycomb | NA                | Open                   |

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.



SG7200INT



SG5200INT



SG7300INT



SG7300MIT



#### Premium Deerskin Insulated

- Waterproof barrier inside
- Griptex fingertips and palm
- Dual cuff
- Reinforced thumb crotch, palm and fingertips

#### Premium Split Leather

- Waterproof barrier inside
- Griptex fingertips and palm
- Dual cuff
- Reinforced thumb crotch, palm and fingertips

#### Premium Deerskin Palm

- Pre-curved construction
- Adjustable wrist strap
- Waterproof barrier

#### Premium Deerskin Palm

- Pre-curved construction
- Adjustable wrist strap
- Waterproof barrier

| Products  | Sizes        | Shell     | Palm          | Insulation      | Insulation Amount | Waterproof | Cuff               |
|-----------|--------------|-----------|---------------|-----------------|-------------------|------------|--------------------|
| SG7200INT | 8(M)-11(2XL) | Spandex   | Deerskin      | Cold Keep®      | 120 Grams         | Yes        | Dual Cuff          |
| SG5200INT | 8(M)-10(XL)  | Spandex   | Split Cowhide | Cold Keep®      | 120 Grams         | Yes        | Safety, Knit Wrist |
| SG7300INT | 8(M)-10(XL)  | Polyester | Deerskin      | 3M™ Thinsulate™ | 150 Grams         | Yes        | Gauntlet           |
| SG7300MIT | One Size     | Polyester | Deerskin      | 3M™ Thinsulate™ | 150 Grams         | Yes        | Gauntlet           |



SG7700IN



HR2800INT



HR3200INT



HR3222INT



#### Premium Deerskin Insulated

- Reinforced knuckles and fingertips

#### Insulated Goatskin Mechanics

- Premium-grade goatskin grain leather
- 70 grams 3M™ Thinsulate™ insulation
- Reinforced backs of fingertips and index finger

#### Performance Drivers Style

- Reinforced back, thumb and fingertips
- Open cuff with elastic
- Waterproof barrier

#### Premium HV Insulated

- Reinforced thumb, back and fingertips
- Open cuff with elastic
- Waterproof barrier

| Products  | Sizes        | Shell   | Shell Color            | Palm                        | Insulation      | Insulation Amount | Waterproof | Cuff  |
|-----------|--------------|---------|------------------------|-----------------------------|-----------------|-------------------|------------|---|
| SG7700IN  | 7(S)-11(2XL) | Spandex | Black                  | Deerskin                    | 3M™ Thinsulate™ | 100 Grams         | NA         | Elastic with Hook-and-Loop                  |
| HR2800INT | 7(S)-11(2XL) | Spandex | Black                  | Grain Goatskin              | 3M™ Thinsulate™ | 70 Grams          | NA         | Hook-and-Loop Closure with Nylon Storm Flap |
| HR3200INT | 7(S)-11(2XL) | Spandex | Black                  | AireFlex® Synthetic Leather | Cold Keep®      | 100 Grams         | Yes        | Open  |
| HR3222INT | 7(S)-10(XL)  | Spandex | High-Visibility Orange | AireFlex® Synthetic Leather | Cold Keep®      | 100 Grams         | Yes        | Open  |



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

[industrialnansa.com.mx](http://industrialnansa.com.mx)

# Gripster® Sport



SG9001IN



SG9001



## PVC Reinforced

- PU and PVC reinforced in grip areas
- Waterproof bladder inside



## Grip Reinforced Mechanics

- Tacky PVC grip in wear grip areas
- 2 open fingers + thumb



## Synthetic Leather Mechanics

- Flexible spandex shell



## Grip Enhanced Palm

- Silicone grip pattern palm

| Products | Sizes        | Shell   | Shell Color    | Palm                        | Insulation      | Insulation Amount | Dotted   | Cuff          |
|----------|--------------|---------|----------------|-----------------------------|-----------------|-------------------|----------|---------------|
| SG9001IN | 8(M)-10(XL)  | Spandex | Black          | AireFlex® Synthetic Leather | 3M™ Thinsulate™ | 40 Grams          | NA       | Hook-and-Loop |
| SG9001   | 8(M)-11(2XL) | Spandex | Blue           | AireFlex® Synthetic Leather | NA              | NA                | NA       | Hook-and-Loop |
| SG9001NF | 8(M)-11(2XL) | Spandex | Blue           | AireFlex® Synthetic Leather | NA              | NA                | NA       | Hook-and-Loop |
| SG9000   | 8(M)-11(2XL) | Spandex | Red and Black  | AireFlex® Synthetic Leather | NA              | NA                | NA       | Hook-and-Loop |
| SG9003   | 7(S)-12(3XL) | Spandex | Gray and Black | AireFlex® Synthetic Leather | NA              | NA                | Silicone | Hook-and-Loop |



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Leather**

# Deerskin Drivers



## Premium Insulated Deerskin Gloves

- Warm 3M™ Thinsulate™ insulation
- Open cuff with elastic back

## Standard Grain Deerskin Insulated

- Warm Cold Keep® insulation
- Straight thumb design

## Premium Golden-Grain Deerskin Gloves

- Open cuff with elastic back

| Products  | Sizes        | Grade    | Shell          | Shell Color | Insulation      | Insulation Amount | Thumb    | Cuff |
|-----------|--------------|----------|----------------|-------------|-----------------|-------------------|----------|------|
| 3200DTH   | 7(S)-11(2XL) | Premium  | Grain Deerskin | Gold        | 3M™ Thinsulate™ | 100 Grams         | Keystone | Open |
| 3200DSINT | 7(S)-11(2XL) | Standard | Grain Deerskin | Gold        | Cold-Keep®      | 120 Grams         | Straight | Open |
| 3200D     | 6(XS)-10(XL) | Premium  | Deerskin       | Gold        | NA              | NA                | Keystone | Open |



3200DST



3200DTHB



3200DSBRL



3300DSIN

## Unlined Grain Deerskin

- Dries soft and flexible
- Open cuff with elastic back

## Premium Insulated Black Deerskin Gloves

- Warm 3M™ Thinsulate™ insulation
- Premium-grade black deerskin

## Lined Split-Back Deerskin

- Red fleece lining
- Reinforced keystone thumb

## Premium Suede Deerskin Palm Gloves

- Warm Cold Keep® insulation
- Reinforced double palm

| Products  | Sizes        | Grade    | Shell          | Shell Color | Palm           | Insulation      | Insulation Amount | Thumb    | Cuff |
|-----------|--------------|----------|----------------|-------------|----------------|-----------------|-------------------|----------|------|
| 3200DST   | 7(S)-11(2XL) | Standard | Grain Deerskin | Gold        | Grain Deerskin | NA              | NA                | Straight | Open |
| 3200DTHB  | 7(S)-10(XL)  | Premium  | Grain Deerskin | Black       | Grain Deerskin | 3M™ Thinsulate™ | 40 Grams          | Keystone | Open |
| 3200DSBRL | 7(S)-10(XL)  | Premium  | Split Deerskin | Gold        | Grain Deerskin | Red Fleece      | NA                | Keystone | Open |
| 3300DSIN  | 7(S)-10(XL)  | Premium  | Fleece         | Gray        | Suede Deerskin | Cold Keep®      | 100 Grams         | Straight | Open |

# Goatskin Leather Drivers



CIA3300



## Golden Goatskin + Impact

- Sewn-in palm padding
- Enhanced Aralene® liner
- Silicone impact protection

Tested to ASTM F2675.  
Arc Rating (ATPV) = 43 Cal/cm<sup>2</sup>  
Heat Attenuation Factor (HAF) = 93%  
NFPA 70E Arc-Flash PPE Category: 4

## Goatskin Palm, Cowhide Back Drivers

- Premium grain goatskin palm
- Premium split cowhide back, palm reinforcement
- Sewn with aramid fiber

## Economy Goatskin Drivers

- Grain goatskin leather
- Open cuff with elastic back

| Products | Sizes                     | Shell          | Shell Color    | Palm     | Liner    | Cuff | Thumb    | ANSI Cut | ANSI/ISEA Impact |
|----------|---------------------------|----------------|----------------|----------|----------|------|----------|----------|------------------|
| CIA3300  | 7(S)-8(M), 10(XL)-11(2XL) | Grain Goatskin | Gold           | Padded   | Aralene® | Open | Keystone | Level A6 | Level 1          |
| 3150G    | 7(S)-10(XL)               | Split Cowhide  | Gray and White | Goatskin | NA       | Open | Wing     | NA       | NA               |
| 3200GE   | 7(S)-11(2XL)              | Grain Goatskin | White          | NA       | NA       | Open | Keystone | NA       | NA               |



3200G



3200GINT



HR4008

## Premium-Grain Goatskin

- Soft and flexible shell
- Open cuff with elastic back

## Premium-Grain Goatskin

- Warm Cold Keep® insulation
- Cotton binding

## Ultra-Soft Goatskin

- Double goatskin palm
- Leather knuckle strap
- Leather wraps around fingertips

| Products | Sizes         | Shell          | Shell Color | Palm            | Insulation | Insulation Amount | Thumb    |
|----------|---------------|----------------|-------------|-----------------|------------|-------------------|----------|
| 3200G    | 6(XS)-11(2XL) | Grain Goatskin | White       | Grain Goatskin  | NA         | NA                | Keystone |
| 3200GINT | 7(S)-11(2XL)  | Grain Goatskin | White       | Grain Goatskin  | Cold Keep® | 120 Grams         | Keystone |
| HR4008   | 7(S)-11(2XL)  | Spandex        | Gray        | Double Goatskin | NA         | NA                | Keystone |

# Cowhide Leather Drivers



CR3200



## Cowhide Cut, Heat Resistant

- Aralene® (enhanced aramid fiber) cut resistant liner

Tested to ASTM F2675  
Arc Rating(ATPV) = 35 Cal/cm<sup>2</sup>  
Heat Attenuation Factor, HAF = 94%



3200



3100



CIA3200



## Cut, Impact and Heat Resistant Gloves

- Flexible TPU impact protection
- Enhanced Aralene® (enhanced aramid fiber) liner
- High-Visibility orange back of hand visibility

Tested to ASTM F2675  
Arc Rating(ATPV) = 35 Cal/cm<sup>2</sup>  
Heat Attenuation Factor, HAF = 94%

| Products | Sizes         | Shell         | Color | Liner    | Thumb    | ANSI Cut | NFPA 70E Arc-Flash PPE Category |
|----------|---------------|---------------|-------|----------|----------|----------|---------------------------------|
| CR3200   | 6(XS)-11(2XL) | Grain Cowhide | Beige | Aralene® | Keystone | Level A4 | 3                               |
| 3200     | 6(XS)-12(3XL) | Grain Cowhide | Beige | NA       | Keystone | NA       | NA                              |
| 3200-T   | 7(S)-10(XL)   | Grain Cowhide | Beige | NA       | Keystone | NA       | NA                              |
| 3100     | 7(S)-11(2XL)  | Grain Cowhide | Gold  | NA       | Keystone | NA       | NA                              |
| 3100CTH  | 8(M)-11(2XL)  | Grain Cowhide | Gold  | NA       | Keystone | NA       | NA                              |
| CIA3200  | 7(S)-11(2XL)  | Grain Cowhide | Gold  | Aralene® | Keystone | Level A4 | 3                               |



3200PS



3200CTH



3200BS



3200B



## Premium-Grade Cowhide

- Pull strap on wrist

## Cowhide Insulated Driver Style

- Warm Cold Keep® insulation
- Open cuff with elastic back

## Cowhide Grain Palm

- Split cowhide back/grain cowhide palm

## Standard-Grade Grain Leather

- Open cuff with elastic back

| Products | Sizes        | Grade    | Shell         | Color      | Thumb    | Cuff | Insulation | Insulation Amount |
|----------|--------------|----------|---------------|------------|----------|------|------------|-------------------|
| 3200PS   | 7(S)-10(XL)  | Premium  | Grain Cowhide | Beige      | Keystone | Open | NA         | NA                |
| 3200CTH  | 7(S)-11(2XL) | Standard | Grain Cowhide | Beige      | Keystone | Open | Cold Keep® | 140 Grams         |
| 3200BS   | 7(S)-11(2XL) | Standard | Split Cowhide | Beige/Gold | Keystone | Open | NA         | NA                |
| 3200B    | 7(S)-12(3XL) | Standard | Grain Cowhide | Beige      | Keystone | Open | NA         | NA                |

# Leather Drivers



3100SW



## Premium Cowhide Drivers for Spot Welding

- Split cowhide back/grain cowhide palm
- Reinforced palm, thumb and index finger
- Sewn with aramid fiber



3200PP

## Economy Cowhide Patched Palm

- Split leather back
- Multi-piece palm
- Open cuff with elastic back



3200S



3200SRF



3200P

## Split Cowhide Leather

- Open cuff with elastic back

## Split Cowhide Leather

- Red fleece-lined interior
- Cotton binding
- Open cuff with elastic back

## Standard-Grain Leather

- Open cuff with elastic back

| Products | Sizes        | Shell         | Shell Color      | Palm          | Palm Color       | Thumb    |
|----------|--------------|---------------|------------------|---------------|------------------|----------|
| 3100SW   | 7(S)-11(2XL) | Split Cowhide | Golden and White | Grain Cowhide | White and Golden | Wing     |
| 3200PP   | 7(S)-10(XL)  | Split Cowhide | Gray             | Grain Cowhide | Beige            | Keystone |
| 3200S    | 7(S)-11(2XL) | Split Cowhide | Gray             | NA            | NA               | Keystone |
| 3200SRF  | 7(S)-10(XL)  | Split Cowhide | Russet           | NA            | NA               | Keystone |
| 3200P    | 7(S)-11(2XL) | Grain Pigskin | Beige            | NA            | NA               | Keystone |

# Welders



**CR100MTC**



## Premium Cowhide MIG/TIG

- Aralene® (enhanced aramid fiber) cut resistant liner
- Four-inch split leather gauntlet cuff
- Sewn with aramid fiber

Tested to ASTM F2675  
Arc Rating (ATPV) = 35 Cal/cm<sup>2</sup>  
Heat Attenuation Factor (HAF) = 94%  
NFPA 70E Arc-Flash PPE Category: 3



**50MTC**



## Premium Cowhide Fleece Lined Welding

- Split cowhide back/grain cowhide palm
- Sewn with aramid fiber
- Reinforced palm, thumb crotch
- 4-inch gauntlet cuff



**CR1200**



## Premium Split Cowhide

- Heat resistant aramid fiber
- Reinforced thumb crotch
- Welting in vulnerable seams
- Reinforced wing thumb



**100MTC**



**1200**



**1200KB**

## Premium-Grain MIG/TIG

- 4-inch split leather cuff
- Heat resistant aramid fiber
- Wing thumb design

## Premium-Split Leather

- Heat resistant aramid fiber
- Reinforced thumb crotch
- Welting in vulnerable seams

1200 available in left-hand only dozens: 1200-LH

## Premium-Split Leather

- Heat resistant aramid fiber
- Reinforced thumb crotch, wing thumb
- Welting in vulnerable seams

1200KB available in left-hand only dozens: 1200KB-LH

| Products         | Sizes               | Shell         | Liner               | Stitching | Thumb    | Cuff     | ANSI Cut | Arc Rating (ATPV)      | NFPA 70E Arc-Flash PPE Category |
|------------------|---------------------|---------------|---------------------|-----------|----------|----------|----------|------------------------|---------------------------------|
| <b>CR100MTC</b>  | 7(S)-10(XL)         | Grain Cowhide | Aralene®            | Aramid    | Wing     | Gauntlet | Level A4 | 35 Cal/cm <sup>2</sup> | 3                               |
| <b>50MTC</b>     | 7(S)-11(2XL)        | Split Cowhide | NA                  | Aramid    | Keystone | Gauntlet | NA       | NA                     | NA                              |
| <b>CR1200</b>    | 7(S), 9(L)          | Split Cowhide | Aralene®            | Aramid    | Wing     | Gauntlet | Level A4 | NA                     | NA                              |
| <b>100MTC</b>    | 7(S)-10(XL)         | Grain Cowhide | NA                  | Aramid    | Wing     | Gauntlet | NA       | NA                     | NA                              |
| <b>1200</b>      | 9(L)                | Split Cowhide | Thermal-Knit Cotton | Aramid    | Wing     | Gauntlet | NA       | NA                     | NA                              |
| <b>1200-LH</b>   | Left Hand Only 9(L) | Split Cowhide | Thermal-Knit Cotton | Aramid    | Wing     | Gauntlet | NA       | NA                     | NA                              |
| <b>1200KB</b>    | 9(L)                | Split Cowhide | Thermal-Knit Cotton | Aramid    | Wing     | Gauntlet | NA       | NA                     | NA                              |
| <b>1200KB-LH</b> | Left Hand Only 9(L) | Split Cowhide | Thermal-Knit Cotton | Aramid    | Wing     | Gauntlet | NA       | NA                     | NA                              |

# Welders and High-Visibility



100MTG



CR100MTG



CIA200MTG



## Premium-Grain MIG/TIG

- Heat resistant aramid fiber



1200GE



1200E



3200WH

## Premium-Grade Cowhide

- Warning on back of hand



2300HVDP

## Economy Split Cowhide Palm

- Safety cuff protects wrists

## Economy Split Leather

- Welting in vulnerable seams
- Wing thumb design

| Products  | Sizes        | Shell                  | Thumb    | Cuff              | ANSI Cut | Arc Rating (ATPV)      | EN 388 Levels |
|-----------|--------------|------------------------|----------|-------------------|----------|------------------------|---------------|
| 100MTG    | 8(M)-10(XL)  | Grain Goatskin         | Wing     | Gauntlet          | NA       | NA                     | NA            |
| CR100MTG  | 7(S)-11(2XL) | Grain Goatskin         | Keystone | Gauntlet          | Level A5 | 46 Cal/cm <sup>2</sup> | 3X23E         |
| CIA200MTG | 8(M)-11(2XL) | Grain Goatskin         | Straight | Gauntlet          | Level A8 | 35 Cal/cm <sup>2</sup> | 3X43F         |
| 1200E     | One Size     | Shoulder Split Cowhide | Wing     | Gauntlet          | NA       | NA                     | NA            |
| 1200GE    | One Size     | Shoulder Split Cowhide | Wing     | Gauntlet          | NA       | NA                     | NA            |
| 3200WH    | 7(S)-11(2XL) | Grain Cowhide          | Keystone | Open              | NA       | NA                     | NA            |
| 2300HVDP  | 9(L)         | Cotton                 | Wing     | Rubberized Safety | NA       | NA                     | NA            |

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

# High-Visibility



2900HVDC



3100GHV



1100GHV



## Premium Insulated Leather Palm

- Warm Cold Keep® insulation
- Waterproof bladder inside
- 3M™ Scotchlite™ reflective
- Knit wrist and safety cuff

## Premium HV Leather Palm

- Reflective prismatic knuckle band
- High-visibility mesh back of hand

## Premium HV Leather Palm

- Reflective prismatic knuckle band
- Gunn cut pattern construction

| Products | Sizes        | Shell          | Shell Color                  | Palm           | Insulation | Insulation Amount | Reflective                          | Thumb    | Cuff               |
|----------|--------------|----------------|------------------------------|----------------|------------|-------------------|-------------------------------------|----------|--------------------|
| 2900HVDC | 7(S)-9(L)    | Nylon          | High-Visibility Yellow/Green | Grain Pigskin  | Cold Keep® | 140 Grams         | 3M™ Scotchlite™ Reflective Material | Wing     | Safety, Knit Wrist |
| 3100GHV  | 8(M)-11(2XL) | Mesh Polyester | High-Visibility Yellow/Green | Grain Goatskin | NA         | NA                | Prismatic                           | Keystone | Open               |
| 1100GHV  | 9(L)-10(XL)  | Nylon          | High-Visibility Yellow/Green | Grain Goatskin | NA         | NA                | Prismatic                           | Wing     | Safety             |



2950HV



2950HVKW



2180HV



## HV Insulated Leather Palm

- 3M™ Scotchlite™ reflective
- Warm Cold Keep® insulation
- Lightweight nylon shell

## HV Insulated Leather Palm

- 3M™ Scotchlite™ reflective
- Warm Cold Keep® insulation
- Lightweight nylon shell

## Economy HV Split Leather Palm

- Breathable nylon back of hand
- Yellow reflective knuckle stripe
- Leather extends over fingertips

| Products | Sizes        | Shell | Shell Color          | Palm          | Insulation | Insulation Amount | Reflective                          | Thumb | Cuff              |
|----------|--------------|-------|----------------------|---------------|------------|-------------------|-------------------------------------|-------|-------------------|
| 2950HV   | 8(M)-11(2XL) | Nylon | HV Orange            | Grain Cowhide | Cold Keep® | 140 Grams         | 3M™ Scotchlite™ Reflective Material | Wing  | Safety            |
| 2950HVKW | 7(S)-11(2XL) | Nylon | HV Orange and Yellow | Cowhide       | Cold Keep® | 140 Grams         | 3M™ Scotchlite™ Reflective Material | Wing  | Knit Wrist        |
| 2180HV   | One-Size     | Nylon | HV Orange            | Split Cowhide | NA         | NA                | Prismatic                           | Wing  | Rubberized Safety |

# Tough Protection for Tough Jobs



# Cowhide Leather Palm



2000DP



2000

## Top-of-the-Line Premium Double Tanned, Leather Palm

### Top-of-the-Line Premium Double Tanned, Double Leather Palm

- Double split cowhide leather palm
- 1.9 mm side select split leather
- Sewn with aramid fiber
- 9-oz canvas back
- EN 388 Levels: 4234
- EN 407 Contact Heat Level 3

- 1.9 mm side select split leather

- Sewn with aramid fiber

- 9-oz canvas back

- EN 388 Levels: 4134

- EN 407 Contact Heat Level 1



1900



2190



2190DP



2120



### Premium-Grain Leather Palm

- 7-oz cotton back

### Side Select Split Leather Palm

- 8-oz canvas back
- Double-layered duck cuff

### Premium Split Leather Double Palm

- 8-oz canvas back
- Double-layered duck cuff

### Premium Split Leather Palm

- 8-oz cotton back

| Products | Sizes        | Shell  | Shell Color            | Palm          | Stitching | Thumb | Cuff                 |
|----------|--------------|--------|------------------------|---------------|-----------|-------|----------------------|
| 2000DP   | One Size     | Canvas | Beige                  | Split Cowhide | Aramid    | Wing  | Rubberized Safety    |
| 2000     | One Size     | Canvas | Beige                  | Split Cowhide | Aramid    | Wing  | Rubberized Safety    |
| 1900     | 7(S)-10(XL)  | Cotton | Blue and Yellow        | Grain Cowhide | NA        | Wing  | Rubberized Safety    |
| 2190     | 7(S)-11(2XL) | Canvas | Yellow                 | Split Cowhide | NA        | Wing  | Washable Duck Safety |
| 2190DP   | 9(L)         | Canvas | Yellow                 | Split Cowhide | NA        | Wing  | Washable Duck Safety |
| 2120     | 9(L)-10(XL)  | Cotton | Blue, Yellow and Black | Split Cowhide | NA        | Wing  | Rubberized Safety    |



2100GCDP



#### Premium Split Double Palm

- 9-oz canvas back
- Washable duck gauntlet cuff
- Sewn with DuPont™ Kevlar® fiber



CR2100



#### Premium Split CowhideSewn with aramid fiber

- Washable dual layer duck cuff
- 9-oz canvas back
- Cut resistant liner



2100



2100GC



2100FGC



#### Premium Split Palm

- 1.8 mm cowhide leather
- Sewn with aramid fiber
- 9-oz canvas back

#### Premium Split Leather Palm

- 9-oz canvas back
- Sewn with DuPont™ Kevlar® fiber
- Washable duck cuff

#### Premium Split Leather

- Full leather hand
- Sewn with DuPont™ Kevlar® fiber

| Products | Sizes        | Shell         | Palm          | Liner    | Cuff                                | ANSI Cut |
|----------|--------------|---------------|---------------|----------|-------------------------------------|----------|
| 2100GCDP | 10(XL)       | Canvas        | Split Cowhide | NA       | Washable Double Layer Duck Gauntlet | NA       |
| CR2100   | 8(M)-10(XL)  | Canvas        | Split Cowhide | Aralene® | Washable Double Layer Duck Safety   | Level A4 |
| 2100     | 7(S)-11(2XL) | Canvas        | Split Cowhide | NA       | Washable Double Layer Duck Safety   | NA       |
| 2100GC   | 9(L)         | Canvas        | Split Cowhide | NA       | Washable Double Layer Duck Gauntlet | NA       |
| 2100FGC  | 9(L)         | Split Cowhide | Split Cowhide | NA       | Washable Double Layer Duck Gauntlet | NA       |

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

# Leather Palm



DOUBLE PALM  
WASHABLE  
SAFETY CUFF

2250GCDP

## Double Split Leather Palm

- 8-oz canvas back
- Double-layered duck cuff

### Leather Split Palm

- 8-oz canvas back
- Double-layered duck cuff



DOUBLE  
PALM  
WASHABLE  
SAFETY  
CUFF

2250DP



WASHABLE  
SAFETY  
CUFF

2250FC

## Double Split Leather Palm

- 8-oz canvas back
- Double-layered duck cuff

## Full Split Leather Hand

- Full leather hand
- Double-layered duck cuff

| Products | Sizes         | Shell         | Palm                 | Thumb | Cuff                   |
|----------|---------------|---------------|----------------------|-------|------------------------|
| 2250     | 7(S)-10(XL)   | 8 oz. Canvas  | Split Cowhide        | Wing  | Washable Duck Safety   |
| 2250GCDP | 10(XL)        | 8 oz. Canvas  | Split Cowhide        | Wing  | Washable Duck Gauntlet |
| 2250DP   | 9(L)-10(XL)   | 8 oz. Canvas  | Double Split Cowhide | Wing  | Washable Duck Safety   |
| 2250FC   | 9(L), 11(2XL) | Split Cowhide | Split Cowhide        | Wing  | Washable Duck Safety   |



### Economy Split Leather Palm

- 7-oz cotton back

Also available hang-tagged: 2300-LT

### Economy Lined Split Leather Palm

- 4.5 inch gauntlet cuff
- Heavy inner lining

### Economy Double Split Leather Palm

- Wing thumb



### Economy Split Leather Palm

- 7-oz canvas back
- Clute cut style

### Economy Split Leather Palm

- 7-oz canvas back
- Reinforced leather knuckle strap

### Economy Split Leather Palm

- 7-oz canvas back
- Patched split leather palm

| Products | Sizes              | Shell  | Shell Color            | Palm          | Thumb | Cuff                |
|----------|--------------------|--------|------------------------|---------------|-------|---------------------|
| 2300     | 7(S)-11(2XL)       | Cotton | Blue/Red/Black Stripes | Split Cowhide | Wing  | Rubberized Safety   |
| 2300-LT  | 9(L)               | Cotton | Blue/Red/Black Stripes | Split Cowhide | Wing  | Rubberized Safety   |
| 2300GC   | 7(S), 9(L)-11(2XL) | Cotton | Blue/Red/Black Stripes | Split Cowhide | Wing  | Rubberized Gauntlet |
| 2300DP   | 7(S), 9(L), 10(XL) | Cotton | Blue/Red/Black Stripes | Split Cowhide | Wing  | Rubberized Safety   |
| 2300KW   | 7(S), 9(L)         | Canvas | Beige                  | Split Cowhide | Wing  | Knit Wrist          |
| 2300WC   | 9(L)               | Canvas | Beige                  | Split Cowhide | Wing  | Washable Duck       |
| 2350PP   | 9(L)               | Cotton | Blue/Red/Black Stripes | Split Cowhide | Wing  | Starched Safety     |

# Terrycloth



TG1350



T1350



T36

## Gray Heavyweight

- Loop-out terrycloth
- Protects against intermittent heat contact

## Ambidextrous Heavyweight

- Loop-out terrycloth
- Protects against intermittent heat contact

## Extra Heavyweight

- Long gauntlet cuff
- 100% cotton shell



T1250D2



T800HC



S687

## Dotted Terrycloth

- Dotted on both sides
- Loop-in terrycloth


## Non-Slip PVC Pattern

- Heavyweight brushed acrylic
- Honeycomb pattern on both sides

## Herringbone PVC Patterned

- 16 oz brushed acrylic shell
- Generous sizing with long knit wrist

| Products | Sizes          | Shell              | Weight     | Cuff          | Pattern       | Dotted    |
|----------|----------------|--------------------|------------|---------------|---------------|-----------|
| TG1350   | Men's, Women's | Terrycloth         | 1350 Grams | Knit Wrist    | NA            | NA        |
| T1350    | Men's, Women's | Terrycloth         | 1350 Grams | Knit Wrist    | NA            | NA        |
| T36      | Men's          | Terrycloth         | 36 oz      | 6 in Gauntlet | NA            | NA        |
| T1250D2  | 8(M)-9(L)      | Terrycloth         | 1200 Grams | Knit Wrist    | NA            | Two Sides |
| T800HC   | 8(M)-9(L)      | Acrylic Terrycloth | 7-Gauge    | Knit Wrist    | PVC Honeycomb | NA        |
| S687     | 8(M)-10(XL)    | Acrylic Terrycloth | 7-Gauge    | Knit Wrist    | Herringbone   | NA        |



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Cotton, String Knits**

# Cotton Hot Mill and Jersey



Also available  
hang-tagged:  
C10BJR-LT

| Product   | Sizes                 | Shell                     | Style                    | Weight | Lining | Thumb    | Cuff            |
|-----------|-----------------------|---------------------------|--------------------------|--------|--------|----------|-----------------|
| C24GC     | Men's                 | Cotton/Polyester          | Clute Cut                | 24 oz  | NA     | Straight | PE Gauntlet     |
| C26HV     | Men's                 | Two-Ply Cotton            | Clute Cut                | 26 oz  | NA     | Wing     | Band Top        |
| C26WBT    | Men's                 | Two-Ply Cotton            | Clute Cut                | 26 oz  | NA     | Wing     | Band Top        |
| C30BT     | Men's                 | Three-Ply Cotton          | Clute Cut                | 30 oz  | Burlap | Wing     | Band Top        |
| 4195NB2   | 7(S), 9(L)            | Two-Ply Cotton            | Hot Mill                 | NA     | NA     | NA       | Open Knit Wrist |
| C18BT     | One Size              | Hot Mill Cotton/Polyester | Clute Cut                | 18 oz  | NA     | Straight | Band Top        |
| C70BJ     | Men's, Women's        | Cotton/Polyester          | Clute Cut                | 7 oz   | NA     | Straight | Knit Wrist      |
| C80BJC    | One Size              | 100% Cotton               | Clute Cut                | 8 oz   | NA     | Straight | Knit Wrist      |
| C80RJ     | Men's, Women's        | Cotton/Polyester          | Reversible Jersey Gloves | 8 oz   | NA     | Wing     | Knit Wrist      |
| C90BJ     | Men's, Women's, Jumbo | Cotton/Polyester          | Clute Cut                | 9 oz   | NA     | Straight | Knit Wrist      |
| C10BJINT  | 8(M)-10(XL)           | Jersey                    | Clute Cut                | 10 oz  | Foam   | Straight | Knit Wrist      |
| C10BJR    | One Size              | Polyester/Cotton          | Gunn Cut                 | 10 oz  | NA     | Straight | Open            |
| C10BJR-LT | One Size              | Polyester/Cotton          | Gunn Cut                 | 10 oz  | Fleece | Straight | Open            |

# Cotton and Canvas Gloves



| Product  | Sizes             | Shell                   | Weight            | Style     | Thumb    | Cuff       | Pattern    |
|----------|-------------------|-------------------------|-------------------|-----------|----------|------------|------------|
| C120D1   | 9(L)              | Cotton Canvas           | 12 oz             | Clute Cut | Wing     | Knit Wrist | PVC Dotted |
| C80D1    | One Size          | Cotton/Polyester Canvas | 8 oz              | Clute Cut | Wing     | Knit Wrist | PVC Dotted |
| C110     | Men's             | Cotton/Polyester Canvas | 10 oz             | Clute Cut | Wing     | Knit Wrist | NA         |
| C120     | 9(L)              | Cotton/Polyester Canvas | 12 oz             | Clute Cut | Wing     | Knit Wrist | NA         |
| C80      | Men's, Women's    | Cotton/Polyester Canvas | 8 oz              | Clute Cut | Wing     | Knit Wrist | NA         |
| C16Y     | One Size          | Two-Ply Cotton Chore    | 14.5 oz           | Clute Cut | Straight | Knit Wrist | NA         |
| C16Y-TL  | One Size          | Two-Ply Cotton Chore    | 14.5 oz           | Clute Cut | Straight | Knit Wrist | NA         |
| C18C     | 9(L)              | Cotton                  | 18 oz             | Clute Cut | Straight | Knit Wrist | NA         |
| C18DP    | 9(L)              | Cotton/Polyester        | 18 oz             | Clute Cut | Straight | Knit Wrist | NA         |
| C18G     | Men's, Jumbo      | Cotton Chore            | 18 oz Heavyweight | Clute Cut | Straight | Knit Wrist | NA         |
| C18GRC   | 9(L)              | Cotton                  | 18 oz             | Clute Cut | Straight | Knit Wrist | NA         |
| C18GRCPB | One Size          | Cotton/Polyester        | 18 oz             | Clute Cut | Straight | Knit Wrist | NA         |
| C18OC    | 7(S), 9(L)-10(XL) | Cotton                  | 18 oz             | Clute Cut | Straight | Knit Wrist | NA         |
| C18OPCB  | One Size          | Cotton/Polyester        | 18 oz             | Clute Cut | Wing     | Knit Wrist | NA         |
| C18PCR   | One Size          | Cotton/Polyester        | 18 oz             | Clute Cut | Straight | Knit Wrist | NA         |

# Glove Liners, Nylon, Lisle and String Knits



NB960



L100PC



S13T



N900



S13WT



N960



S98G



L114



L100



S92K



S90BW



S120C

| Product       | Sizes          | Shell                | Shell Color    | Gauge    | Weight      | Length   |
|---------------|----------------|----------------------|----------------|----------|-------------|----------|
| <b>NB960</b>  | 7(S)-10(XL)    | 100% Nylon           | Black          | 7-Gauge  | Heavyweight | Wrist    |
| <b>L100PC</b> | Men's, Women's | Polyester and Cotton | Bleached White | 20-Gauge | NA          | NA       |
| <b>S13T</b>   | One Size       | Hollow Core Thermal  | Navy Blue      | 13-Gauge | NA          | Wrist    |
| <b>S13WT</b>  | One Size       | Hollow Core Thermal  | White          | 13-Gauge | NA          | Wrist    |
| <b>N960</b>   | 7(S)-9(L)      | Knit Nylon           | White          | 7-Gauge  | Heavyweight | Wrist    |
| <b>N900</b>   | 7(S)-11(2XL)   | Low Lint Nylon       | White          | 13-Gauge | NA          | Wrist    |
| <b>L100</b>   | Men's, Women's | Lisle Cotton         | Bleached White | 20-Gauge | Lightweight | Wrist    |
| <b>L114</b>   | One Size       | Lisle Cotton         | Bleached White | 20-Gauge | Lightweight | 14 in.   |
| <b>S120C</b>  | One Size       | Cotton               | Natural        | 7-Gauge  | 1200 Grams  | 11.5 in. |
| <b>S98G</b>   | Men's, Women's | Polyester/Cotton     | Gray           | 7-Gauge  | 1000 Grams  | Wrist    |
| <b>S92K</b>   | 7(S), 9(L)     | Polyester/Cotton     | Gray and Black | 7-Gauge  | 1000 Grams  | Wrist    |
| <b>S90BW</b>  | Men's, Women's | Polyester/Cotton     | Bleached White | 7-Gauge  | 900 Grams   | Wrist    |

# String Knits



S13RB



S13



S52NFD1



S51



IP3DB



S55D1



S55G



S400



S60



S60SKD



S55



S65D2BW



S65D2



S55D2



S66BB



S65BW

| Product | Sizes                 | Shell              | Shell Color    | Gauge    | Weight           | Dotted        | Pattern  |
|---------|-----------------------|--------------------|----------------|----------|------------------|---------------|----------|
| IP3DB   | 7(S), 9(L)            | Acrylic            | Black          | 10-Gauge | NA               | Silicone      | NA       |
| S13     | Men's, Women's        | Polyester/Cotton   | Natural        | 13-Gauge | NA               | No            | NA       |
| S13RB   | 7(S)-10(XL)           | Cotton and Spandex | Blue and White | 13-Gauge | NA               | No            | Striped  |
| S400    | Men's, Women's        | Polyester/Cotton   | Natural        | 10-Gauge | 400 Grams        | No            | NA       |
| S51     | One Size              | Polyester/Cotton   | Gray and Black | 7-Gauge  | 500 Grams        | No            | Striped  |
| S52NFD1 | One Size              | Polyester/Cotton   | Natural        | 7-Gauge  | 520 Grams        | PVC           | NA       |
| S55     | Men's, Women's        | Polyester/Cotton   | Natural        | 7-Gauge  | 550 Grams        | No            | NA       |
| S55G    | 6(XS), Women's, Men's | Polyester/Cotton   | Gray           | 7-Gauge  | 550 Grams        | No            | NA       |
| S55D1   | Men's, Women's        | Polyester/Cotton   | Natural        | 7-Gauge  | 550 Grams        | PVC           | NA       |
| S55D2   | Men's, Women's        | Polyester/Cotton   | Natural        | 7-Gauge  | 550 Grams        | Two Sides PVC | NA       |
| S60     | 7(S)-9(L)             | Polyester/Cotton   | Natural        | 7-Gauge  | Medium/600 Grams | No            | NA       |
| S60SKD  | One Size              | Polyester/Cotton   | Black          | 7-Gauge  | 600 Grams        | PVC           | Skeleton |
| S65BW   | Men's, Women's        | Polyester/Cotton   | Bleached White | 7-Gauge  | 650 Grams        | No            | NA       |
| S65D2BW | Men's, Women's        | Polyester/Cotton   | Bleached White | 7-Gauge  | 650 Grams        | Two Sides PVC | NA       |
| S65D2   | Men's, Women's        | Polyester/Cotton   | Gray           | 7-Gauge  | 650 Grams        | Two Sides PVC | NA       |
| S66BB   | One Size              | Polyester/Cotton   | Natural        | 7-Gauge  | 650 Grams        | Two Sides PVC | Brick    |



INDUSTRIAL DISTRIBUIDORA

**NANSA**

[industrialnansa.com.mx](http://industrialnansa.com.mx)

String Knits 103

# Vend-Pack Gloves

- Individual pairs packaged
- Barcode on each pair
- Most come 6 dz/box
- 12 Dz/box - PUG-17 & PUG-88

Sold and Packaged by the Dozen



## Available In The Following Styles



Cut, Puncture Resistant  
**CR609-VP**



Electrostatic Compliant  
**PUG-17-VP**



PU Coated Cut Resistant  
**PUG-88-VP**



13-Gauge HPPE  
**PUG-111-VP**




Mach Finish Nitrile Dipped  
**500G-VP**




Flexible Rubber Palm  
**300-VP**



| Products   | Sizes         | Shell     | Shell Color     | Gauge    | Coating      | Finish      | ANSI Cut                                 | EN 388 Levels |
|------------|---------------|-----------|-----------------|----------|--------------|-------------|--|---------------|
| CR609-VP   | 7(S)-11(2XL)  | Aralene®  | Yellow/Black    | 13-Gauge | Nitrile      | Foam        | Level A4                                 | 4X21D         |
| PUG-17-VP  | 6(XS)-11(2XL) | Nylon     | Black           | 13-Gauge | Polyurethane | Smooth      | Level A1                                 | 4131X         |
| PUG-88-VP  | 7(S)-11(2XL)  | Aramid    | Yellow          | 13-Gauge | Polyurethane | Smooth      | Level A2                                 | 4X42B         |
| PUG-111-VP | 6(XS)-11(2XL) | HPPE      | Salt-and-Pepper | 13-Gauge | Polyurethane | Smooth      | Level A2                                 | 3242X         |
| 500G-VP    | 7(S)-11(2XL)  | Nylon     | Gray            | 13-Gauge | Nitrile      | Mach Finish | Level A1                                 | 3131X         |
| 300-VP     | 7(S)-10(XL)   | Polyester | Gray            | 10-Gauge | Rubber       | Etched      | Palm = Level A2, Back of Hand = Level A1 | 2143X         |




ZB1



Z2



ZB5



Z6

### Utility Clip with Belt Attachment

- Easy breakaway feature
- Nonconductive
- Sold in packs of ten
- Available in yellow/green and orange

### Dual-End Utility Clip

- Nonconductive
- Easy breakaway feature
- Sold in packs of ten
- Available in yellow/green and orange

### Multi-Use Utility Clip

- Dielectric/nonconductive
- Easy breakaway feature
- Wall mountable
- Sold in packs of ten
- Available in yellow/green, orange, and black

### Dual Large/Small Multi-Use Utility Clip

- Dielectric/nonconductive
- Easy breakaway feature
- Sold in packs of ten
- Available in yellow/green, orange, and black



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Sleeves**



## TuffKut Cut Resistant Sleeves

TuffKut fiber sleeves feature a revolutionary duracore spinning process and silicon reinforced fiber with exceptionally high cut resistance and impressive dexterity. Component materials meet FDA regulations for food contact.



TKHV14SL



TAK14SLT



TAK16SL



TAK18SLT



TKHV18SLT



TAK18ADJSL



TKHV19W



TAK24SLT



TAK24SLGT



| Product    | Material            | Length | Adjustable | Thumb Slot | ANSI Cut |
|------------|---------------------|--------|------------|------------|----------|
| TKHV14SL   | Heavyweight TuffKut | 14 in  | No         | No         | Level A6 |
| TAK14SLT   | Heavyweight TuffKut | 14 in  | No         | Yes        | Level A6 |
| TAK16SL    | Heavyweight TuffKut | 16 in  | No         | No         | Level A6 |
| TAK18SLT   | Heavyweight TuffKut | 18 in  | No         | Yes        | Level A6 |
| TKHV18SLT  | Heavyweight TuffKut | 18 in  | No         | Yes        | Level A6 |
| TAK18ADJSL | Heavyweight TuffKut | 18 in  | Yes        | No         | Level A6 |
| TKHV19W    | Heavyweight TuffKut | 19 in  | Yes        | No         | Level A4 |
| TAK24SLT   | Heavyweight TuffKut | 24 in  | No         | Yes        | Level A6 |
| TAK24SLGT  | Heavyweight TuffKut | 24 in  | No         | Yes        | Level A6 |

# Sleeves



K18SL

• Made with DuPont™ Kevlar® fiber



K18SLT

• Made with DuPont™ Kevlar® fiber

Made with  
**Tuffalene®**  
PLATINUM



S318SL



S318SLT

Made with  
**Tuffalene®**  
CUT RESISTANT FIBRE



CR336G-S21C



CR336-S10



S21TC



A18D

| Product     | Material                   | Length | Thumb Slot | Flared Forearm | ANSI Cut | ANSI Abrasion | ANSI Puncture | Puncture Results |
|-------------|----------------------------|--------|------------|----------------|----------|---------------|---------------|------------------|
| K10SL       | Aramid                     | 10 in. | No         | No             | Level A3 | NA            | NA            | NA               |
| K10SLT      | Aramid                     | 10 in. | Yes        | No             | Level A3 | NA            | NA            | NA               |
| K14SL       | Aramid                     | 14 in. | No         | No             | Level A3 | NA            | NA            | NA               |
| K14SLT      | Aramid                     | 14 in. | Yes        | No             | Level A3 | NA            | NA            | NA               |
| K16SL       | Aramid                     | 16 in. | No         | No             | Level A3 | NA            | NA            | NA               |
| K18SL       | Aramid                     | 18 in. | No         | No             | Level A3 | NA            | NA            | NA               |
| K18SLT      | Aramid                     | 18 in. | Yes        | No             | Level A3 | NA            | NA            | NA               |
| K18FSLT     | Aramid                     | 18 in. | Yes        | Yes            | Level A3 | NA            | NA            | NA               |
| K24SLT      | Aramid                     | 24 in. | Yes        | No             | Level A3 | NA            | NA            | NA               |
| S318SL      | Tuffalene® Platinum UHMWPE | 18 in. | No         | NA             | Level A4 | Level 6       | Level 3       | 73 Newtons       |
| S318SLT     | Tuffalene® Platinum UHMWPE | 18 in. | Yes        | NA             | Level A4 | Level 6       | Level 3       | 73 Newtons       |
| S314SLT     | Tuffalene® Platinum UHMWPE | 14 in. | Yes        | NA             | Level A4 | Level 6       | Level 3       | 73 Newtons       |
| S324SLT     | Tuffalene® Platinum UHMWPE | 24 in. | Yes        | NA             | Level A4 | Level 6       | Level 3       | 73 Newtons       |
| CR336G-S21C | Tuffalene® UHMWPE          | 21 in. | NA         | NA             | Level A6 | NA            | NA            | NA               |
| CR336-S10   | Tuffalene® UHMWPE          | 10 in. | NA         | NA             | Level A6 | NA            | NA            | NA               |
| S21TC       | Terry Cloth                | 21 in. | NA         | NA             | NA       | NA            | NA            | NA               |
| A18D        | Denim                      | 18 in. | NA         | NA             | NA       | NA            | NA            | NA               |

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.




# Bullhead Safety™ Head Protection - Accessories



## HH-V - Protective Face Shields

- Meets ANSI Z87.1-2020 standards



## HH-AB - Aluminum Bracket Accessories

- Accommodates a variety of face shields
- Pivoting action
- Meets ANSI Z87.1-2020 standards




## HH-PB - Plastic Bracket Accessories

- Accommodates a variety of face shields
- Pivoting action
- Meets ANSI Z87.1-2020 standards



## Browguard With Ratchet Adjustment

- Accommodates a variety of face shields
- Pivoting action
- Meets ANSI Z87.1-2020 standards



## HH-A - Replacement Parts and Chin Straps

| Products | Material                 | Color                    | Style                           | Fits Hard Hat Style:               | Adjustable | Thickness | Meets ANSI Z87.1-2020 Standards |
|----------|--------------------------|--------------------------|---------------------------------|------------------------------------|------------|-----------|---------------------------------|
| HH-A1    | NA                       | Black and White          | Ratchet Suspension Replacement  | Cap Style and Full Brim            | Yes        | NA        | NA                              |
| HH-A2    | NA                       | Black                    | Sweatband Replacement           | Cap Style and Full Brim            | NA         | NA        | NA                              |
| HH-A4    | NA                       | Black                    | Two-Point Chin Strap            | Cap Style, Bump Cap, and Full Brim | Yes        | NA        | NA                              |
| HH-A5    | NA                       | Black                    | Four-Point Chin Strap           | Cap Style and Full Brim            | Yes        | NA        | NA                              |
| HH-A6    | NA                       | Black                    | Chinstrap Replacement           | Climbing Helmets                   | Yes        | NA        | NA                              |
| HH-A7    | Microfiber/Velvet/Foam   | Black                    | Replacement Suspension Padding  | Climbing Helmets                   | NA         | NA        | NA                              |
| HH-AB1   | Aluminum                 | Silver                   | Bracket Accessory for Hard Hats | Cap Style                          | NA         | NA        | Yes                             |
| HH-AB2   | Aluminum                 | Silver                   | Bracket Accessory for Hard Hat  | Cap Style and Full Brim            | NA         | NA        | Yes                             |
| HH-BG1   | Durable Nylon            | Black                    | Browguard with Adjustment       | NA                                 | Yes        | NA        | Yes                             |
| HH-LED1  | NA                       | Silver with White Lights | LED Light Band                  | Cap Style and Full Brim            | Yes        | NA        | NA                              |
| HH-PB1   | Durable Nylon            | Black                    | Bracket Accessory               | Cap Style                          | NA         | NA        | Yes                             |
| HH-PB2   | Durable Nylon            | Black                    | Bracket Accessory               | Cap Style and Full Brim            | NA         | NA        | Yes                             |
| HH-V1    | Polycarbonate            | Clear                    | Face Shield                     | Cap Style and Full Brim            | NA         | 1 mm      | Yes                             |
| HH-V2    | Aluminized Polycarbonate | Clear                    | Face Shield                     | Cap Style and Full Brim            | NA         | 1 mm      | Yes                             |
| HH-V3    | Wire Mesh                | Black                    | Mesh Face Shield                | Cap Style and Full Brim            | NA         | NA        | Yes                             |
| HH-V4    | Cylinder Polycarbonate   | Clear                    | Face Shield                     | Cap Style and Full Brim            | NA         | 2 mm      | Yes                             |
| HH-V5    | Toric Polycarbonate      | Clear                    | Face Shield                     | Cap Style and Full Brim            | NA         | 2 mm      | Yes                             |
| HH-V6    | PETG                     | Clear                    | Face Shield                     | Cap Style and Full Brim            | NA         | 0.04 in   | Yes                             |
| HH-V71AF | Polycarbonate            | Clear Anti-Fog           | Visor                           | Climbing Helmet                    | NA         | 2 mm      | Yes                             |
| HH-V73AF | Polycarbonate            | Smoke Anti-Fog           | Visor                           | Climbing Helmet                    | NA         | 2 mm      | Yes                             |

# Bullhead Safety™ Head Protection - Hard Hats



HH-C1

HH-C3

HH-C2

## Cap Style Hard Hat

- Lightweight, low profile, and reversible
- Proprietary Gripster™ dots under brim
- Accessory slots
- Fits 2-point and 4-point chin straps
- Fits hat sizes 6.5 to 8
- See below for available colors

## HH-C1 - Unvented, Slide Lock Suspension

- Compliance: ANSI Z89.1-2014, Type 1, Class C

## HH-C2 - Unvented, Ratchet Suspension

- Compliance: ANSI Z89.1-2014, Type 1, Class C

## HH-C3 - Vented, Ratchet Suspension

- Compliance: ANSI Z89.1-2014, Type 1, Class C



HH-CH1



HH-F1

## Unvented Full Brim Hard Hat

- Lightweight low profile design
- Proprietary Gripster™ dots under brim
- Pre-assembled, pivoting 6-point suspension with adjustable ratchet and brow pad
- Fits 2-point and 4-point chin straps
- Compliance: ANSI Z89.1-2014, Type 1, Class E
- Available in yellow, white, matte black graphite, blue, and high-visibility yellow/green



## Baseball Style Bump Cap

- Soft inner foam cushion
- Removable, vented inner shell
- Washable outer shell
- Available in high-visibility yellow/green, black and navy blue




HH-H1



## Vented Bump Cap With Four-Point Slide Lock Suspension

- |  |                                    |
|--|------------------------------------|
| • Lightweight polyethylene shell                       | • Ventilation holes                |
| • Pre-assembled slide lock suspension with two-point a | • Replaceable sweatband            |
| • chin strap   | • Fits hat sizes 6.5 to 8          |
|  | • Available in white, yellow, blue |



HH-BC1

| Products | Material     | Color                        | Suspension            | Vented | Products  | Material     | Color                                   | Suspension          | Vented |
|----------|--------------|------------------------------|-----------------------|--------|-----------|--------------|---|---------------------|--------|
| HH-BC1-B | Polyethylene | Blue                         | Four-Point Slide Lock | Yes    | HH-C3-B   | HPPE         | Blue                                    | Six-Point Ratchet   | Yes    |
| HH-BC1-W | Polyethylene | White                        | Four-Point Slide Lock | Yes    | HH-C3-C   | ABS Material | Shiny Black Graphite                    | Six-Point Ratchet   | Yes    |
| HH-BC1-Y | Polyethylene | Yellow                       | Four-Point Slide Lock | Yes    | HH-C3-W   | HPPE         | White                                   | Six-Point Ratchet   | Yes    |
| HH-C1-B  | HPPE         | Blue                         | Six-Point Slide Lock  | No     | HH-C3-Y   | HPPE         | Yellow                                  | Six-Point Ratchet   | Yes    |
| HH-C1-W  | HPPE         | White                        | Six-Point Slide Lock  | No     | HH-CH1-CB | ABS Material | Matte Black Graphite                    | Six-Point Ratchet   | No     |
| HH-C1-Y  | HPPE         | Yellow                       | Six-Point Slide Lock  | No     | HH-CH1-W  | ABS Material | White                                   | Six-Point Ratchet   | No     |
| HH-C2-B  | HPPE         | Blue                         | Six-Point Ratchet     | No     | HH-CH1-Y  | ABS Material | Yellow                                  | Six-Point Ratchet   | No     |
| HH-C2-C  | ABS Material | Matte White Graphite         | Six-Point Ratchet     | No     | HH-CH1-YG | ABS Material | High-Visibility Yellow/Green            | Six-Point Ratchet   | No     |
| HH-C2-G  | HPPE         | Green                        | Six-Point Ratchet     | No     | HH-F1-B   | HPPE         | Blue                                    | Six-Point Ratchet   | No     |
| HH-C2-K  | HPPE         | Black                        | Six-Point Ratchet     | No     | HH-F1-C   | ABS Material | Matte Black Graphite                    | Six-Point Ratchet   | No     |
| HH-C2-O  | HPPE         | Orange                       | Six-Point Ratchet     | No     | HH-F1-W   | HPPE         | White                                   | Six-Point Ratchet   | No     |
| HH-C2-R  | HPPE         | Red                          | Six-Point Ratchet     | No     | HH-F1-Y   | HPPE         | Yellow                                  | Six-Point Ratchet   | No     |
| HH-C2-W  | HPPE         | White                        | Six-Point Ratchet     | No     | HH-F1-YG  | ABS Material | High-Visibility Yellow/Green            | Six-Point Ratchet   | No     |
| HH-C2-Y  | HPPE         | Yellow                       | Six-Point Ratchet     | No     | HH-H1-B   | ABS Material | Navy Blue                               | Hook-and-Loop Strap | Yes    |
| HH-C2-YG | ABS Material | High-Visibility Yellow/Green | Six-Point Ratchet     | No     | HH-H1-K   | ABS Material | Black                                   | Hook-and-Loop Strap | Yes    |
|          |              |                              |                       |        | HH-H1-Y   | ABS Material | High-Visibility Yellow/Green With Black | Hook-and-Loop Strap | Yes    |




INDUSTRIAL DISTRIBUIDORA  
**NANSA**

[industrialnansa.com.mx](http://industrialnansa.com.mx)

# Safety Wear Icons

|   |   |   |
|---|---|---|
|  ANSI Class Level      |  Breathable Mesh     |  Standard Hood     |
|  Self-Wicking Material |  Solid Polyester     |  Detachable Hood   |
|  Convertible           |  Oxford Material     |  Concealed Hood    |
|  Removable Liner       |  Zipper Closure      |  Number of Pockets |
|  Reversible            |  Snaps Closure       |  Tablet Pocket     |
|  Break-Away            |  Hook & Loop Closure |  Adjustable Sizing |
|  Flame Resistant       |   |   |



# Hearing Protection Icons

|   |   |  |
|---|---|--|
|  Disposable Earplugs |  Reusable Earplugs |  NRR Rating     |
|  Corded Earplugs     |  Uncorded Earplugs |  Adjustable Fit |





INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Protective Clothing**



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

FrogWear® HV

# Enhanced Night Visibility with Illuminated Safety Vests

These FrogWear® Safety Vests are equipped with LED lights or photoluminescent trim to keep you safe and visible, even in the dark.

LED lights feature a variety of light pattern options and battery or USB charging options and photoluminescent trim glows in the dark after exposure to light. These vests ensure workers won't be missed in low light conditions.



**LED Mesh Surveyors Vest**

- Front LED lights - white
- Back LED lights - red
- LED lights have 3 light patterns
- 60 hr continuous battery life
- Powered by 3 AA batteries or portable USB charger\*
- Mic holders and D-ring



GLO-315LED



**Mesh LED Vest**

- Prismatic ORALITE® Reflective
- 3 LED light patterns
- 24 hr continuous battery life
- Powered by 2 AA batteries\*
- Contrasting trim



GLO-12LED




**LED Mesh Surveyors Vest**

- Front LED lights - white
- Back LED lights - red
- LED lights have 3 light patterns
- 60 hr continuous battery life
- Powered by 3 AA batteries or portable USB charger\*
- Mic holders and D-ring



GLO-15LED



**Photoluminescent Mesh Vest**

- Photoluminescent trim glows in the dark
- Silver reflective
- Contrasting trim
- Mic holders and D-ring



GLO-077



| Product    | Sizes      | Fabric         | Color           | Contrasting Color | Reflective Material          | Closure | ANSI Class |
|------------|------------|----------------|-----------------|-------------------|------------------------------|---------|------------|
| GLO-315LED | M-5XL      | Mesh Polyester | HV Yellow/Green | HV Orange         | Silver                       | Zipper  | Class 3    |
| GLO-12LED  | M-3XL, 6XL | Mesh Polyester | HV Yellow/Green | HV Orange         | ORALITE® Reflective Material | Zipper  | Class 3    |
| GLO-15LED  | M-5XL      | Mesh Polyester | HV Yellow/Green | HV Orange         | Silver                       | Zipper  | Class 2    |
| GLO-077    | M-7XL      | Mesh Polyester | HV Yellow/Green | HV Orange         | Silver                       | Zipper  | Class 2    |

\*Batteries and/or portable USB charger not included

# Premium Vest Styles

Going the extra mile in comfort, convenience and class.

## Mesh Surveyors Vest

- 3M™ reflective
- Reflective piping on edges
- Mic Tabs and D-Ring
- ID Card holder
- Contrasting trim
- Neck grommets



GLO-067

## Mesh Surveyors Vest

- 3M™ reflective
- Black mesh sides
- Mic Tabs and D-Ring
- Contrasting trim
- Inside tablet/map pocket



GLO-079

## Premium Surveyors Vest

- 3M™ reflective
- Solid front and mesh back
- Neoprene padded neck
- Reinforced closure
- Full length back pocket
- Mic Tabs and D-Ring
- Four grommets
- Contrasting trim
- Black bottom on front
- Inside tablet/map pocket



GLO-099

## Evaporative Cooling Vest

- Proprietary multi-layered cooling polymers
- Silver reflective
- Mic tabs




GLO-CV1

| Product | Sizes  | Color           | Contrasting Color | Reflective              | Closure | ANSI Class |
|---------|--------|-----------------|-------------------|-------------------------|---------|------------|
| GLO-067 | M-5XL  | HV Yellow/Green | HV Orange         | 3M™ Reflective Material | Zipper  | Class 2    |
| GLO-079 | XS-5XL | HV Yellow/Green | HV Orange         | 3M™ Reflective Material | Zipper  | Class 2    |
| GLO-099 | M-6XL  | HV Yellow/Green | HV Orange         | 3M™ Reflective Material | Zipper  | Class 2    |
| GLO-CV1 | M-3XL  | HV Yellow/Green | NA                | Silver                  | Zipper  | Class 2    |

# Surveyor Style Vests

Plenty of pockets and features - this style isn't just for surveyors.




GLO-058

## Mesh Surveyors Vest

- 3M™ reflective
- Mic Tabs and D-Ring
- Neck grommets
- Full length back pocket
- Available in orange and yellow/green



GLO-059



GLO-0037

## Solid and Mesh Surveyors Vest

- 3M™ reflective
- Solid front and mesh back
- Mic Tabs and D-Ring
- Contrasting trim
- Phone closure
- Available in orange, yellow/green, and yellow/green woman's fit



GLO-0047




GLO-0066

## Mesh Surveyors Vest

- Mic tabs
- Contrasting trim
- Available in ANSI Class 2 orange, yellow/green, and red, and enhanced visibility pink



GLO-0035



GLO-003

## Solid and Mesh Surveyors Vest

- 3M™ reflective
- Solid front and mesh back
- Contrasting trim
- Available in orange and yellow/green



GLO-004



| Product   | Sizes      | Color           | Contrasting Color | Reflective              | Closure          | ANSI Class |
|-----------|------------|-----------------|-------------------|-------------------------|------------------|------------|
| GLO-059   | M-4XL      | HV Yellow/Green | NA                | 3M™ Reflective Material | Heavy Duty Snaps | Class 2    |
| GLO-058   | M-3XL      | HV Orange       | NA                | 3M™ Reflective Material | Heavy Duty Snaps | Class 2    |
| GLO-0047  | M-4XL      | HV Orange       | HV Yellow/Green   | 3M™ Reflective Material | Zipper           | Class 2    |
| GLO-0037  | S-5XL      | HV Yellow/Green | HV Orange         | 3M™ Reflective Material | Zipper           | Class 2    |
| GLO-W0037 | S-L        | HV Yellow/Green | HV Orange         | 3M™ Reflective Material | Zipper           | Class 2    |
| GLO-0035  | XS-6XL     | HV Yellow/Green | HV Orange         | Silver                  | Zipper           | Class 2    |
| GLO-0045  | S-5XL      | HV Orange       | HV Yellow/Green   | Silver                  | Zipper           | Class 2    |
| GLO-0055  | M-3XL, 6XL | HV Red          | HV Yellow/Green   | Silver                  | Zipper           | Class 2    |
| GLO-0066  | S-3XL, 6XL | Pink            | Black             | Silver                  | Zipper           | NA         |
| GLO-004   | M-5XL      | HV Orange       | HV Yellow/Green   | 3M™ Reflective Material | Zipper           | Class 2    |
| GLO-003   | S-5XL      | HV Yellow/Green | HV Orange         | 3M™ Reflective Material | Zipper           | Class 2    |



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

[industrialnansa.com.mx](http://industrialnansa.com.mx)

FrogWear® High-Visibility 115



# ANSI Class 3 Vests

Vests with 360° high-visibility. You can't miss them.



GLO-011FR



GLO-011



GLO-11V



## Self-Extinguishing Mesh Vest

- Silver reflective
- Mic tabs
- Self-extinguishing as defined by ASTM D6413\*



GLO-0145



GLO-0135

## Mesh Vest

- Mic tabs
- Silver reflective
- Contrasting trim
- Available in yellow/green and orange



GLO-147

GLO-127



## Solid and Mesh Vest

- 3M™ reflective
- Mic Tabs and D-Ring
- Contrasting trim
- Available in orange and yellow/green

| Product   | Sizes                 | Fabric                   | Color           | Contrasting Color | Reflective              | Closure       | ANSI Class |
|-----------|-----------------------|--------------------------|-----------------|-------------------|-------------------------|---------------|------------|
| GLO-011FR | M-5XL                 | Mesh Polyester           | HV Yellow/Green | NA                | Silver                  | Zipper        | Class 3    |
| GLO-011   | M-5XL                 | Mesh Polyester           | HV Yellow/Green | NA                | Silver                  | Zipper        | Class 3    |
| GLO-11V   | S-M, 2XL-3XL, 4XL-5XL | Mesh Polyester           | HV Yellow/Green | NA                | 3M™ Reflective Material | Hook-and-Loop | Class 3    |
| GLO-0145  | S-5XL                 | Mesh Polyester           | HV Orange       | HV Yellow/Green   | Silver                  | Zipper        | Class 3    |
| GLO-0135  | S-5XL                 | Mesh Polyester           | HV Yellow/Green | HV Orange         | Silver                  | Zipper        | Class 3    |
| GLO-147   | M-5XL                 | Mesh and Solid Polyester | HV Orange       | HV Yellow/Green   | 3M™ Reflective Material | Zipper        | Class 3    |
| GLO-127   | S-6XL                 | Mesh and Solid Polyester | HV Yellow/Green | HV Orange         | 3M™ Reflective Material | Zipper        | Class 3    |

**\*DISCLAIMER:** Self Extinguishing garments are made from material that is not inherently flame retardant, but are chemically treated to become flame resistant. They are NOT designed for use in ARC flash or flash fire applications. When a flame source is removed from the treated material, the material will self-extinguish within a given time frame. The treated material can melt and drip and has a limited life span dependent on washings and what the garment is exposed to. Performance is established using the ASTM D6413 test method.

# ANSI Class 2 Vests

Breakaway, adjustable and more. The right vest for the right job is here.




## Flame-Resistant Surveyors Vest

- Anti-static modacrylic mesh
- FR silver reflective, zipper, and mic tabs
- D-ring opening
- US Patent 9,765,453 B2

Tested to ASTM F1506  
ATPV = 5.1 cal/cm<sup>2</sup>  
NFPA 70E Arc Flash PPE Category: 1



GLO-022FR




GLO-002ADJ

## Mesh Adjustable Vest

- 3M™ Scotchlite™ reflective
- Adjustable sides
- Mic Tabs and D-Ring
- Contrasting trim
- Available in yellow/green and orange



GLO-005ADJ



## Mesh Breakaway Vest

- 3M™ reflective
- 5-point breakaway
- Contrasting trim



GLO-002BA



GLO-049

## Mesh Vest

- 3M™ reflective
- Mic tabs
- Solid black bottom front
- X-back design
- Available in yellow/green and orange



GLO-019



| Product    | Sizes              | Fabric          | Color           | Contrasting Color | Reflective              | Closure       | ANSI Class |
|------------|--------------------|-----------------|-----------------|-------------------|-------------------------|---------------|------------|
| GLO-022FR  | S-4XL              | Modacrylic mesh | HV Yellow/Green | NA                | FR Silver reflective    | FR Zipper     | Class 2    |
| GLO-005ADJ | M-XL, 2XL-4XL      | Mesh Polyester  | HV Orange       | HV Yellow/Green   | 3M™ Scotchlite™         | Zipper        | Class 2    |
| GLO-002ADJ | M-XL, 2XL-4XL      | Mesh Polyester  | HV Yellow/Green | HV Orange         | 3M™ Scotchlite™         | Zipper        | Class 2    |
| GLO-002BA  | S-M, L-XL, 2XL-3XL | Mesh Polyester  | HV Yellow/Green | HV Orange         | 3M™ Reflective Material | Hook-and-Loop | Class 2    |
| GLO-019    | M-3XL, 6XL         | Mesh Polyester  | HV Yellow/Green | NA                | 3M™ Reflective Material | Zipper        | Class 2    |
| GLO-049    | M-3XL, 6XL         | Mesh Polyester  | HV Orange       | NA                | 3M™ Reflective Material | Zipper        | Class 2    |



## Economy Class 2 Vests

Proving that you don't have to break the bank to get the job done right.



GLO-020



GLO-001



GLO-006V

GLO-001VE



### Safety Vest with Camouflage Bottom

- Silver reflective
- Mic tabs
- Solid camouflage bottom



GLO-036




### Mesh Vest

- Silver reflective
- Available in yellow/green and orange



GLO-002



GLO-002V



### Mesh Vest with Black Bottom Front

- Silver reflective
- Mic tabs
- Contrasting trim

### Mesh Vest with Contrasting Trim

- Silver reflective
- Contrasting HV orange trim

### Mesh Vest with Contrasting Trim

- Silver reflective
- Contrasting HV orange trim

| Product   | Sizes                       | Fabric                   | Color                                    | Contrasting Color      | Reflective | Closure       | ANSI Class |
|-----------|-----------------------------|--------------------------|--|------------------------|------------|---------------|------------|
| GLO-020   | M-3XL, 6XL                  | Mesh and Solid Polyester | High-Visibility Yellow/Green, Camouflage | NA                     | Silver     | Zipper        | Class 2    |
| GLO-001   | XS-5XL                      | Mesh Polyester           | High-Visibility Yellow/Green             | NA                     | Silver     | Zipper        | Class 2    |
| GLO-006   | S-3XL                       | Mesh Polyester           | High-Visibility Orange                   | NA                     | Silver     | Zipper        | Class 2    |
| GLO-006V  | M-5XL                       | Mesh Polyester           | High-Visibility Orange                   | NA                     | Silver     | Hook-and-Loop | Class 2    |
| GLO-001VE | M-6XL                       | Mesh Polyester           | High-Visibility Yellow/Green             | NA                     | Silver     | Hook-and-Loop | Class 2    |
| GLO-0036  | S-5XL                       | Mesh and Solid Polyester | High-Visibility Yellow/Green             | High-Visibility Orange | Silver     | Zipper        | Class 2    |
| GLO-002   | XS-6XL                      | Mesh Polyester           | High-Visibility Yellow/Green             | High-Visibility Orange | Silver     | Zipper        | Class 2    |
| GLO-002V  | S/M, L/XL, 2XL/3XL, 4XL/5XL | Mesh Polyester           | High-Visibility Yellow/Green             | High-Visibility Orange | Silver     | Hook-and-Loop | Class 2    |

**5-Point Breakaway Mesh Vest**

**GLO-011BA**

**Mesh Vest**

**GLO-001V**

**5-Point Breakaway Mesh Vest**

**GLO-01BA**

**GLO-10-G-1IN**
**GLO-10-O-1IN**
**Economy Mesh Vest**

- 1-inch reflective
- Elastic side straps
- Available in yellow/green and orange


**GLO-10-2IN**
**GLO-10-G-2IN**
**Economy Mesh Vest**

- 2-inch Reflective
- Elastic side straps
- Available in yellow/green and orange


**GLO-10-YG**
**GLO-10-O**
**Economy Mesh Vest**

- Elastic side straps
- Available in yellow/green and orange

| Product      | Sizes                                | Style                         | Color           | Reflective                       | Closure       | ANSI Class    |
|--------------|--------------------------------------|-------------------------------|-----------------|----------------------------------|---------------|---------------|
| GLO-011BA    | M-5XL                                | 5-Point Breakaway Safety Vest | HV Yellow/Green | Silver                           | Hook-and-Loop | Class 3       |
| GLO-001V     | S-M, L-XL, 2XL-3XL, 4XL-5XL, 6XL-7XL | Economy Safety Vest           | HV Yellow/Green | Silver                           | Hook-and-Loop | Class 2       |
| GLO-01BA     | M-5XL, 7XL                           | 5-Point Breakaway Safety Vest | HV Yellow/Green | Silver                           | Hook-and-Loop | Class 2       |
| GLO-10-G-1IN | One Size                             | Economy Safety Vest           | HV Yellow/Green | 1-inch Silver Plastic            | Hook-and-Loop | Non-Compliant |
| GLO-10-O-1IN | L-XL                                 | Economy Safety Vest           | HV Orange       | 1-inch Yellow                    | Hook-and-Loop | Non-Compliant |
| GLO-10-2IN   | One Size                             | Economy Safety Vest           | HV Orange       | 2-inch Yellow                    | Hook-and-Loop | Non-Compliant |
| GLO-10-G-2IN | One Size                             | Economy Safety Vest           | HV Yellow/Green | 2-inch Silver Plastic            | Hook-and-Loop | Non-Compliant |
| GLO-10-YG    | One Size                             | Economy Safety Vest           | HV Yellow/Green | None                             | Hook-and-Loop | Non-Compliant |
| GLO-10-O     | One Size                             | Economy Safety Vest           | HV Orange       | None                             | Hook-and-Loop | Non-Compliant |
| GLO-ES1      | One Size                             | X-Back Sash                   | HV Yellow/Green | 5/8 in. Silver Reflective Stripe | Buckle        | Non-Compliant |




# FrogWear® High-Visibility Shirts

Leave the bulky vests and jackets behind. Get seen in performance wear that is impossible to be missed.



GLO-205



GLO-202



GLO-200



## Short-Sleeved Shirt

- Segmented silver reflective
- Mesh sides and upper back
- Self-wicking athletic fabric
- UPF 15+ protection

## Sleeveless Shirt

- Self-wicking athletic fabric
- Breathable mesh on shoulders and sides
- Silver reflective
- Snag resistant polyester

## Short-Sleeved Non-Reflective Shirt

- Self-wicking athletic fabric
- UPF 15+ protection



GLO-209

## Polo/Golf Shirt

- Semi-segmented silver reflective
- Left breast pocket
- Antimicrobial treated

## Long-Sleeved Shirt

- Black mesh on sides and under arms
- Self-wicking athletic fabric
- UPF 15+ protection



GLO-225LS

| Product   | Sizes      | Fabric                  | Color           | Mesh Areas           | Reflective            | Pockets | ANSI Class    |
|-----------|------------|-------------------------|-----------------|----------------------|-----------------------|---------|---------------|
| GLO-205   | S-7XL      | Self-Wicking Microfiber | HV Yellow/Green | Sides/Top of Back    | Segmented Silver      | NA      | Class 3       |
| GLO-202   | M-4XL      | Self-Wicking Microfiber | HV Yellow/Green | Shoulders and Sides  | Silver                | 1       | Class 2       |
| GLO-200   | S-3XL, 6XL | Self-Wicking Microfiber | HV Yellow/Green | Sides/Top of Back    | None                  | NA      | Non-Compliant |
| GLO-209   | M-5XL      | Polyester/Polypropylene | HV Yellow/Green | NA                   | Semi-Segmented Silver | 1       | Class 3       |
| GLO-225LS | M-5XL      | Self-Wicking Microfiber | HV Yellow/Green | Sides and Under Arms | Segmented Silver      | NA      | Class 3       |



GLO-005B

**Short Sleeved Shirt**

- Silver reflective
- Left breast pocket
- Birdseye mesh
- Black bottom front
- Machine washable
- Available in yellow/green and orange



GLO-007B

**Short Sleeved Shirt**

- Silver reflective
- Left breast pocket
- Birdseye mesh
- Odor resistant
- Machine washable



GLO-017

**Short Sleeved Shirt**

- Silver reflective
- Left breast pocket
- Machine washable



GLO-018

**Long Sleeved Shirt**

- 3M™ Scotchlite™
- Left breast pocket
- Machine washable



GLO-008LS

| Product    | Sizes   | Fabric    | Color           | Reflective Material        | Black Bottom | Pockets         | ANSI Class |
|------------|---------|-----------|-----------------|----------------------------|--------------|-----------------|------------|
| GLO-005B   | S-5XL   | Polyester | HV Orange       | Silver                     | Front Only   | 1 Front/Outside | Class 2    |
| GLO-007B   | S-5XL   | Polyester | HV Yellow/Green | Silver                     | Front Only   | 1 Front/Outside | Class 2    |
| GLO-007B-T | XLT-2XL | Polyester | HV Yellow/Green | Silver                     | Front Only   | 1 Front/Outside | Class 2    |
| GLO-017    | S-5XL   | Polyester | HV Yellow/Green | Silver                     | None         | 1 Front/Outside | Class 3    |
| GLO-018    | M-5XL   | Polyester | HV Yellow/Green | Silver                     | None         | 1 Front/Outside | Class 3    |
| GLO-008LS  | M-4XL   | Polyester | HV Yellow/Green | 3M™ Scotchlite™ Reflective | None         | 1 Front/Outside | Class 3    |



# FrogWear® High-Visibility Outerwear



GLO-V1




## 8-In-1 Winter Bomber


This 8-in-1 bomber jacket features a high-visibility fleece shell and removable sleeves. The different combinations include two ANSI Class 2 vest styles and a hood that attaches to any combination.




GLO-B2




ANSI CLASS 3



ANSI CLASS 2



ANSI CLASS 2



ANSI CLASS 2

## Reversible Insulated Vest

- 150D oxford PU-coated shell
- 80 grams of insulation
- Black bottom in front



GLO-P3

## 3-In-1 Winter Parka

- 300D oxford - PU coated
- Silver reflective
- Removable inner fleece liner
- Smooth inner sleeves
- D-Ring opening on the back

## 3-In-1 Winter Parka

This 3-in-1 winter parka features an outer jacket that is PU coated polyester with silver reflective, D-ring opening and mic tabs, mesh interior, concealed hood, and 7 pockets. The 250g/m<sup>2</sup> polyester fleece black inner jacket liner features a D-ring opening, lined sleeves, and 3 zipper pockets.



| Product  | Sizes    | Fabric                | Liner              | Reflective              | Hood       | Closure            | Pockets | ANSI Class |
|----------|----------|-----------------------|--------------------|-------------------------|------------|--------------------|---------|------------|
| GLO-V1   | M-5XL    | 150D Oxford Polyester | 80g 190T Polyester | Silver                  | NA         | Zipper             | 4       | Class 2    |
| GLO-B2   | M-5XL    | 300D Oxford Polyester | Heavy Fleece       | 3M™ Reflective Material | Detachable | Zipper and Buttons | 8       | Class 3    |
| GLO-B2-T | XLT-2XLT | 300D Oxford Polyester | Heavy Fleece       | 3M™ Reflective Material | Detachable | Zipper and Buttons | 8       | Class 3    |
| GLO-P2   | M-3XL    | 300D Oxford Polyester | Fleece Vest        | 3M™ Reflective Material | Concealed  | Zipper and Snaps   | 10      | Class 3    |
| GLO-P3   | M-5XL    | 300D Oxford Polyester | Fleece             | Silver                  | Concealed  | Zipper and Snaps   | 10      | Class 3    |

# FrogWear® High-Visibility Outerwear



## Winter Parka

- 300D oxford - PU coated
- Heavy fleece lining
- Black bottom, cuffs
- Name tag holder

## Winter Bomber

- 300D oxford - PU coated
- Quilted interior
- Black bottom front
- Name tag holder
- Available in yellow/green and orange

## Sherpa-Lined Softshell Jacket

- Semi-segmented silver reflective

## Softshell Jacket



## Premium Windbreaker



## Hooded Sweatshirt



| Product | Sizes           | Fabric                        | Liner               | Black Areas                    | Reflective              | Closure          | Pockets | ANSI Class |
|---------|-----------------|-------------------------------|---------------------|--------------------------------|-------------------------|------------------|---------|------------|
| GLO-P1  | M-5XL           | 300D Oxford Polyester         | Polyester Fleece    | NA                             | 3M™ Reflective Material | Zipper and Snaps | 9       | Class 3    |
| GLO-EB1 | M-5XL           | 300D Oxford Polyester         | Quilted Polyester   | Front Bottom, Cuffs            | 3M™ Reflective Material | Zipper and Snaps | 8       | Class 3    |
| GLO-EB4 | M-5XL           | 300D Oxford Polyester         | Quilted Polyester   | Front Bottom, Cuffs            | 3M™ Reflective Material | Zipper and Snaps | 8       | Class 3    |
| EV-SJ1  | S-4XL, XLT-2XLT | Polyester                     | NA                  | Inside and Outside             | Silver Segmented        | Zipper           | 6       | Class 1    |
| GLO-SJ1 | M-5XL           | 150D Oxford Ripstop Polyester | Fleece              | Front Bottom, Collar, Cuffs    | Silver                  | Zipper           | 6       | Class 3    |
| GLO-WB1 | M-3XL, 6XL      | Solid Polyester Pongee        | NA                  | Bottom, Sleeve Ends, Shoulders | 3M™ Reflective Material | Zipper           | 3       | Class 3    |
| GLO-HS2 | S-7XL           | Solid Polyester               | Anti-Pilling Fleece | Front Bottom, Cuffs            | Silver                  | Zipper           | 2       | Class 3    |



# FrogWear® High-Visibility Pants and Gaiters


Keeping you cool or warm and dry - your Class E needs are met here.

## Mesh Pants


- 3M™ reflective
- Solid waterproof leg cuff
- Elastic waist & leg cuffs
- Zippered leg cuff
- Cargo pocket
- Side pocket access
- Adjustable sides
- Contrasting trim
- Reflective piping



GLO-99P



GLO-88P



GLO-G2




GLO-G1

## Mesh Pants

- 3M™ reflective
- Adjustable waist
- Adjustable ankle cuffs
- Rear pocket
- Easy side pocket access
- Contrasting trim



GLO-2P



GLO-4P


## Mesh Leg Gaiters

- 3M™ reflective
- Black bottom
- Zipper closure
- Hook and loop cuffs
- Contrasting trim



## Waterproof Gaiters

- 3M™ reflective
- Black bottom
- Storm flap on sides
- Zipper closure
- Elastic top cuff
- Contrasting trim



GLO-G3



| Product | Sizes                                | Fabric               | Contrasting Color | Reflective Material     | Closure             | ANSI Class |
|---------|--------------------------------------|----------------------|-------------------|-------------------------|---------------------|------------|
| GLO-88P | S-M, L-XL, 2XL-3XL, 4XL-5XL, 6XL-7XL | Mesh Polyester       | HV Orange         | 3M™ Reflective Material | Elastic, Snaps, Fly | Class E    |
| GLO-99P | S-M, L-XL, 2XL-3XL, 4XL-5XL          | Mesh Polyester       | HV Yellow/Green   | 3M™ Reflective Material | Elastic, Snaps, Fly | Class E    |
| GLO-2P  | S-M, L-XL, 2XL-3XL, 4XL-5XL          | Mesh Polyester       | HV Orange         | 3M™ Reflective Material | Drawstring          | Class E    |
| GLO-4P  | S-M, L-XL, 2XL-3XL                   | Mesh Polyester       | HV Yellow/Green   | 3M™ Reflective Material | Drawstring          | Class E    |
| GLO-G2  | One Size                             | Lightweight Mesh     | HV Yellow/Green   | 3M™ Reflective Material | Zipper and Buttons  | Class E    |
| GLO-G1  | One Size                             | Lightweight Mesh     | HV Orange         | 3M™ Reflective Material | Zipper and Buttons  | Class E    |
| GLO-G3  | One Size                             | Waterproof Polyester | HV Orange         | 3M™ Reflective Material | Zipper and Buttons  | Class E    |

# FrogWear® Enhanced Visibility

Whether it's style, shade or warmth you need, we've got you covered.



GLO-SV1




GLO-SBC1



GLO-SBC2



GLO-HNS1



## High-Visibility Premium Sportswear Vest


- Stretch polyester outer, mesh interior
- Large silver reflective panels on front/back
- Non-ANSI compliant
- Sizes: Medium - 3XL

## Seat Belt Cover

- Solid polyester
- Silver reflective
- Adjustable hook and loop closure

## Removable Hard Hat Sun Shade

- Silver reflective
- Contrasting HV orange trim
- Fits cap style and full brim hard hats




GLO-ES1



GLO-NS2



GLO-CNS2



GLO-H5

## Lightweight HV Elastic Traffic Safety Sash

- Elastic and polyester material
- Silver reflective
- X-back design
- Adjustable waist and chest

## HV Yellow/Green Mesh Neck Shade

- 3M™ Scotchlite™ reflective
- Elastic headband
- HV orange trim

## Evaporative Cooling Neck Shade

- Proprietary multi-layered cooling polymers
- Contrasting HV orange trim
- Elastic band fits most hard hats

## Ranger Hat

- Wide brim
- Solid back sun shade
- Drawstring hat
- Mesh sides



GLO-H1



GLO-R1



GLO-H3



GLO-H4



GLO-H2

## Baseball Cap

- Reflective stripes
- Mesh back
- Adjustable hook and loop back closure

## Stocking Cap

- High-visibility yellow/green
- GLO-H3 - Reflective stripe

## Ranger Hat

- Reflective stripe
- Vented mesh panels
- Drawstring neck strap



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Rainwear**

# FrogWear® High-Visibility Rainwear

FrogWear Rainwear allows you to face the elements with full protection and full confidence.



## High-Visibility Flame Retardant Rain Jacket

- 3M™ reflective
- ASTM D-6413 treated
- PU coated to repel liquids
- Vented cape back
- Elastic wrists & inner sleeves
- Non-conductive



GLO-1400

## High-Visibility Flame Retardant Duster Jacket

- 3M™ reflective
- ASTM D-6413 treated
- PU coated to repel liquids
- Vented cape back
- Elastic wrists & inner sleeves
- 45-47 inches long
- Non-conductive




GLO-1450



## High-Visibility Flame Retardant Rain Bibs

- 3M™ reflective
- ASTM D-6413 treated
- PU coated to repel liquids
- Elastic shoulder straps
- Hook & loop ankle
- Non-conductive



GLO-1700



## 3-In-1 High-Visibility Rain Suit

- 3M™ reflective material
- Vented cape back
- Corduroy collar
- Adjustable bibs straps
- Heavy duty bib straps buckle



GLO-8000



| Product  | Sizes | Fabric                                       | Color                        | Reflective              | Closure          | ANSI Class |
|----------|-------|--|------------------------------|-------------------------|------------------|------------|
| GLO-1400 | S-5XL | 150D Oxford Polyester Coated with 0.18 mm PU | High-Visibility Yellow/Green | 3M™ Reflective Material | Snaps            | Class 3    |
| GLO-1450 | M-4XL | 150D Oxford Polyester Coated with 0.18 mm PU | High-Visibility Yellow/Green | 3M™ Reflective Material | Zipper and Snaps | Class 3    |
| GLO-1700 | S-5XL | 150D Oxford Polyester Coated with 0.18 mm PU | High-Visibility Yellow/Green | 3M™ Reflective Material | Snap on Fly      | Class E    |
| GLO-8000 | S-5XL | 0.18 mm PVC Coated 170T Polyester            | High-Visibility Yellow/Green | 3M™ Reflective Material | NA               | Class 3    |



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

[industrialnansa.com.mx](http://industrialnansa.com.mx)

Rainwear 127



R6400



### 3-In-1 Premium Rain Suit

- Mesh interior
- Yellow trim
- Sizes: S-5XL
- Elastic drawstring waist
- Side pocket access
- 0.18 mm 190T PVC on nylon



R8900



### 3-In-1 Rain Suit

- 0.35 mm PVC/polyester
- Fits over work clothes
- Wrist, ankle snaps
- 3 back vents
- Sizes: S-8XL



RYP810



RCP810



RCB89



RSP810



### PVC Rain Poncho

- 0.10 mm PVC
- Available in yellow or clear

### PVC Raincoat

- 0.35 mm PVC/polyester
- 49 inches long
- Clear name badge holder
- Sizes: M-8XL

### 3-In-1 Rain Suit

- 0.10 mm PVC
- Jacket, hood
- Elastic waist pants
- Sizes: S-3XL, 6XL



NW-PPBR18-W

#### Disposable Beard Cover

- 10-gram polypropylene material
- 18 in x 9 in with 9 in elastic strap
- Elastic is not made with natural rubber latex
- Available in white and blue
- Packaged: 1,000 pieces/case



NW-PPB24-B

#### Disposable Bouffant Cap

- 10-gram polypropylene material
- 24 inches in length
- Elastic is not made with natural rubber latex
- Available in white and blue
- Packaged: 1,000 pieces/case



NW-PPBBR-W

#### White Disposable Hood

- 17-gram polypropylene material
- Extra-long shoulder length design
- Elastic is not made with natural rubber latex
- Packaged: 1,000 pieces/case



NW-KN95

#### Disposable Filtration Face Mask

- Three-layer polypropylene material plus enhanced filtration
- Adjustable nose bridge, elastic ear loop straps
- For industrial use only
- Packaged: 1,000 pieces/case



#### Disposable Face Mask

- Three-layer polypropylene material with enhanced filtration
- Bi-directional pleats, adjustable nose bridge, elastic ear straps
- For industrial use only
- Packaged: 2,000 pieces/case



NW-SL63

#### Microporous Sleeve

- 16-inches long
- Elastic at both ends
- Packaged: 300 pieces/case



NW-SC63

#### Microporous Shoe Cover

- Elastic top opening
- Dimensions for the standard size: 42 cm x 17 cm
- Dimensions for the 3XL: 44.5 cm x 17 cm
- Packaged: 500 pieces/case



NW-PPSC

#### Non-Skid Shoe Cover

- Blue non-skid bottom
- Lightweight construction
- 42 cm x 16.5 cm
- Packaged: 1,000 pieces/case

| Products    | Sizes            | Fabric   | Color        | Style                    | Weight   | Grade      | FDA Food Contact |
|-------------|------------------|--|--------------|--------------------------|----------|------------|------------------|
| NW-PPBR18-B | One Size         | Polypropylene  | Blue         | Non-Woven Beard Cover    | 10 Grams | Industrial | Compliant        |
| NW-PPBR18-W | One Size         | Polypropylene  | White        | Non-Woven Beard Cover    | 10 Grams | Industrial | Compliant        |
| NW-PPB24-B  | One Size         | Polypropylene  | Blue         | Non-Woven Bouffant       | 10 Grams | Industrial | Compliant        |
| NW-PPB24-W  | One Size         | Polypropylene  | White        | Non-Woven Bouffant       | 10 Grams | Industrial | Compliant        |
| NW-PPBBR-W  | One Size         | Polypropylene  | White        | Non-Woven Balaclava Hood | 17 Grams | Industrial | Compliant        |
| NW-KN95     | One Size         | Three Layers of Polypropylene, One Layer of Filtration | White        | Disposable Face Mask     | NA       | Industrial | NA               |
| NW-M1       | One Size         | 3 Layers of Polypropylene                              | Blue, White  | Disposable Face Mask     | NA       | Industrial | Compliant        |
| NW-M2       | One Size         | 3 Layers of Polypropylene                              | Black, White | Disposable Face Mask     | NA       | Industrial | Compliant        |
| NW-SL63     | One Size         | Microporous PE Film Laminated Material                 | White        | Non-Woven Sleeve         | 55 Grams | Premium    | NA               |
| NW-SC63     | Standard and 3XL | Microporous PE Film Laminated Material                 | White        | Non-Woven Shoe Covers    | 55 Grams | Premium    | NA               |
| NW-PPSC     | One Size         | Polypropylene  | Blue         | Non-Woven Shoe Covers    | 28 Grams | Industrial | Compliant        |
| BH-S1       | One Size         | NA   | Clear        | Disposable Face Shield   | NA       | Industrial | NA               |



INDUSTRIAL DISTRIBUIDORA

**NANSA**

[industrialnansa.com.mx](http://industrialnansa.com.mx)

Disposable Clothing 129



### Premium Self-Extinguishing Coveralls with Collar

- Blue 65-gram self-extinguishing spunlace
- Self-extinguishing as defined by ASTM D6413\*
- Zipper front with storm flap
- Meets ANSI/ISEA 101-2014 sizing standards
- Packaged: 25 pieces/case



NW-COV800FR



### Premium Self-Extinguishing Coveralls with Hood

- Blue 65-gram self-extinguishing spunlace
- Self-extinguishing as defined by ASTM D6413\*
- Zipper front with storm flap
- Meets ANSI/ISEA 101-2014 sizing standards
- Packaged: 25 pieces/case



NW-COV80FR



### Microporous PE Film Laminated Coverall with Hood

- Breathable white 55 gram microporous PE film-laminated material
- 50% polypropylene 50% polyethylene
- Outer layer: PE-coated for light splash
- Not made with natural rubber latex
- Zipper front with storm flap
- Excellent outer abrasion resistance
- Packaged: 25 pieces/case



NW-COV63



NW-COV630



### Microporous PE Film Laminated Coverall with Collar

- Breathable white 55 gram microporous PE film-laminated material
- 50% polypropylene 50% polyethylene
- Outer layer: PE-coated for light splash
- Not made with natural rubber latex
- Zipper front with storm flap
- Excellent outer abrasion resistance
- Packaged: 25 pieces/case



### SMS Coverall with Hood

- White 50 gram three layer SMS material
- Zipper front with storm flap
- Excellent for dust and particulate protection
- Packaged: 25 pieces/case



NW-SMS300COV



### Lightweight Polypropylene Coverall with Collar


- White 25 gram polypropylene material
- Optimal breathability and comfort
- Serged seams
- Packaged: 25 pieces/case



NW-PPCOV

| Products     | Sizes | Fabric                                      | Weight   | Elastic Areas                   | Closure | EN 13982 Type 5 | EN 13034 Type 6 |
|--------------|-------|---|----------|---------------------------------|---------|-----------------|-----------------|
| NW-COV800FR  | M-5XL | Self-Extinguishing Flame-Retardant Spunlace | 65 Grams | Waist and Wrists                | Zipper  | NA              | NA              |
| NW-COV80FR   | S-5XL | Self-Extinguishing Flame-Retardant Spunlace | 65 Grams | Hood, Wrists, Waist, and Ankles | Zipper  | NA              | NA              |
| NW-COV63     | S-5XL | Microporous PE Film Laminated               | 55 Grams | Hood, Ankles, Waist, and Wrists | Zipper  | Meets           | Meets           |
| NW-COV630    | M-5XL | Microporous PE Film Laminated               | 55 Grams | Ankles, Waist, and Wrists       | Zipper  | Meets           | Meets           |
| NW-SMS300COV | S-5XL | Spunbound Melblown Spunbound (SMS)          | 55 Grams | Hood, Ankles, Waist and Wrists  | Zipper  | Meets           | Meets           |
| NW-PPCOV     | S-4XL | Polypropylene                               | 25 Grams | Ankles and Wrists               | Zipper  | NA              | NA              |

\*DISCLAIMER: Self Extinguishing garments are made from material that is not inherently flame retardant, but are chemically treated to become flame resistant. They are NOT designed for use in ARC flash or flash fire applications. When a flame source is removed from the treated material, the material will self-extinguish within a given time frame. The treated material can melt and drip and has a limited life span dependent on washings and what the garment is exposed to. Performance is established using the ASTM D6413 test method.



INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Knee Protection**



# Premium Gel-Lined and Flame Retardant Knee Pads



KP102GFR



KP201JFR



KP461N



## 100% Flame Retardant Cap-Free

- Gel-Lined
- Nomex fabric, foam, straps, buckles and thread
- Ergonomically curved fit
- Adjustable clip-on closures with buckles

## 100% Flame Retardant Lined with Jelly-Gel

- Flexible curved FR/TPR swivel hard cap
- Ergonomically curved fit
- Adjustable clip-on closures with buckles

## Premium Hinged, High-Visibility, Non-Marring Knee Pads

- Two layers of lightweight padding
- HV adjustable locking, clip-on closures with reflective striping
- Brass riveted PVC form-fitted swivel cap
- Padded hinge design



KP311G



KP301J



KP111G

## Premium Gel-Lined with PVC Hard Cap

- Breathable and stretchable body
- Padded thigh strap, neoprene calf strap
- Ergonomically curved fit
- Adjustable thigh and calf closures

## Premium Lined with Jelly-Gel

- Medical-grade PU foam padding
- Diamond-block non-slip cap
- Ergonomically curved cap
- Honeycomb single-knit top layer

## Lightweight Gel-Lined Cap-Free

- Heavy-duty nylon face
- Non-slip synthetic leather surface
- Ergonomically curved fit
- Upper adjustable strap with buckle closure
- Wide adjustable lower neoprene strap

# Knee Pads and Kneeling Pads



**KP511L**

### Heavy-Duty Non-Marring Leather Knee Pad

- Premium-grade grain leather face
- Three-quarter inch soft felt padding
- Wide adjustable leather strap with steel buckle



**KP201G**

### Gel-Lined Swivel Cap

- Hard PE swivel cap
- Ergonomically curved fit
- Clip-on closures with buckles



**KP422**

### High-Density Padded Cap-Free

- Non-slip synthetic leather surface
- Polyester body with high density padding
- Ergonomically curved fit



**KP411**

### Non-Marring PVC Hard Cap

- Extra long molded PVC hard cap
- Slip resistant ridges
- Ergonomically curved fit



**KP401**

### High-Visibility Non-Marring Hard Cap

- PE hard, curved swivel fit
- Ergonomically curved fit
- Adjustable and stretchable high-visibility hook and loop closures



**KP431**



**KP442**



**DISCONTINUED**

**KP452**



**KP482**

**KP480**

### Non-Marring Swivel Cap

- Brass riveted PVC curved swivel cap
- Ergonomically curved fit
- Clip-on closure with buckles

### Economy Low-Profile

- Foam surface with gripping ridges
- Gripping ridges
- Ergonomically curved fit
- Adjustable hook and loop closure

### Disposable, Removable EPE Foam

- Peel-and-stick application
- Fits most working pants
- Can be worn inside or outside of garments
- Can be adhered to surfaces


### High-Density NBR Foam Kneeling Pad

- Water-repellent NBR foam
- Carrying handle
- KP482 - 14 in x 21 in x 1 in with carrying handle
- KP480 - 8 in x 16 in x 1 in with carrying handle

# Choosing The Right Hearing Protection

It is critical to use adequate hearing protection to avoid long lasting damage.

Permanent hearing loss can result from extended exposure to unsafe levels of sound. This type of hearing loss is irreversible and cannot be corrected with hearing aids or other equipment. In addition to temporary or permanent hearing loss, loud noises can also create physical and psychological stress and interfere with productivity and communication.





INDUSTRIAL DISTRIBUIDORA  
**NANSA**

Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

# Hearing Protection





## Earmuffs

You could miss hearing important things because of hearing damage. Don't let uncomfortable earmuffs stop you. Bullhead Safety® Hearing Protection is flexible, comfortable and safe.



HP-M3

### Premium Cap-Mounted Earmuff

- Noise Reduction Rating (NRR) 22 dB
- Durable ABS cups
- Fits most standard slotted hard hats
- Soft PVC cushions
- Features 3 multi-position pivot points



#### Economy Earmuff

- Noise Rate Reduction (NRR) 23 dB
- Durable ABS cups
- Soft PVC ear cushions
- High-visibility yellow/green
- Hygiene/replacement kit - HP-M1-RK



#### Premium Foldable Earmuff

- Noise Reduction Rating (NRR) 23 dB
- Conveniently folds for easy storage
- Durable ABS cups
- Soft PVC ear cushions
- High-visibility yellow/green



#### Premium Padded Earmuff

- Noise Reduction Rating (NRR) 27 dB
- Padded band provides increased comfort
- Durable ABS cups
- Soft PVC cushions
- Hygiene/replacement kit - HP-M4-RK

# Earplugs



HP-F1



## Single-Use Foam Earplugs

- Slow rebound PU foam
- 200 pairs per display box



HP-F2



## Single-Use Foam Earplugs

- Blue PVC cord
- Slow rebound PU foam
- 100 pairs per display box



HP-FDL1



HP-FDS1




## Foam Earplugs Dispenser

- Includes 500 pairs
- Bracket for wall mounting
- 500 pairs refill pack - HP-FDL1-RF

## Foam Earplugs Dispenser

- Includes 250 pairs
- Bracket for wall mounting
- 250 pairs refill pack - HP-FDS1-RF




HP-S1



## Silicone Tree-Shape Earplugs

- Hypoallergenic silicone
- Low-pressure seal
- 100 pairs per display box



HP-S2



## Silicone Tree-Shape Earplugs

- Hypoallergenic silicone
- Low-pressure seal
- 100 pairs per display box




HP-S3



## Metal Detectable Silicone Earplugs

- Hypoallergenic silicone
- Low-pressure seal
- 100 pairs per display box



HP-BF1

## Lightweight Banded Earplugs

- Lightweight, curved band and soft, ergonomic pods
- Includes one band, two pairs of earplugs
- Reduces pressure on ear canal
- Tested to the ANSI S3.19-1974 standard



ITR3600



#### Anti-Slip Traction Cleats with Carbon Steel Studs

- Flexible TPE rubber with pull tab
- Four heat-treated carbon steel studs at the heel, six at ball of foot
- Strong and flexible in subzero temps
- Warning: Not recommended for use indoors
- Sizes: Medium - 2XL



ITR3610



#### Adjustable, Anti-Slip Traction Cleats with Carbon Steel Studs

- Flexible TPE rubber with reflective pull tab
- Five heat-treated carbon steel studs at heel and ball of foot
- Adjustable cinching cord
- Tread pattern in foot arch
- Strong and flexible in subzero temps
- Warning: Not recommended for use indoors
- Sizes: Medium - XL



ITR3615



#### Anti-Slip Traction Heel Cleats with Carbon Steel Studs

- Durable, lightweight, rigid TPE
- Heat-treated carbon steel cleats (size M - 4, size XL - 5)
- Hook-and-loop closure strap
- Warning: Not recommended for use indoors
- Sizes: Medium and XL



ITR3620



#### Anti-Slip Mid-Sole Traction Cleats with Tungsten Carbide Studs

- Seven tungsten carbide studs on cleat pad
- Adjustable, orange, elastic strap
- Strong and flexible in subzero temps
- Works great in mid-sole along with ball of foot
- Warning: Not recommended for use indoors
- One Size

# Winter Liners



WL920FR

## Inherently FR Flame Resistant Shoulder-Length

- Meets ASTM F1506 NFPA 70E
- 3M™ FR Thinsulate™
- Modacrylic/cotton red fleece lining
- FR modacrylic/cotton shell

Arc Rating (Ebt) = 31 cal/cm<sup>2</sup>  
Heat Attenuation Factor (HAF) = 91%  
NFPA 70E Arc Flash PPE Category: 3



WL900FR

## Inherently FR Flame Resistant Regular-Length

- Meets ASTM F1506 NFPA 70E
- 3M™ FR Thinsulate™
- Modacrylic/cotton red fleece lining
- FR modacrylic/cotton shell

Arc Rating (Ebt) = 31 cal/cm<sup>2</sup>  
Heat Attenuation Factor (HAF) = 91%  
NFPA 70E Arc Flash PPE Category: 3



WL770FR

## FR-Treated Shoulder-Length

- FR modacrylic/cotton outer shell
- Foam inner layer
- FR-Treated Red Fleece Lining
- Warming pockets over ears



WL520



WL420



WL500



WL400

## Sherpa-Lined Shoulder-Length

- Quilted polyester tricot shell
- Foam inner layer
- Warming pockets over ears

## Economy Shoulder-Length

- Two-layer polyester shell
- Soft, red fleece lining
- Hook and loop chin strap

## Sherpa-Lined Regular-Length

- Quilted polyester tricot shell
- Foam inner layer
- Warming pockets over ears

## Economy Regular-Length

- Two-layer polyester shell
- Soft, red fleece lining
- Hook and loop chin strap



## Balaclavas



WL320SE



WL310-YG

### Self-Extinguishing, Multifunctional, Hinged, Shoulder-Length Thermal Balaclava

- Soft fleece shell
- Breathable fleece/mesh mouth and nose panel
- Self-extinguishing/flame-retardant treated
- Multiple wearing configurations

### HV Multifunctional, Hinged, Shoulder-Length Thermal Balaclava

- Soft fleece shell
- Breathable mesh mouth panel
- Multiple wearing configurations



WL280FR

### Inherently FR Flame-Resistant Shoulder-Length Thermal Balaclava

- FR modacrylic/cotton shell
- Meets ASTM F1506 NFPA 70E

Arc Rating (EBT) = 11 Cal/cm<sup>2</sup>  
Heat Attenuation Factor (HAF) = 85%  
NFPA 70E Arc Flash PPE Category: 2



WL120

### Shoulder-Length Fleece Balaclava

- Soft fleece lining



WL220

### Shoulder-Length Fleece Balaclava

- Soft fleece lining
- Lightweight spandex top



WL300-YG

**High-Visibility Yellow/Green Thermal Neck Gaiter**

- Soft fleece shell
- Integrated cinch strap with an adjustable cord lock



NG-401

**U.S.A. Flag Design Multi-Function Neck Gaiter**

- Seamless soft, breathable, cooling polyester/spandex
- Four-way lateral stretch
- 10+ ways to wear
- Repels stains and moisture, quick-drying with odor control



NG-402

**Underwater Wildlife Design Multi-Function Neck Gaiter**

- Seamless soft, breathable, cooling polyester/spandex
- Four-way lateral stretch
- 10+ ways to wear
- Repels stains and moisture, quick-drying with odor control



NG-403

**Joker Design Multi-Function Neck Gaiter**

- Seamless soft, breathable, cooling polyester/spandex
- Four-way lateral stretch
- 10+ ways to wear
- Repels stains and moisture, quick-drying with odor control



NG-200

**High-Visibility Orange Multi-Function Neck Gaiter**

- Seamless soft, breathable polyester microfiber
- Two-way lateral stretch
- 10+ ways to wear
- Repels stains and moisture, quick-drying with odor control



NG-201

**High-Visibility Yellow/Green Multi-Function Neck Gaiter**

- Seamless soft, breathable polyester microfiber
- Two-way lateral stretch
- 10+ ways to wear
- Repels stains and moisture, quick-drying with odor control



NG-202

**Mexican Flag Design Multi-Function Neck Gaiter**

- Seamless soft, breathable polyester microfiber
- Two-way lateral stretch
- 10+ ways to wear
- Repels stains and moisture, quick-drying with odor control



NG-203

**Orange/Black, Shark/Cross Bones Design Multi-Function Neck Gaiter**

- Seamless soft, breathable polyester microfiber
- Two-way lateral stretch
- 10+ ways to wear
- Repels stains and moisture, quick-drying with odor control



NG-204

**Camouflage Design Multi-Function Neck Gaiter**

- Seamless soft, breathable polyester microfiber
- Two-way lateral stretch
- 10+ ways to wear
- Repels stains and moisture, quick-drying with odor control

| Products | Sizes    | Material             | Color                                  | Stretch                 | Style               |
|----------|----------|----------------------|--|-------------------------|---------------------|
| WL300-YG | One Size | Fleece               | High-Visibility Yellow/Green           | NA                      | Thermal Neck Gaiter |
| NG-401   | One Size | Polyester/Spandex    | U.S.A. Flag Design                     | Four-Way Stretch        | Seamless Tubular    |
| NG-402   | One Size | Polyester/Spandex    | Underwater Wildlife Design             | Four-Way Stretch        | Seamless Tubular    |
| NG-403   | One Size | Polyester/Spandex    | Joker Design                           | Four-Way Stretch        | Seamless Tubular    |
| NG-200   | One Size | Polyester Microfiber | High-Visibility Orange                 | Two-Way Lateral Stretch | Seamless Tubular    |
| NG-201   | One Size | Polyester Microfiber | High-Visibility Yellow/Green           | Two-Way Lateral Stretch | Seamless Tubular    |
| NG-202   | One Size | Polyester Microfiber | Mexican Flag                           | Two-Way Lateral Stretch | Seamless Tubular    |
| NG-203   | One Size | Polyester Microfiber | Orange and Black Shark and Cross Bones | Two-Way Lateral Stretch | Seamless Tubular    |
| NG-204   | One Size | Polyester Microfiber | Camouflage                             | Two-Way Lateral Stretch | Seamless Tubular    |



INDUSTRIAL DISTRIBUIDORA

**NANSA**

industrialnansa.com.mx



**Bullhead Safety®**  
COOLING

Constructed with ultra-absorbent PVA material that quickly dissipates hot moisture from the body

#### Cooling Head Shade

- Reusable and safe
- Antimicrobial treated
- Machine washable



GLO-S1



GLO-HB1

GLO-S2



GLO-HB2

GLO-S3




GLO-HB3

GLO-S4




GLO-HB4




#### Cooling Headband

- Reusable and safe
- Antimicrobial treated
- Machine washable

Constructed with ultra-absorbent PVA material that quickly dissipates hot moisture from the body



GLO-CT2



GLO-CT33



GLO-CT44



GLO-HB11



#### Large Cooling Towel

- Ultra-absorbent PVA material
- 16 in x 25.5 in
- Bullhead Safety design
- Safe, reusable packaging

#### Neck Cooling Towel

- Ultra-absorbent PVA material
- 4 in x 40 in
- High-visibility yellow/green

#### Microfiber Cooling Towel

- Soft, absorbent microfiber
- 12 in x 40 in
- High-visibility orange

#### Evaporative Cooling Quilted Headband

- Multi-layered construction dissipates moisture
- Reusable and safe

| Products | Sizes    | Fabric                       | Color                        | Antimicrobial Protection | Style                        |
|----------|----------|------------------------------|------------------------------|--------------------------|------------------------------|
| GLO-HB1  | One Size | Polyester/Cotton             | High-Visibility Yellow/Green | Yes                      | Cooling Head Band            |
| GLO-HB2  | One Size | Cotton                       | Camo                         | Yes                      | Cooling Head Band            |
| GLO-HB3  | One Size | Cotton                       | Blue                         | Yes                      | Cooling Head Band            |
| GLO-HB4  | One Size | Cotton                       | Red Paisley                  | Yes                      | Cooling Head Band            |
| GLO-HB11 | One Size | Multi-Layer Cooling Polymers | High-Visibility Yellow/Green | No                       | Evaporative Cooling Headband |
| GLO-S1   | One Size | Polyester/Cotton             | High-Visibility Yellow/Green | Yes                      | Triangle Cooling Head Shade  |
| GLO-S2   | One Size | Cotton                       | Camo                         | Yes                      | Triangle Cooling Head Shade  |
| GLO-S3   | One Size | Cotton                       | Blue                         | Yes                      | Triangle Cooling Head Shade  |
| GLO-S4   | One Size | Cotton                       | Red Paisley                  | Yes                      | Triangle Cooling Head Shade  |
| GLO-CT44 | One Size | Soft Microfiber              | High-Visibility Orange       | Yes                      | Cooling Towel                |
| GLO-CT33 | One Size | PVA Material                 | High-Visibility Yellow/Green | Yes                      | Cooling Towel                |
| GLO-CT1  | One Size | PVA Material                 | High-Visibility Yellow/Green | Yes                      | Cooling Towel                |
| GLO-CT2  | One Size | PVA Material                 | Blue                         | Yes                      | Cooling Towel                |



A48B



A48Y



A355Y



A44G

**Nitrile Apron**

- 48-inches long
- Long yoke neck
- Snaps on neck strap
- Extra long waist ties
- Available in black or yellow

**PVC On Polyester Apron**

- 35-mil PVC on polyester
- 50-inches long
- 35-inches wide

**Industrial Aqua Green PVC Apron**

- Bib style with long adjustable ties
- Durable sealed grommets
- 18-mil thickness
- 33-inches wide
- 44-inches long



A17001

**Denim Apron**

- 36-inches long
- 28-inches wide
- 14 oz denim



B260

**Hazmat Boots**

- 50-mil yellow latex
- Sizes: Medium, XL
- Slip resistant sole



BCPE

**CPE Blue Shoe Covers**

- Chlorinated polyethylene
- Sizes: L - XL
- 300 pieces per case

# Global Glove Product Index

|               |          |                |         |                |             |                  |             |                 |           |                 |             |                   |          |                 |           |
|---------------|----------|----------------|---------|----------------|-------------|------------------|-------------|-----------------|-----------|-----------------|-------------|-------------------|----------|-----------------|-----------|
| 30FT.....     | .47      | 614R.....      | .56     | 3200DTH.....   | .62, 86     | CIA520MF.....    | .74         | GLO-017.....    | .121      | HH-C1-B.....    | .109        | KP311G.....       | .132     | S65D2.....      | .103      |
| 50MTC.....    | .90      | 617.....       | .34     | 3200DTHB.....  | .62, 86     | CIA600KV.....    | .21, 75     | GLO-018.....    | .121      | HH-C1-W.....    | .109        | KP401.....        | .133     | S65D2BW.....    | .103      |
| 51MIT.....    | .66      | 617R.....      | .34     | 3200G.....     | .87         | CIA609MF.....    | .74, 20     | GLO-019.....    | .117      | HH-C1-Y.....    | .109        | KP411.....        | .133     | S66BB.....      | .103      |
| 52MIT.....    | .66      | 618R.....      | .56     | 3200GE.....    | .87         | CIA609MFV.....   | .74, 20     | GLO-020.....    | .118      | HH-C2-B.....    | .109        | KP422.....        | .133     | S70RWMT.....    | .66       |
| 100MTC.....   | .90      | 624.....       | .63     | 3200GINT.....  | .62, 87     | CIA617V.....     | .16, 75     | GLO-022FR.....  | .117      | HH-C2-C.....    | .109        | KP431.....        | .133     | S77RW.....      | .66       |
| 100MTG.....   | .91      | 660.....       | .37     | 3200P.....     | .89         | CIA677.....      | .21, 75     | GLO-035.....    | .115      | HH-C2-G.....    | .109        | KP442.....        | .133     | S90BW.....      | .102      |
| 140FB.....    | .47      | 660E.....      | .37     | 3200PP.....    | .89         | CIA995MFV.....   | .74         | GLO-036.....    | .118      | HH-C2-K.....    | .109        | KP452.....        | .133     | S92K.....       | .102      |
| 150.....      | .46      | 675PF.....     | .41, 43 | 3200PS.....    | .88         | CIA998MF.....    | .74, 13     | GLO-037.....    | .115      | HH-C2-O.....    | .109        | KP461N.....       | .132     | S98G.....       | .102      |
| 150F.....     | .47      | 695PF.....     | .41, 43 | 3200S.....     | .89         | CIA3200.....     | .24, 88, 71 | GLO-045.....    | .115      | HH-C2-R.....    | .109        | KP480.....        | .133     | S120C.....      | .102      |
| 150FE.....    | .47      | 700R.....      | .55     | 3200SRF.....   | .89         | CIA3300.....     | .24, 87, 71 | GLO-047.....    | .115      | HH-C2-W.....    | .109        | KP482.....        | .133     | S314SLT.....    | .107      |
| 160.....      | .47      | 705BPF.....    | .42     | 3200WH.....    | .91         | CIA3600.....     | .22         | GLO-049.....    | .117      | HH-C2-Y.....    | .109        | KP511L.....       | .133     | S318SL.....     | .107      |
| 180F.....     | .47      | 705BPFE.....   | .42     | 3300DSIN.....  | .62, 86     | CIA3800.....     | .22, 71     | GLO-055.....    | .115      | HH-C2-YG.....   | .109        | KS300LF.....      | .24      | S318SLT.....    | .107      |
| 190ETC.....   | .47      | 705PF.....     | .43     | 419NB2.....    | .100        | CIA3800INT.....  | .22         | GLO-058.....    | .115      | HH-C3-B.....    | .109        | L100.....         | .102     | S324SLT.....    | .107      |
| 212.....      | .52      | 705PF.....     | .42     | 8450.....      | .64, 51, 65 | CR18NFT.....     | .12         | GLO-059.....    | .115      | HH-C3-C.....    | .109        | L100PC.....       | .102     | S400.....       | .103      |
| 244.....      | .47      | 705PFE.....    | .42     | 8481.....      | .52         | CR18NFT-R.....   | .12         | GLO-066.....    | .115      | HH-C3-W.....    | .109        | L114.....         | .102     | S687.....       | .98       |
| 245CT.....    | .53      | 710R.....      | .55     | 8490.....      | .51, 65     | CR100MTC.....    | .23, 90, 71 | GLO-067.....    | .114      | HH-C3-Y.....    | .109        | N900.....         | .102     | S966.....       | .33       |
| 282.....      | .52      | 712C.....      | .55     | 8490-T.....    | .51         | CR100MTG .....   | .23, 91, 71 | GLO-077.....    | .113      | HH-CH1-CB.....  | .109        | N960.....         | .102     | S966-LT.....    | .33       |
| 300.....      | .36      | 712R.....      | .55     | 8490MT.....    | .51, 65     | CR18NFT.....     | .12         | GLO-079.....    | .114      | HH-CH1-W.....   | .109        | NB960.....        | .102     | S966E.....      | .33       |
| 300-VP.....   | .36, 104 | 714R.....      | .55     | 8600PF.....    | .42         | CR18NFT-RD.....  | .12         | GLO-88P.....    | .124      | HH-CH1-Y.....   | .109        | NG-200.....       | .141     | S988.....       | .33       |
| 300E.....     | .36      | 718R.....      | .55     | 8605PF.....    | .42         | CR292.....       | .24, 51     | GLO-099.....    | .114      | HH-CH1-YG.....  | .109        | NG-201.....       | .141     | SG2000.....     | .82       |
| 300IN.....    | .58      | 725PF.....     | .42     | 8620.....      | .52         | CR309.....       | .21         | GLO-99P.....    | .124      | HH-F1-B.....    | .109        | NG-202.....       | .141     | SG2008.....     | .82       |
| 300INT.....   | .58      | 726R.....      | .55     | 8660.....      | .52         | CR317INT.....    | .16, 59     | GLO-127.....    | .116      | HH-F1-C.....    | .109        | NG-203.....       | .141     | SG2008SC.....   | .82       |
| 300KV.....    | .25      | 775PF.....     | .41, 43 | 8690.....      | .52         | CR330INT.....    | .16, 59     | GLO-0135.....   | .116      | HH-F1-W.....    | .109        | NG-204.....       | .141     | SG5200INT.....  | .60, 83   |
| 300NB.....    | .36      | 800F.....      | .41     | 8772.....      | .53         | CR336-S10.....   | .107        | GLO-0145.....   | .116      | HH-F1-Y.....    | .109        | NG-401.....       | .141     | SG5308.....     | .82       |
| 300NBE.....   | .36      | 801.....       | .31     | 9600.....      | .42         | CR336G.....      | .14         | GLO-147.....    | .116      | HH-F1-YG.....   | .109        | NG-402.....       | .141     | SG7001.....     | .81       |
| 300P.....     | .36      | 802.....       | .25     | 9900.....      | .54         | CR336G-S21C..... | .107        | GLO-200.....    | .120      | HH-H1-B.....    | .109        | NG-403.....       | .141     | SG7200INT.....  | .60, 83   |
| 300PT.....    | .36      | 805PF.....     | .43     | 9912.....      | .54         | CR344.....       | .14         | GLO-202.....    | .120      | HH-H1-K.....    | .109        | NW-COV63.....     | .130     | SG7300INT.....  | .60, 83   |
| 300RV.....    | .37      | 870-SC.....    | .51, 65 | 9912R.....     | .54         | CR377.....       | .14         | GLO-205.....    | .120      | HH-H1-Y.....    | .109        | NW-COV80FR.....   | .130     | SG7300MIT.....  | .60, 83   |
| 303RV.....    | .37      | 880-SC.....    | .51, 65 | 9913R.....     | .53         | CR399.....       | .19         | GLO-209.....    | .120      | HH-LED1.....    | .108        | NW-COV630.....    | .130     | SG7700IN.....   | .60, 83   |
| 305PF.....    | .42      | 880KW.....     | .65     | 9914R.....     | .54         | CR411G.....      | .26         | GLO-225LS.....  | .120      | HH-PB1.....     | .108        | NW-COV800FR.....  | .130     | SG8600.....     | .82       |
| 330.....      | .36      | 905PF.....     | .41     | 9918R.....     | .54         | CR488.....       | .12         | GLO-315LED..... | .113      | HH-PB2.....     | .108        | NW-KN95.....      | .129     | SG9000.....     | .84       |
| 338INT.....   | .58      | 908BPF.....    | .41     | 9918RINT.....  | .54         | CR492.....       | .14, 51     | GLO-1400.....   | .127      | HH-V1'.....     | .108        | NW-M1.....        | .129     | SG9001.....     | .84       |
| 348INT.....   | .58      | 965BPF.....    | .41     | 9918RMIT.....  | .54         | CR588MF.....     | .19         | GLO-1450.....   | .127      | HH-V2'.....     | .108        | NW-M2.....        | .129     | SG9001IN.....   | .59, 84   |
| 355KV.....    | .18, 17  | 1005PF.....    | .41     | 9932.....      | .54         | CR588MFY.....    | .19         | GLO-1700.....   | .127      | HH-V3'.....     | .108        | NW-PPB24-B.....   | .129     | SG9001NF.....   | .84       |
| 360.....      | .37      | 1100GHV.....   | .92     | 9932R.....     | .54         | CR600MF.....     | .19         | GLO-8000.....   | .127      | HH-V4'.....     | .108        | NW-PPB24-W.....   | .129     | SG9003.....     | .84       |
| 360HV.....    | .37      | 1200.....      | .90     | A18D.....      | .107        | CR609.....       | .20         | GLO-B2'.....    | .122      | HH-V5'.....     | .108        | NW-PPB2R-W.....   | .129     | SG9944.....     | .76       |
| 378INT.....   | .58      | 1200-LH.....   | .90     | A44G.....      | .143        | CR609-VP.....    | .20, 104    | GLO-B2-T'.....  | .122      | HH-V6'.....     | .108        | NW-PPBR18-B.....  | .129     | SG9954.....     | .76       |
| 380INT.....   | .58      | 1200E.....     | .91     | A48B.....      | .143        | CR611MF.....     | .14         | GLO-CNS2'.....  | .125      | HH-V71AF.....   | .108        | NW-PPBR18-W.....  | .129     | SG9955.....     | .76       |
| 388INT.....   | .58      | 1200GE.....    | .91     | A48Y.....      | .143        | CR617.....       | .16         | GLO-CT1'.....   | .142      | HH-V73AF.....   | .108        | NW-PPCOV.....     | .130     | SG9955INT.....  | .59, 76   |
| 400.....      | .34      | 1200KB.....    | .90     | A355Y.....     | .143        | CR639.....       | .20         | GLO-CT2'.....   | .142      | HP-BF1.....     | .137        | NW-PPSC.....      | .129     | SG9966.....     | .76       |
| 400FC.....    | .34      | 1200KB-LH..... | .90     | A17001.....    | .143        | CR677.....       | .21         | GLO-CT3'.....   | .142      | HP-F1'.....     | .137        | NW-SC63.....      | .129     | T36.....        | .98       |
| 405PF.....    | .42      | 1900.....      | .94     | AC600KV.....   | .27, 21     | CR788.....       | .12         | GLO-CT4'.....   | .142      | HP-F2'.....     | .137        | NW-SL63.....      | .129     | T800HC.....     | .98       |
| 411.....      | .47      | 2000.....      | .94     | AC2008SC.....  | .27         | CR898MF.....     | .13         | GLO-CV1'.....   | .144      | HP-FD1'.....    | .137        | NW-SMS300COV..... | .130     | T1250D2.....    | .98       |
| 440.....      | .37      | 2000DP.....    | .94, 93 | AC3200.....    | .27         | CR900LF.....     | .14         | GLO-EB1'.....   | .123      | HP-FDL1-RF..... | .137        | PUG-10.....       | .35      | T1350.....      | .98       |
| 500.....      | .31      | 2100.....      | .95     | AV805.....     | .50, 53, 68 | CR913MF.....     | .11         | GLO-EB4'.....   | .123      | HP-FDS1'.....   | .137        | PUG-11.....       | .35      | TAK14SLT.....   | .106      |
| 500G.....     | .32      | 2100FGC.....   | .95     | AV1121.....    | .68         | CR915MF.....     | .11         | GLO-ES1'.....   | .125, 119 | HP-FDS1-RF..... | .137        | PUG-12.....       | .35      | TAK16SL.....    | .106      |
| 500G-T.....   | .32      | 2100GC.....    | .95     | AV1160.....    | .68         | CR918MF.....     | .11         | GLO-G1'.....    | .124      | HP-M1'.....     | .136        | PUG-13.....       | .35      | TAK18ADJSL..... | .106      |
| 500GV.....    | .32, 104 | 2100GCDP.....  | .95     | AV2000.....    | .68         | CR919MF.....     | .13         | GLO-G2'.....    | .124      | HP-M1-RK'.....  | .136        | PUG-13TS.....     | .35      | TAK18SLT.....   | .106      |
| 500MF.....    | .25, 28  | 2100HV.....    | .92     | AV4900.....    | .68         | CR999MF.....     | .13         | GLO-G3'.....    | .124      | HP-M2'.....     | .136        | PUG-14TS.....     | .35      | TAK24SLGT.....  | .106      |
| 500MF-T.....  | .32      | 2190.....      | .94     | B260.....      | .143        | CR1200.....      | .23, 90     | GLO-H1'.....    | .125      | HP-M3'.....     | .136        | PUG-17.....       | .35, 104 | TAK24SLT.....   | .106      |
| 500NFT.....   | .32      | 2190DP.....    | .94     | BCPE.....      | .143        | CR2100.....      | .23, 95     | GLO-H2'.....    | .125      | HP-M4'.....     | .136        | PUG-17-VP.....    | .35, 104 | TAK515.....     | .26       |
| 500NFT-T..... | .32      | 2250.....      | .96     | BH-S1'.....    | .129        | CR3200.....      | .24, 88, 71 | GLO-H3'.....    | .125      | HP-M4-RK'.....  | .136        | PUG-88.....       | .25, 104 | TAK515-D2.....  | .26       |
| 500NFTD.....  | .32      | 2250DP.....    | .96     | C10BJINT.....  | .66, 100    | CR3800.....      | .22, 71     | GLO-H4'.....    | .125      | HP-S1'.....     | .137        | PUG-88-VP.....    | .25, 104 | TG1350.....     | .98       |
| 505PF.....    | .42      | 2250FC.....    | .96     | C10BJR.....    | .100        | CR3900.....      | .24         | GLO-H5'.....    | .125      | HP-S2'.....     | .137        | PUG-111'.....     | .15      | TKHV14SL.....   | .106      |
| 508NFT-S..... | .32      | 2250GCDP.....  | .96     | C10BJR-LT..... | .100        | CRX6.....        | .13         | GLO-HB1'.....   | .142      | HR1008.....     | .81         | PUG-118'.....     | .15      | TKHV19W.....    | .106      |
| 508XFT.....   | .31, 30  | 2300.....      | .97     | C16Y'.....     | .101        | CRX7.....        | .13         | GLO-HB2'.....   | .142      | HR2800INT.....  | .60, 83     | PUG-313'.....     | .15      | WL120'.....     | .140      |
| 510MFV.....   | .33      | 2300-LT.....   | .97     | C16Y-TL'.....  | .101        | EV-SJ1'.....     | .123        | GLO-HB4'.....   | .142      | HR3008.....     | .81         | PUG-411'.....     | .15      | WL220'.....     | .140      |
| 511AMB.....   | .44, 46  | 2300DP.....    | .97     | C18BT'.....    | .100        | GLO-001'.....    | .118        | GLO-HB11'.....  | .142      | HR3200.....     | .80         | PUG-417'.....     | .15      | WL280FR'.....   | .140      |
| 515.....      | .46      | 2300GC.....    | .97     | C18C'.....     | .101        | GLO-01BA'.....   | .119        | GLO-HNS1'.....  | .125      | HR3200INT.....  | .60, 80, 83 | PUG-511'.....     | .15      | WL300-YG'.....  | .141      |
| 515CT.....    | .46      | 2300HVDP.....  | .91     | C18DP'.....    | .101        | GLO-001V'.....   | .119        | GLO-HS2'.....   | .123      | HR322INT.....   | .60, 80, 83 | PUG-517TS'.....   | .26      | WL310-YG'.....  | .140      |
| 515F.....     | .46      | 2300KWF.....   | .97     | C18G'.....     | .101        | GLO-001VE'.....  | .118        | GLO-HS2'.....   | .123      | HR4008.....     | .81, 87     | PUG-555TS'.....   | .26      | WL320SE'.....   | .140      |
| 515KEV.....   | .25, 46  | 2300WC.....    | .97     | C18GRC'.....   | .77, 101    | GLO-002'.....    | .118        | GLO-HS4'.....   | .123      | HR8200.....     | .80         | PUG-611'.....     | .15      | WL400'.....     | .140, 139 |
| 519INT.....   | .66      | 2350PP.....    | .97     | C18GRCP'.....  | .77, 101    | GLO-002ADJ'..... | .117        | GLO-H4'.....    | .125      | HR8200KEV.....  | .24, 80     | PUG-617'.....     | .15      | WL420'.....     | .140, 139 |
| 520INT.....   | .66      | 2360.....      | .52     | C18OC'.....    | .77, 101    | GLO-002BA'.....  | .117        | GLO-P3'.....    | .122      | HR8500'.....    | .81         | PUG-788'.....     | .14      | WL500'.....     | .140, 139 |
| 522.....      | .46      | 2740D.....     | .37     | C18OPCB'.....  | .77, 101    | GLO-2P'.....     | .124        | GLO-R1'.....    | .125      | HR9000'.....    | .78, 81     | PUG-913'.....     | .10      | WL520'.....     | .140, 139 |
| 524.....      | .63      | 2800F.....     | .63     | C18PCR'.....   | .101        | GLO-002V'.....   | .118        | GLO-S1'.....    | .142      | HR9000VIS'..... | .80         | PUG-915'.....     | .10, 8   | WL770FR'.....   | .139      |
| 530MFG.....   | .32      | 2800GDC.....   | .63     | C19GCPB'.....  | .77         | GLO-003'.....    | .115        | GLO-S2'.....    | .142      | IP3DB'.....     | .103        | PUG-918'.....     | .10      | WL900FR'.....   | .139      |
| 530NFTD.....  | .32      | 2800GLP.....   | .63     | C190CPB'.....  | .77         | GLO-004'.....    | .115        | GLO-S3'.....    | .142      | ITR3600'.....   | .138        | PUG-27'.....      | .35      | WL920FR'.....   | .139      |
| 540.....      | .33      | 2805.....      | .61     | C24GC'.....    | .100        | GLO-4P'.....     | .124        | GLO-S4'.....    | .142      | ITR3610'.....   | .138        | R6400'.....       | .128     | Z1'.....        | .104      |
| 550.....      | .31      | 2900HVDC.....  | .61, 92 | C26HV'.....    | .100        | GLO-005MFJ'..... | .117        | GLO-SBC1'.....  | .125      | ITR3615'.....   | .138        | R8900'.....       | .128     | Z2'.....        | .104      |
| 550B.....     | .31      | 2950.....      | .61     | C26WBT'.....   | .100        | GLO-005B'.....   | .121        | GLO-SBC2'.....  | .125      | ITR3620'.....   | .138        | RCB89'.....       | .128     | Z6'.....        | .104      |
| 550E.....     | .31      | 2              |         |                |             |                  |             |                 |           |                 |             |                   |          |                 |           |



Set your  
sights  
higher



INDUSTRIAL DISTRIBUIDORA  
**NANSA**



Teléfonos:  
(686) 568-3210,  
(686) 568-3105 y  
(686) 561-8844

[industrialnansa.com.mx](http://industrialnansa.com.mx)

**Head Protection**

**Knee Protection**

**Cooling**

**Hearing Protection**



**GGS**   
GLOBAL GLOVE AND SAFETY MANUFACTURING INC